

Air Force Institute of Technology

**AFIT Scholar**

---

Theses and Dissertations

Student Graduate Works

---

9-1999

## A Statistical Analysis of the Variability Experienced in DLA Administrative and Production Lead Time

Kieran F. Keelty

Follow this and additional works at: <https://scholar.afit.edu/etd>



Part of the [Operations and Supply Chain Management Commons](#)

---

### Recommended Citation

Keelty, Kieran F., "A Statistical Analysis of the Variability Experienced in DLA Administrative and Production Lead Time" (1999). *Theses and Dissertations*. 5193.  
<https://scholar.afit.edu/etd/5193>

This Thesis is brought to you for free and open access by the Student Graduate Works at AFIT Scholar. It has been accepted for inclusion in Theses and Dissertations by an authorized administrator of AFIT Scholar. For more information, please contact [AFIT.ENWL.Repository@us.af.mil](mailto:AFIT.ENWL.Repository@us.af.mil).

AFIT/GIM/LAL/99S-2

A STATISTICAL ANALYSIS OF THE  
VARIABILITY EXPERIENCED IN DLA  
ADMINISTRATIVE AND PRODUCTION LEAD TIME

THESIS

Kieran F. Keelty, Captain, USAF

AFIT/GIM/LAL/99S-2

Approved for public release; distribution unlimited

DTIC QUALITY INSPECTED 4

19991026 026

The views expressed in this thesis are those of the author  
and do not reflect the official policy or position of the  
Department of Defense or the US Government

AFIT/GIM/LAL/99S-2

A STATISTICAL ANALYSIS OF THE  
VARIABILITY EXPERIENCED IN DLA ADMINISTRATIVE  
AND PRODUCTION LEAD TIME

THESIS

Presented to the Faculty of the Graduate School of Logistics  
and Acquisition Management of the Air Force Institute of Technology

Air University

Air Education and Training Command

In Partial Fulfillment of the Requirements for the  
Degree of Master of Science in Logistics Management

Kieran F. Keelty, B.A.

Captain, USAF

September 1999

Approved for public release; distribution unlimited

### Acknowledgments

It is impossible to understate the importance of the support and overwhelming patience given by my family during this arduous project. I graciously thank my wife Sally and daughter Madison for their understanding while I spent many hours away from our family. To our newborn son, Conor, I hope that someday I can adequately relay to you the tremendous sense of joy, relief and perspective you unknowingly provided. Through it all, their words, as well as presence, provided encouragement and motivation to complete this thesis and the AFIT program

I would like to express my sincere appreciation to the faculty members who guided me through this endeavor. The insight and guidance provided by my advisor, Major Marvin Arostegui, and reader, Major Steven Swartz, were invaluable. I am also grateful to Professor Dan Reynolds of the Engineering School for his untiring patience while walking me through the methodology of the thesis.

This entire project would not have been possible without the assistance I received from Mrs. Patricia Shields and Mr. Andrew Hinkle of the Defense Supply Center - Columbus. Their unwavering efforts in obtaining data and timely aid at a very critical time during this research effort allowed the project to be completed. I would also like to thank Colonel Stanley S. Stevens of Air Combat Command for opening many doors along my path, and sharing with me his vast experience in Air Force maintenance.

Finally, I would be remiss if I did not thank the members of the "night crew." You all know who you are, and to you all I wish continued success, not just at foosball.

Kieran F. Keelty

## Table Of Contents

Acknowledgements.....	ii
List of Figures .....	vi
List of Tables .....	vii
Abstract.....	viii
I. Background and Problem Presentation.....	1
Introduction .....	1
Problem Statement.....	2
Research Objectives .....	3
Research Questions.....	4
Hypothesis .....	5
Methodology.....	6
Assumptions .....	7
Limitations of the Research.....	7
Organization of Research .....	8
II. Literature Review .....	10
Introduction .....	10
Explanation of Relevant Terms .....	11
Department of Defense Consumable Inventory Management .....	13
Economic Order Quantity (EOQ) .....	13
DLA Variations of EOQ .....	15
Safety Levels.....	16
Reorder Point .....	19
DLA Lead Time Methodology.....	20
Administrative Lead Time.....	20
Production Lead Time .....	21
Performance of EOQ in the Department of Defense.....	21
GAO Criticisms of Defense Inventory Management.....	22
Consumable Items and Air Force Readiness.....	26
MICAP Incidents .....	26
Aircraft Availability .....	27
Summary.....	29
III. Methodology .....	30
Introduction .....	30
General Approach.....	30
Data Collection .....	31
Problem Parts .....	32

Bench Stock .....	32
Analysis of Data .....	33
Data Validation.....	34
Receipt Dates.....	34
Stock Replenishment .....	34
Direct Vendor Deliveries (DVD).....	34
Incomplete Records.....	35
Multiple Contracting Lines .....	35
Open Contracting Actions.....	35
Variables Used in Analysis.....	36
System ALT .....	36
ALT (actual).....	36
System PLT .....	36
PLT (actual).....	37
Reason for Purchase .....	37
Preliminary Evaluation of Data .....	37
Organization of Data .....	37
Derivation of Test Statistic.....	38
Nature of Data .....	38
Test Heuristic.....	39
Comparing Two Population Means .....	39
Focus Question.....	39
Statement of Hypothesis .....	40
Significance Level.....	40
Test Statistic, Rejection Region, and Decision Rule.....	40
Assumptions.....	40
Summary.....	41
IV. Analysis and Results.....	42
Introduction .....	42
Outlier Analysis.....	43
Results .....	44
Case 1: Problem Parts versus Non-problem Parts.....	46
Case 2: DVD versus Stock Buy .....	48
Case 3: Problem Parts for DVD versus Problem Parts for Stock Buy.....	50
Case 4: Non-problem Parts for DVD versus Non-problem Parts for Stock Buy.....	53
Case 5: Problem Parts for Stock Buy versus Non-problem Parts for Stock Buy.....	55
Case 6: Problem Parts for DVD versus Non-problem Parts for DVD.....	57
Summary.....	59
V. Conclusion and Recommendations .....	61
Introduction .....	61
Conclusions .....	62
Summary of Findings .....	66

Recommendations for Future Research.....	68
Summary.....	69
Appendix A: Supply Codes .....	70
Appendix B: Air Force Materiel Command Readiness Assessment Module Reports .....	71
Appendix C: List of Parts Used in Sample Data.....	76
Appendix D: Sample data .....	77
Appendix E: Graphical Summaries of Sample Sets .....	98
Appendix F: Results of Hypothesis Tests.....	112
Bibliography .....	118
Vita.....	121



## List of Figures

### Figure

1. Demand Stream for Consumable Items .....	14
2. Classical EOQ Model .....	15
3. Classical Inventory Model with Safety Stock.....	16
4. Comparison of Distributions of Deviations in ALT From System Lead Times: Problem Parts v Non-Problem Parts .....	47
5. Comparison of Distributions of Deviations in PLT From System Lead Times: Problem Parts v Non-Problem Parts .....	48
6. Comparison of Distributions of Deviations in ALT From System Lead Times: DVD v Stock Replenishment .....	50
7. Comparison of Distributions of Deviations in PLT From System Lead Times: DVD v Stock Replenishment .....	50
8. Comparison of Distributions of Deviations in ALT From System Lead Times: Problem Part DVD v Problem Part Stock Replenishment .....	52
9. Comparison of Distributions of Deviations in PLT From System Lead Times: Problem Part DVD v Problem Part Stock Replenishment .....	53
10. Comparison of Distributions of Deviations in ALT From System Lead Times: Non-Problem Part DVD v Non-Problem Part Stock Replenishment.....	54
11. Comparison of Distributions of Deviations in PLT From System Lead Times: Non-Problem Part DVD v Non-Problem Part Stock Replenishment.....	55
12. Comparison of Distributions of Deviations in ALT From System Lead Times: Problem Part Stock Replenishment v Non-Problem Part Stock Replenishment .....	56
13. Comparison of Distributions of Deviations in PLT From System Lead Times: Problem Part Stock Replenishment v Non-Problem Part Stock Replenishment .....	56
14. Comparison of Distributions of Deviations in ALT From System Lead Times: Problem Parts DVD v Non-Problem Parts DVD .....	58
15. Comparison of Distributions of Deviations in PLT From System Lead Times: Problem Parts DVD v Non-Problem Parts DVD .....	58

## List of Tables

### Table

1. Changes in Average Lead Time Days between 1990 and 1994 .....	23
2. Unneeded Secondary Inventory by DoD Component .....	25
3. Sample sizes .....	44
4. Summary of Means by Category .....	45
5. Two-Sample T-test Results, Case 1 .....	46
6. Two-Sample T-test Results, Case 2 .....	49
7. Two-Sample T-test Results, Case 3 .....	51
8. Two-Sample T-test Results, Case 4 .....	54
9. Two-Sample T-test Results, Case 5 .....	56
10. Two-Sample T-test Results, Case 6 .....	57

Abstract

This study examined the variability experienced in the administrative and production lead times of consumable items managed by the Defense Logistics Agency (DLA). Assets were categorized based on an item manager's determination that an asset was a problem part, and whether the asset was purchased for stock replenishment or direct vendor delivery. The methodology was a two-sample t-test of aggregated data to determine if significant differences existed between the mean deviations from the system lead times of various combinations of categories. The study produced results indicating that a significant difference did not exist between the mean deviations of problem parts and non-problem parts, but substantial variability did exist for all categories of consumable items. The degree of variability was such that the author suspected this as a possible cause for individual assets entering problem part status. The study also confirmed that while the DLA methodology used for forecasting lead times of stock replenishment purchases was accurate over aggregated data, the variability present is, to some extent, contributing to excess inventory levels.

# A STATISTICAL ANALYSIS OF THE VARIABILITY EXPERIENCED IN DLA ADMINISTRATIVE AND PRODUCTION LEAD TIME

## I. Background and Problem Presentation

### Introduction

By nature, maintenance, repair, and overhaul environments such as Air Force depots experience unpredictable demand patterns. That is, repair facilities can not know which components of a particular end item have failed until the end item is disassembled and inspected. This varying demand often causes work stoppages due to lack of component parts. The impact of such work stoppages on Air Force readiness, though yet to be measured, is considered to be significant. For this reason, significant research and operational effort has been expended in the area of inventory management and requirements computations in examining the issue of demand forecasting. The systems used for these activities, however, frequently rely on many variables, some of which experience considerable variability. This study examines the variability in forecast errors for consumable items managed by the Defense Logistics Agency (DLA).

## Problem Statement

The relationship between the readiness of Air Force weapon systems and reparable end-items has received much attention in recent years. By extension, weapon system readiness is also directly related to the effective determination of requirements for consumable parts used to repair these end-items. The Department of Defense (DoD) relies on the Wilson Economic Order Quantity (EOQ) model to manage consumable items at DLA, and at all echelons in the Air Force logistics chain. EOQ is a reorder point system that attempts to compute the most economical order size by balancing ordering cost and holding cost. It is a deterministic model in that all of the parameters, including lead-time, are assumed to be known or can be calculated with certainty (Tersine, 1994: 91). Of the many parameters used in inventory management and requirements forecasting, arguably, the two most critical are demand and lead-time. The issue of demand forecasting continues to receive well-deserved attention. The lead time of consumable items, on the other hand, appears to take second billing in terms of academic and operational research. This study focuses on the impact of lead time variability.

Procedurally, DLA uses a weighted average of the lead times of the previous two purchases to determine the forecast for the next purchase. In the parlance of DLA, this forecast is termed "system" lead time, or "lead time of record." The specifics of the lead time methodology are discussed further in Chapter II. These lead-times, which may be frequently violated in the real-world acquisitions environment, are the focus of this research effort. There are two specific management questions addressed in this study. First, are inaccurate system lead times a contributing factor in the classification of parts

as problem items or the accumulation of excess inventory, and second, are the system lead times utilized by inventory management programs accurate approximations of actual lead times experienced in the acquisitions process?

Specifically, this study focuses on consumable parts used in the F100-GE-110 and F100-GE-129 engines. The F100-110 engine was chosen based on the fact that it is the primary driver of F-16 mission capable rates as of the date of this study (Stevens, 1999).

### Research Objectives

The main purpose of this study is to examine the nature and accuracy of the lead times utilized for requirements computations by DLA. Chapter II establishes a need for this research through a review of DoD inventory management theory and practice. The quantitative nature of the system lead times, and their accuracy based on actual contracting actions is analyzed in Chapter IV. Chapter IV also includes aggregate statistical analyses of various categories of consumable assets, and inferences based on the descriptive statistics.

The justification and foundation for this research is demonstrated through a discussion of the influence of lead time on inventory levels based on current DLA inventory policy. This is followed with a thorough review of reports on DoD secondary item management issued over the past decade by organizations such as the General Accounting Office (GAO) and the Logistics Management Institute. Finally, the data must be analyzed to answer the research questions presented below.

## Research Questions

To meet the research objective and answer the management questions, particular research questions must be answered. These questions are listed below.

1. What is the impact of lead-time variability on consumable item inventory levels in the DoD?
2. What methodology does DLA use to assign lead times to assets?
3. Is there a difference in the distributions of deviations from system lead times for items classified as problem parts versus items that are not (Case 1)?
4. Is there a difference in the distributions of deviations from system lead times for items purchased for stock replenishment versus direct vendor delivery (DVD) contracts (Case 2)?
5. Is there a difference in the distributions of deviations from system lead times for problem parts bought for stock replenishment versus problem parts under DVD contracts (Case 3)?
6. Is there a difference in the distributions of deviations from system lead times for non-problem parts bought for stock replenishment versus non-problem parts under DVD contracts (Case 4)?
7. Is there a difference in the distributions of deviations from system lead times for problem parts bought for stock replenishment versus non-problem parts bought for stock replenishment (Case 5)?

8. Is there a difference in the distributions of deviations from system lead times for problem parts under DVD contracts versus non-problem parts under DVD contracts (Case 6)?

### Hypothesis

Thus, this study examines a small slice of consumable items to determine the accuracy of the system lead times used by DLA in requirements computations. The overarching hypothesis, then, is:

Null Hypothesis: the current DLA methodology for computing system lead times for requirements computations ensures cost-effective and appropriate inventory levels.

Alternate Hypothesis: the current DLA methodology for computing system lead times for requirements computations does not ensure cost-effective and appropriate inventory levels.

This hypothesis is tested through statistical analysis of historical data. Additionally, the nature of lead time variability is explored with regard to various categorizations of consumable items in order to determine if the lead times of certain categories may warrant closer management attention. Specific hypotheses regarding categorical lead times are formulated in Chapter III.



## Methodology

The approach is a two-sample t-test to determine if significant differences exist between the groups tested for each of the six cases outlined above. The system lead times for each item are subtracted from their actual lead times, as established in the DLA Integrated Data Base, and a two-sample hypothesis test is conducted on the mean deviations. The DLA Integrated Data Base interfaces with the Standard Automated Materiel Management System (SAMMS) to obtain data and reports. Appendix G-2 in DLA Manual 4140.2 defines SAMMS as:

The computer system which is used to process transactions of the construction supplies Stock Fund. The system connects the major directorates at [Defense Supply Centers] and provides the necessary data for management of the Stock Fund inventory. SAMMS consists of five subsystems: Distribution, Requirements, Contracting, Technical and Logistics, and Financial.

There are four categories used to differentiate the items in the sample. The first two, problem parts and non-problem parts, are the result of a determination by an asset's item manager. A definition of "problem part" is left for Chapter III. The second set of categories are defined by type of purchase. That is, whether the item was purchased to replenish DLA stock or for direct delivery by the vendor to the user. Research questions three and four, examine the first two categories. Research questions five through eight examine combinations of the four main categories. Questions five and six seek to determine if a difference in lead time exists between problem parts and non-problem parts in the two categories of type of purchase. Similarly, research questions seven and

eight compare the type of purchase across problem part and non-problem part categories.

The same statistical procedure is applied to all tests.

### Assumptions

The assumptions necessary for this study are primarily statistical in nature. One assumption that applies throughout this study is that the parts used for sample data are representative of the entire population of DLA managed consumable items in terms of the categories used for analysis. In addition, there are a number of assumptions related to the statistical analysis that are necessary for two-sample hypothesis testing. These are discussed with the test heuristic in Chapter III.

Additionally, the methodology for computing the average system lead times as discussed in Chapter III is assumed to approximate the actual system lead times in SAMMS for specific purchases at the time of the acquisition.

### Limitations of the Research

The scope of this study is restricted to DLA managed consumable items for the F100-110 and F100-129 engines. Additionally, as the Defense Supply Center (DSC) - Columbus and DSC - Richmond manage all of the items in the sample data, any findings can not be generalized beyond these centers.

There are two specific limitations on the scope of this study. The first relates to the boundaries of the data and is driven by practicality. Although the number of parts in

the sample data is relatively low compared to the vastness of the DoD inventory, the parts selected resulted in over a ten-fold increase in number of data points to be analyzed.

The second limitation is a function of the methodology employed in this study. That is, for analysis purposes the data are aggregated to determine if findings can be generalized to a category of parts. As a result, none of the findings can be applied to individual parts used in the sample data.

### Organization of Research

Chapter II begins with a brief synopsis of the supply terminology found in this study. This is followed with a discussion of the theory behind EOQ and the variations that DLA applies to the EOQ model in determining consumable requirements. With this foundation laid, a review of recent literature relating to DoD inventory management establishes the need for this research. The literature review will aid in formulating answers to the management questions as well as research questions one and two, while the statistical analysis will answer research questions three through eight.

Chapter III explains the methodology employed to analyze lead time variability. It begins with a review of the data collection process, including delineation of sample categories and definitions of the variables used for categorization and statistical analysis. The core of the chapter is the heuristic for conducting the two sample hypothesis tests.

Chapter IV is the analysis of the results of the hypothesis tests conducted for this research. Additionally, observations based on means and standard deviations of the

categories are discussed. A summary is found in Chapter V along with general inferences based on the analysis and recommendations for areas of future research.

## II. Literature Review

### Introduction

Although the focus of this study is an exploration of the variability experienced in lead times for DLA assets and the impact of that variability on requirement computations, it is necessary for this chapter to begin with an overview of inventory management within the Department of Defense (DoD). This widening of scope to the DoD is necessary as the Defense Logistics Agency (DLA) manages the majority of DoD consumable items (Hanks, 1990: 1-3). The percentage of items managed by DLA has further increased in recent years due to the transfer of many consumable items to DLA. As a result, much of the literature concerning DoD consumable inventory can be generalized to DLA. Following this discussion, the relevant methodology employed by DLA in inventory management is explained in concert with the role of lead time in DLA requirement computations. Finally, a justification for further analysis of lead time variability is presented through numerous General Accounting Office (GAO) reports on DoD inventory management and by directly linking consumable items to the readiness of Air Force weapon systems.

Most discussions of DoD inventory management tend to overflow with rather unique terminology. Before reviewing the pertinent literature on this subject, an explanation of key terms found within this research effort is provided.

### Explanation of Relevant Terms

This section provides definitions or brief explanations of supply terms found in the order in which they appear in this study. The first three terms are technical codes for classifying assets. A complete definition of these codes, as found in DLA Manual 4140.2, Volume II, Part 1, Appendix G-2, can be found in Appendix A. Although these terms may be commonplace to those in the inventory career field, they are provided here for the purpose of easy reference.

Item Category Code (ICC). A code assigned to an item to indicate whether it is to be managed as a replenishment demand type or a numeric stockage objective.

Supply Status Codes (SSC). A series of codes used to reflect, in materiel management records and in the Federal Cataloging System, decisions made by inventory managers as to the normal means-of-supply stockage/nonstockage status of each assigned NSN.

Standardization Status Code (STDZ, SSC). Item Standardization Status Codes denote that an item is authorized for purchase or not authorized for purchase, and where and why the decision was made.

Direct Vendor Delivery (DVD). DVD is an improvement initiative whereby DLA utilizes long-term contracts and electronic data interfaces to permit suppliers to deliver directly to the end user (GAO, 1997b:7). In a statement before the Senate Subcommittee on Readiness and Management Support on 17 March 1999, Lieutenant General Henry Glisson reported that one of DLA's goals in corporate contracting was to use DVD. Specifically, he stated, "Where feasible, long-term DVD contracts are issued for the

vendor's entire catalog of applicable parts and use their commercial distribution system or network..." (Glisson, 1999).

Prime Vendor. Prime vendor is a term for a single vendor that stores and distributes assets directly to customers. The relationship is marked by a close partnership between the supplier and customer and the use of electronic ordering systems (GAO, 1997b:3).

Integrated Suppliers. Integrated suppliers essentially adopt total responsibility for a customer's inventory management function. The system requires an on-site representative of the supplier to order and replenish assets. The assets remain in the supplier's warehouse, and are delivered on a just-in-time concept (GAO, 1997b:4).

Lead Times. Total acquisition lead time (TALT), also referred to as procurement lead time, is comprised of administrative lead time (ALT) and production lead time (PLT). Their definitions, as found in Appendix G-2 of DLA Manual 4140.2, are as follows:

Administrative Lead Time. A three digit numeric field used in the [Supply Control File] SCF to express the time interval between the date of the supply control information indicating a need for purchase and the award of an order or contract to a vendor. This time interval includes both the time required to review the SCF and the time required to award the order or contract. This time interval, when used for purchase purposes, is limited to the time interval between citation of the PR and the award date.

Procurement Lead Time. The time interval between the award of a contract and the availability of the initial significant delivery of materiel.

To elaborate, procurement lead time ends with receipt of the first largest contract line item number (CLIN). CLINs are employed to identify specific shipments in

contracts with split quantities shipped to multiple locations. The terminology "first largest" refers to cases where there are two or more CLINs, for equal quantities, that are also the largest quantity in the contract (Shields, 1999b).

Mission Capable (MICAP). MICAP is an Air Force term used to reflect the priority of an item in terms of the repair of mission essential equipment. MICAPs occur when a high priority, or MICAP reportable, weapon system or end item becomes not mission capable (NMC) or partially mission capable (PMC). MICAP also refers to the procedures and system used to obtain the assets needed to maintain mission capability (AFMAN 23-110, 1999: Ch 17).

#### Department of Defense Consumable Inventory Management

DLA is at the top of a multi-echelon structure in terms of DoD consumable item management. Demand for consumable items at DLA originate at the retail or base level as a result of the failure of a reparable or consumable end item, or a consumable component of a reparable end item. As shown in Figure 1, demands for reparable end items are forwarded to Air Logistics Centers, who, in turn, may place a demand on DLA for a consumable component of that end item. Additionally, demands for consumable parts are placed on DLA from individual bases and other services. These demands are compiled by DLA, and become DLA's total demand.

Economic Order Quantity (EOQ). At each echelon, a variation of Wilson's Economic Order Quantity (EOQ) is the basic inventory model used to determine order



quantities. Before discussing the DLA adaptations relevant to this study, a brief overview of EOQ is necessary.




Figure 1. Demand Stream for Consumable Items  
(Adapted from Gaudette, 1998:3)

In its purest form, the initial order quantity ( $Q$ ) sets the inventory level. EOQ assumes units are withdrawn at a constant demand rate. Knowing this demand rate, a reorder point is established based on the “known” lead-time or the number of days required to receive the order of  $Q$  units. When inventory reaches the reorder point, an order is placed for  $Q$  units, and as the remaining units are withdrawn the order for  $Q$  units is produced and shipped. EOQ also assumes the entire quantity of new units is received

at one time. Theoretically, the order is received just as the inventory level reaches zero (Tersine, 1994: 92). Figure 2 depicts this process in the classical saw tooth diagram associated with EOQ.

Although EOQ is dependent on a total of eight assumptions, it is generally considered a “robust” model, or one that is relatively insensitive to changes in the model’s parameters. In other words, even if the assumptions are faulty, the model will still produce output reasonably close to the optimal solution (Tersine, 1994: 102).




Figure 2. Classical EOQ Model (Adapted from Tersine, 1994:93)

DLA Variations of EOQ. The two variations to the fundamental EOQ model relevant to this study concern the safety level and reorder point calculations. Lead time is an independent variable in each, so variability in lead time can result in inaccurate calculations.

Safety Levels. A primary purpose of inventory, in general, is to serve as a buffer against variations in demand or lead time. Specifically, safety stock is a classification of inventory used to account for short-term variations in these factors (Lambert and Stock, 1993: 399-404). Figure 3 illustrates the role of safety stock in the classical EOQ model. In this hypothetical case, an unexpected increase in demand or lead time results in the EOQ being insufficient to meet the requirements of the third cycle.




Figure 3. Classical Inventory Model with Safety Stock  
(Adapted from Tersine, 1994: 539)

DLA uses two types of safety stock, fixed safety levels (FSL) and variable safety levels (VSL). Fixed safety levels are mainly applied to non-stocked items, items in the DLA system less than two years, items with an item category code 1 or P, and items with a supply status code of 6. The assignment of an FSL to any other established item, or one

in the DLA system over two years, requires the approval DLA headquarters (DLAM 4140.2, 1965: Ch 56).

Variable Safety Levels are the common approach for most items. VSLs attempt to minimize both the number of backorders and the time a requisition is backordered. This is known as time-weighted requisitions short. In theory, VSL customizes the safety level to the particular traits of each asset, "thereby making maximum use of available funds by neither overinvesting nor underinvesting in safety stock" (DLAM 4140.2). VSLs allow for the possibility of a greater number of backordered requisitions that are in backorder status for a shorter period of time. Some of the factors that are considered in computing VSLs are demand, variance of demand, lead time, unit price, number of requisitions, and average requisition size.

The entire process for calculating both types of safety levels is complex to say the least. Appendix D-187 of DLA Manual 4140.2, Safety Level Computations, contains the 21 page flow-chart describing this methodology. As this study pertains to DLA lead time variability, this section highlights the primary areas where lead time impacts the safety level calculation.

The formula for computing lead time demand for replenishment of item  $i$  is shown below as given in section 1a, sub-section 9a of Appendix D-187.

$$LTD_i = \frac{QFD_i}{91} \times PLT_i, \text{ where}$$

$QFD_i$  = Quarterly Forecasted Demand of unit  $i$ .

$PLT_i$  = Procurement Lead Time

Dividing the QFD by 91 creates a daily demand rate. The procurement lead time, or TALT, determines the number of expected demands during TALT. This demonstrates the basic relationship of lead time to requirements determination. That is, long lead times result in a larger lead time demand, which, in turn, results in a higher safety level. If lead times are artificially long, the result is unnecessary investment in safety levels. Similarly, artificially short lead times result in too little safety stock, the consequence of which may be a stockout condition.

The next step is the computation the mean absolute deviation of demand during TALT (MADLT) and a ratio,  $R1_i$ . The equation, as given in Appendix D-187, is:

$$R1_i = \frac{2.560 \times S_i \times Q_i \times C_i \times B}{Z_i \times (MADLT_i)}, \text{ where}$$

$S_i$  = Average requisition size

$Q_i$  = EOQ

$C_i$  = unit cost

$B$  = backorder rate

$Z_i$  = Safety Level Essentiality Factor

Again, lead time plays a critical role. In this case, a lead time that experiences a high degree of variability causes a lower  $R1_i$ . This is critical because the ratio  $R1_i$  determines the VSL in the following manner.

If  $R1_i < 0.0144$ , then  $VSL_i = 3 \times 1.25 \times MADLT_i$ ,

If  $R1_i \geq 0.0144$ , then  $VSL_i = K_i \times MADLT_i$ , where  $K_i$  is a service level factor obtained from Safety Level Table III (DLAM 4140.2, 1965:Appendix D-187).

This excerpt demonstrates the importance of accuracy and variability in lead times used in DoD safety level computations. This translates directly to inventory levels through the computation of reorder points.

Reorder Point. One of the assumptions EOQ is founded upon is a constant and known lead-time that is used to compute a reorder point. In the classical model, the reorder point (B) is computed by multiplying the annual demand (R) for the item by the lead time (L), and the product is divided by the length of time corresponding to the lead time expression. For example, for lead times expressed in days the equation reads,  $B=(R*L)/365$ . When on hand assets plus on-order assets minus backordered assets equals the reorder point quantity, another is placed for Q units (Tersine, 1994:94-95). If the expected lead time is artificially long, the reorder point is set higher than necessary to account for the demands during the actual lead time, which, in turn, results in unnecessary inventory investment. On the other hand, if the expected lead time is shorter than the actual lead time, a materiel shortage may result at some point prior to receipt of the order quantity.

DLA determines the reorder point for replenishment demand items by summing five factors. The five factors are the System Safety Level Quantity (SSLQ), special levels to support the Atlantic and Pacific fleets, Other War Reserve Materiel quantities, special levels established for items assigned a Supply Status Code 6 with Standardization Status Code 3 or E, and "all requirements through a time period equal to the PLT [procurement lead time] (ALT plus PLT)" (DLAM 4140.2, 1965: Ch 32). The effect of erroneous lead time data on SSLQ was demonstrated in the previous section. For the purposes of this study, the only other factor that is reliant on accurate lead time data is the

determination of demand during lead time. In inventory parlance, this is the pipeline quantity. As in the classical EOQ model, lead times that are actually longer than anticipated result in insufficient quantities to meet demand during lead time, and shorter actual lead times result in more assets than are needed to meet said demand.

Therefore, lead time affects two of the five determinants of reorder point, safety level and pipeline quantity. Inaccurate data may result in reorder points either above or below the optimal level. Artificially high reorder points result in the inefficient use of inventory funds through the premature purchase of assets, while artificially low reorder points result in lower inventory levels, that may effect weapon system readiness.

DLA Lead Time Methodology. The procedure for calculating both ALT and PLT is remarkably simple. Both are automatically computed on a weekly basis using only representative procurement processes. DVD lead times are not considered as representative procurements. The automatic update to ALT and PLT is only averted when the rate of change between the new lead time and previous lead time exceeds a parameter normally set at  $\pm 50$  percent. If the new computed lead time exceeds this tolerance, a management notice is generated for review (DLAM 4140.2, 1965: Ch 32).

Administrative Lead Time. ALT computations are generated by the Contracting Subsystem by an Award Leadtime Transaction. The interval is the time between the recommended buy date and award date. A 30-day minimum is assigned to all stock replenishment items unless an item is procured under a "requirements type contract". In this case, ALT equals the interval between the recommended buy date and "the date a call is placed against a contract" (DLAM 4140.2, 1965: Ch 32).

New ALTs are computed using a weighted average of the past two contracting actions. The most common calculation is the sum of 67 percent of the "latest actual" ALT and 33 percent of the previous ALT. Any deviation from these weights requires DLA-OSR approval (DLAM 4140.2, 1965: Ch 32).

Production Lead Time. PLT computations begin with the Award Leadtime Transaction, and the estimated contract delivery date is used for the end date. This is automatically updated when a receipt transaction is processed for 51 percent of the CLIN or for a specific quantity assigned to that item. The new PLT is computed as described above for ALT.

In terms of the management questions presented in Chapter I, expected lead times shorter than actual lead times may lead to stockout conditions, which could be a contributing factor in the determination of an item as a problem part. Conversely, longer expected lead times result in reorder points set higher than necessary, which may contribute to the accumulation of excess materiel.

#### Performance of EOQ in the Department of Defense

There are two primary reasons to scrutinize the performance of EOQ in the DoD. First, in the past decade the Government Accounting Office (GAO) has issued a plethora of reports criticizing defense inventory management. The second compelling reason to investigate consumable item lead time variability is the potential to increase weapon system readiness.



GAO Criticisms of Defense Inventory Management. In the late 1980's, by the direction of the House of Representatives Committee on Government Reform and Oversight and the Senate Committee on Governmental Affairs, the GAO began examining DoD stockage policies. Due to the subject's budgetary implications, it was soon raised to the GAO's "High Risk Series" (Gaudette, 1998:19). In a 1992 report, the GAO stated that one-half of the \$77.5 billion DoD inventory was excess. Furthermore, the GAO recommended that the DoD change its standard practices, increase the use of commercial practices, revise its performance measures, and integrate improved computer technology to better control inventory (GAO, 1995:9).

Defense inventory management has remained on GAO's High-Risk Series throughout the decade, with GAO reports continuing to give emphasis to the use of commercial practices. In 1990 the GAO identified an increase in DoD lead time requirements during the previous decade of \$13 billion. It directed the services and DLA to initiate measures designed to reduce lead times by 25 percent. This goal was based on a 1986 DoD memorandum, which cited a DoD initiated study by the Logistics Management Institute, that claimed a 25 percent decrease was feasible by employing commercial practices. Moreover, the memorandum underscored the importance of lead time by stating that a one day reduction equated to a \$10 million reduction in future purchases. As a result of this report, DoD directed the services and DLA to undertake lead time reduction initiatives which included the establishment of total acquisition lead time (TALT) goals, the reduction of production lead time in contract negotiations, and the expansion of multiyear contracts and indefinite quantity contracts (GAO, 1994:2-3).

In a 1995 follow-up report, GAO found limited progress across DoD in TALT. Table 1 shows the change in average lead time, in days, for each service and DLA from 1990 to 1994. Among the specific findings relating to the sources of supply, the report found that DLA did not implement the first two of DoD's 1990 lead time reduction initiatives. As of October 1994, although DLA proposed a 30 percent reduction in lead time, this policy had yet to be implemented. GAO further recommended a periodic validation of recorded lead times based on a review of two Air Force Air Logistics Centers and the U.S. Army Aviation and Troop Command. As a result of the latter's recent production lead time (PLT) review, changes were made to 75 percent of the assets reviewed, and 94 percent of those changes were decreases. "The command estimated net annual procurement savings of \$88 million from using updated lead times to compute buy requirements" (GAO, 1994:4).

A 1996 GAO report focusing on requirements determination cited inaccuracies in the data in Air Force and Navy automated requirements computation systems that contributed to a combined \$132 million more than required for aircraft engine spares. The sample included the Air Force's F-100-100 engine and the Navy's F-404 engine. Among other data elements specifically cited as "unsupported or incorrect" were lead times (GAO, 1996:2).

Table 1. Changes in Average Lead Time Days between 1990 and 1994  
(GAO, 1994:2)

COMPONENT	1990	1994	DAYS	PERCENT CHANGE
NAVY	715	522	193	27.0
ARMY	711	690	21	3.0
AIR FORCE	614	620	(6)	(1.0)
DLA	309	293	16	5.0
DoD AVERAGE	587	531	56	9.0

GAO's vigilant monitoring of defense inventory continued in earnest in 1997. In a follow-up to the 1995 High-Risk Series report, GAO listed 12 findings citing DoD's limited or non-existent progress in changing the management culture. The report credited DoD for the reduction in secondary inventory to \$69.6 billion. The GAO defines secondary inventory as spare and repair parts, clothing, medical supplies, and other support items (GAO, 1997d:1). For all intensive purposes, this includes all inventories except equipment items. Of the \$69.6 billion total inventory, \$19.2 billion was consumable items (GAO, 1997a:4). The report still claimed, however, that half of the total was not needed for war reserve materiel or to support current operations (GAO, 1997d:1). The GAO refers to this as "unneeded" inventory. A July 1997 report focused on consumable items in particular. The report criticized DLA management of consumable inventory totaling approximately four million items valued at \$11.1 billion (GAO, 1997b: 4). GAO recommendations concentrated on the use commercial best practices, including moving away from direct vendor delivery (DVD) contracts and towards increased use of prime vendors or integrated suppliers. GAO also found that delivery of items under DVD contracts averaged twice as long as delivery of items stocked in DLA supply points (GAO, 1997b:7).

Continuing with the review of GAO reports, another 1997 report claimed that unneeded inventory totaled \$41.2 billion. According to this report, of the \$26.6 billion of unneeded with demand data, \$1.1 billion would account for at least 100 years of supply (GAO, 1997c:3). Table 2 provides a summary of the unneeded inventory as found in this report. In 1998, GAO mined further into the consumable inventory and reported on DoD's hardware inventory. This category included items such as bearings, valves, and

bolts, which totaled \$5.7 billion. This report was particularly critical of DLA as the manager of the majority of consumable items, of which 97 percent were classified as hardware items (GAO, 1998:2). The report again criticized DLA for excess inventory levels stemming from inefficient management and failure to institute commercial best practices on a wide-scale basis.

The criticisms of DoD inventory management, and of DLA in particular can be summarized into two primary areas. First, the organizational culture within the inventory management arena of DoD remains resistant to a reengineered logistics system. Although some progress is evident, GAO continues to emphasize the use of best practices as a means of affecting the necessary change. Second, excess inventory remains a critical problem. In an era of stagnant or declining defense budgets and increasing concern over readiness of weapon systems, excess inventory is a critical target as money saved by not buying unneeded items can be redirected to more critical repair assets.

Table 2. Unneeded Secondary Inventory by DoD Component  
(GAO, 1997c:4)

COMPONENT	INVENTORY ANALYZED (value in billions)		UNNEEDED INVENTORY (value in billions)	
	ITEMS	VALUE	ITEMS	VALUE
ARMY	117,610	\$9.0	63,362	\$4.8
NAVY	334,337	17.6	172,325	11.2
AIR FORCE	289,438	31.1	140,220	19.1
DLA	2,515,231	9.3	1,548,545	6.1
TOTAL	3,256,616	\$67.0	1,924,452	\$41.2

### Consumable Items and Air Force Readiness

DLA manages over 4 million items, and has annual sales to the armed services nearing \$13 billion (Glisson). Obviously, not all of these items are directly related to a weapon system. In order to identify those that are related, DLA instituted a Weapon System Support Program (WSSP) in 1981, which allows the services to identify those items that are components to critical end-items. As EOQ is the model DLA uses to manage its inventory, this large volume of business suggests the importance of EOQ to the readiness of those critical end-items.

MICAP Incidents. One general method of gauging the importance of consumables to readiness is via Air Force MICAP incidents. As stated earlier, a MICAP incident occurs because a weapon system, or other end item coded with a MICAP reportable designator, is either NMC or PMC due to lack of an asset on hand to plug the "hole" caused by the failure of a component. The following data summarize three reports generated by the Air Force Materiel Command Readiness Assessment Module (RAM). The complete reports are provided in Appendix B. RAM pulls data directly from the WSMIS database. In fiscal year (FY) 1998, there were 457,319 new MICAP incidents Air Force wide, which totaled 140,559,191 hours. Of these, 132,856 incidents, totaling 43,613,214 MICAP hours, could be traced to DLA as the source of supply (Air Force Materiel Command). Thus, DLA assets accounted for 29.1 percent of Air Force MICAP incidents and 31.0 percent of MICAP hours in FY98. Furthermore, 199,294, or 43.6 percent, of all Air Force MICAPs were consumable items. Put another way, two-thirds of all consumable MICAPs in FY98 were DLA managed. In terms of MICAP hours,

consumable items accounted for 40 percent of the total Air Force MICAP hours, and DLA managed items accounted for 77,6 percent of the total consumable hours. This data is provided to demonstrate that DLA consumable items remain a significant portion of both MICAP incidents and MICAP hours. However, further quantification of the potential impact of consumable items on readiness has rarely been attempted.

Aircraft Availability. A 1990 report by Christopher Hanks of the Logistics Management Institute (LMI) directly tied consumable items to weapon system readiness by adapting a fundamental concept of the aircraft availability model to consumables. Hanks focused on base-level unit expected backorders (EBOs) because the lack of a desired part at the base level is directly related to the NMC status of a weapon system (1-5). The backorders are later tied to aircraft availability, but first, an interim step relating high priority due outs to mission capable rates is needed.

Hanks was able to focus on weapon systems through limiting his study to parts in the WSSP and those with priority 1 and 2 "due-outs" under the DoD Uniform Materiel Movement and Issue Priority System guidelines. Priority 1 is reserved for units in combat, while priority 2 is used for other essential requisitions such as MICAPs, items awaiting parts in repair shops, and readiness spares packages. A "due-out," in Air Force terminology, simply represents an asset that was not available at the time it was requested. In 1989, there were approximately 200,000 high priority due outs for DLA and Air Force Logistics Command assets. By multiplying the sum of the aggregated NMC and PMC rates for FY 89 times the fleet size of 9100, he was able to generalize that the 200,000 priority 1 and 2 requisitions corresponded to 1300 aircraft either NMC

or PMC. Hanks acknowledged that all priority 2 requisitions are not necessarily causing a MICAP condition, nor are they all related to aircraft (1-12).

The connection, according to Hanks, is that this procedure can be used to predict, "within a reasonable range," the change in aircraft in NMC and PMC status based on changes in the number of high priority requisitions. For example, since DLA items accounted for 25-33 percent of all high priority due-outs, a 10 percent increase in DLA high priority due-outs for DLA managed items would result in approximately 32-43 (2.5-3.3 percent of 1300) additional aircraft in NMC or PMC status (1-13).

Finally, Hanks developed a model to equate changes in wholesale safety levels to aircraft availability. A wholesale inventory model approximating the SAMMS methodology for over 170,000 assets was designed to predict the percentage change in EBOs at the wholesale level based on changes in safety levels. The model showed that an aggregate 20 percent reduction in safety levels equated to a 25 percent increase in wholesale EBOs (2-16). He used the model to develop a baseline that "every \$10 million reduction in wholesale safety levels at DLA for demand-based WSSP/USAF items has the potential to ground or render PMC 6 to 8 aircraft..." (2-3).

It must be acknowledged that DLA's influence on readiness is to a large degree constrained by retail level inventory decisions. Although the RAM output referenced above does not provide MICAP cause codes, only one of the five most common reasons for a MICAP incident can be tied to wholesale supply (Hanks, 1993:3-4).

## Summary

Chapter II provided a foundation for this research through a review of the Wilson EOQ model used as the basis for DoD consumable inventory management, and on the DLA variations to the model. Particular attention was paid to the components of DLA requirements determination where lead time impacts inventory levels. Finally, a justification for analysis of lead time variability was presented through numerous General Accounting Office (GAO) reports on DoD inventory management and by demonstrating the impact of consumable items on the readiness of Air Force weapon systems.



### III. Methodology

#### Introduction

The purpose of this chapter is to explain the procedures used to answer investigative questions three through eight posed in Chapter I, including the data collection process and a roadmap for the statistical analysis. The ultimate goal of these investigative questions is to identify if significant differences exist in administration lead time (ALT) and production lead time (PLT) for problem parts versus non-problem parts for the F110-100 and F100-129 engines, and determine the degree of variability experienced in deviations from the system lead times. To accomplish these goals, various categories of consumable items are analyzed in an effort to uncover a possible source of any significant deviation from the system lead times utilized by the Defense Logistics Agency (DLA). The existence of a significant difference may lend weight to the need to devote further study to the issue of lead times in DLA requirements computations.

#### General Approach

In general, this study is directed at examining the acquisition lead times used by DLA in consumable item management to determine if sufficient variability or uncertainty exists to warrant a reevaluation of this methodology at the wholesale level of supply in the Air Force. To that end, the remainder of this study concentrates on the two

components of total acquisition lead time (TALT), administrative lead time (ALT) and production lead time (PLT).

As individual items are generally assigned unique ALTs and PLTs, the data must be standardized before it is analyzed. This is accomplished by subtracting the forecasted lead time as found in the Standard Automated Materiel Management System (SAMMS) from the observed lead time, and these deviations then become the sample of interest. The next step is to conduct statistical analyses with the purpose of drawing inferences that will aid in answering management and research questions stated in Chapter 1.

### Data Collection

In order to answer the investigative questions, lead time data was collected for 14 Air Combat Command (ACC) problem items and 23 bench stock items with a serviceable balance. The data was validated and examined for outliers using histograms and box and whiskers plots. The remainder of this chapter explains the data collection and validation process as well as the statistical tests performed.

First, a list of problem parts was sought from the ACC Regional Supply Squadron (RSS). The ACCRSS was formed to provide centralized supply support to all ACC bases, and global supply, fuels accounting, and computer support to warfighting Commander-in-Chiefs (ACCRSS, 1999). One of the many supply functions that were centralized was the management of MICAP items. As a result, the ACCRSS now manages all MICAPs for all ACC bases. Moreover, the regionalized MICAP section has visibility over all ACC MICAPs and maintains daily contact with item managers, hence,

it is the ideal source for obtaining this portion of the data. The samples used to assess the lead time assumptions come from the population of XB3 coded parts for the F110-100 and F110-129 engines. ACC was chosen as the initial source for acquiring the two sample sets of data, as a substantial proportion of the F-16 aircraft that use these engines are ACC assets.

Second, a set of non-problem items was selected as a control group. The source selected for this data was the Shaw Air Force Base Bench Stock account. By definition, a Bench Stock is a group of consumable assets, used with such frequency by maintenance activities that they are issued to users before they are needed and forward located at the user's facility (AFMAN 23-110, 1999:25-1). Additionally, the 20th Fighter Wing at Shaw is the largest F-16 combat wing in the Air Force. These two factors made its Bench Stock a feasible starting point for non-problem item data collection.

Problem Parts. The first sample of interest is naturally the focus of the study, and is that subset of the population that is considered problem parts. For this study, problem parts are items determined to be the fleet problem/pacing items by the weapon system spares manager, based on MICAP hours/incidents, known or anticipated spares shortfalls, and modifications (Regional Supply Squadron, 1999a). As of 22 April 1999, 15 of the top 30 F100-110 engine MICAP drivers for ACC were consumable items managed by DLA (Regional Supply Squadron, 1999b).

Bench Stock. The items in this sample were selected from the Shaw Air Force Base jet engine shop's bench stock. A total of 30 bench stock National Stock Numbers (NSNs) were provided by the 20th Supply Squadron Customer Service element. Of

these, three were eliminated as they were also on the problem parts list provided by the ACCRSS.

#### Analysis of Data

The 42 NSNs were forwarded to Air Force Material Command's Requirements Interface Process Improvement Team to validate the source of supply. A search of an AFMC database revealed that all 42 NSNs were DLA managed items. The NSNs were then forwarded to Business Analysis Unit's Corporate Performance Team at the Defense Supply Center Columbus (DSCC). The data returned was the end of quarter lead time forecast for the last eight quarters, and the end of year forecast through 1989 for 14 of the 15 problem parts, and 24 of the 27 bench stock items. A total of 903 CLINs, or observations, were contained in the raw data. DSCC also identified DSC Richmond and DSC Philadelphia as the managers of the 42 items. Appendix C lists each NSN for which data was available along with the associated nomenclature from the Standard Base Supply System.

The data provided by DSCC were the historical records in the DLA Integrated Data Base system dating back to 1989. As such, it also indicated whether the contract was direct vendor delivery (DVD) or stock replenishment, which enabled this study to further categorize the data and complete additional hypothesis tests.

## Data Validation

Several problems were encountered with the raw data. Some of these were the result of the nature of the procurement process and varying information systems used among the different branches of service, retail supply organizations, and DLA.

Receipt Dates. Since receipt dates determine the end of PLT, it is important to understand the methodology used to track inventory transactions in the DLA Integrated Data Base. This methodology affects the PLT of both types of purchase discussed below.

Stock Replenishment. Split quantity stock replenishment orders occur when contracts are let for multiple quantities or partial shipments are received. The receipt date in the database in this instance is the most recent, or longest, delivery date. For example, a vendor can ship 90 items one week and the remaining 10 the following week. The DLA contract file will overlay the date received with the most current date. Hence, the file contains the longer lead time (Shields, 1999a)

Direct Vendor Deliveries (DVD). A similar issue exists in terms of parts contracted for DVD. The receipt date for items procured for direct vendor delivery to the end user is dependent upon the end user's input into their applicable management system. This date can be suspect because in many cases there are multiple deliveries set for a single contracting action. Thus, the possibility exists for a lag in the input and/or a lag in any services management system updating the DLA files. DVD encompasses those parts shipped directly from the manufacturer or retailer to the end user. DLA must rely on the receipt date input by the receiving organization as its receipt date. Given the quantity and variety of customers receiving DVD items, it is this author's opinion that individual

verification by DLA of these dates is infeasible and offers little value. For the purposes of this research effort, the dates were accepted as accurate reflections of receipt dates.

Incomplete Records. Another problem encountered was that the records of a significant portion of the NSNs were missing programmed lead times. As these represented a significant portion of the total observations, they were identified to DSCC and further research was necessary to obtain the data. It was determined that the cause was the transfer of items from closing facilities due to Base Realignment and Closing, and DSCC was able to provide the missing data.

Multiple Contracting Lines. Some of the observations in the database were the result of multiple CLINs. This is the result of partial quantities being ordered for the same recommended buy under a single contract. Thus, when the contract is awarded, multiple observations occur with the same ALT. Similarly, the partial quantities were frequently received on the same date, resulting in multiple PLT observations. These duplicate observations weighted the data, and to avoid biasing the results, only one observation per CLIN was included in the analysis.

Open Contracting Actions. The final problem was that in a number of cases contracting actions were not complete, and no receipt date was available. Thus, an actual PLT could not be calculated. This resulted in different sample sizes for the statistical analysis.

After validating the raw data, a total of 473 observations remained to be analyzed. Of these, 185 were for problem parts, and 288 were for non-problem parts. In the type of purchase category, 202 were DVD contracts, and 271 were for stock replenishment. However, for the reasons explained above, not all observations had usable values for both

ALT and PLT. Appendix D contains all 473 observations with which the analysis was conducted.

### Variables Used in Analysis

The variables below were used for both categorization and data analysis.

Deriving system lead times from the end of quarter and end of year values required some manipulation. As these values were the actual forecast for the subsequent period, they were considered as the system lead time for the first contracting action in the subsequent period. For all other observations in a period, the system lead time utilized for analysis was an average of the forecast for the period in which the observation occurred and the forecast for the next period. Actual lead times were computed by taking the difference between the Julian dates provided in the data file. The recommended buy date and contract award dates were used for ALT, and contract award date and receipt dates were used for PLT.

System ALT. The system ALT refers to the administrative lead time as contained in the SAMMS database.

ALT (actual). ALT (actual) is the actual number of days between the recommended buy date and contract award for any particular contracting action.

System PLT. The system PLT is the production lead time as contained in the SAMMS database.

PLT (actual). PLT (actual) is the actual number of days between contract award and receipt of a significant quantity (51 percent) of the first largest order for stock buys, or, for direct vendor delivery, the date input into the system by the receiving unit.

Reason for purchase. This variable represents whether a particular purchase was undertaken for DLA stock replenishment or DVD.

In the cases where different actual ALTs and PLTs were observed for multiple CLIN DVD contracts, each distinct value was accepted as a separate observation. For different lead times in multiple CLIN stock replenishment contracts, the lead time corresponding to 51 percent of the first largest CLIN was used in this analysis.

#### Preliminary Evaluation of Data

Before delving into a discussion of the data, a brief review of the organization of the sample data is warranted. This is followed by a description of the statistic to be tested under the two-sample t-test heuristic.

Organization of Data. Each of the six cases compares the ALT and PLT of two categories of items. Cases 1 and 2 examine the difference in ALT and PLT between problem parts and non-problem and DVD and stock replenishment, respectively. Cases 3 and 4 examine the problem part and non-problem part columns, respectively, on the basis of type of purchase. Finally, Cases 5 and 6 compare lead times of problem parts purchased for stock replenishment versus non-problem parts purchased for stock replenishment, and problem parts purchased for DVD and non-problem parts purchased for DVD, respectively.



Derivation of Test Statistic. Although the data for each NSN in this study is a chronological history of contracting actions, it is not suspect to auto-correlation. This is due to the aggregate analysis statistical method described below. In each of the six cases, the system ALT and PLT for every item in both categories are subtracted from the observed values ( $x_i$ ) for every contracting action. This difference ( $D_i$ ) is totaled across each category and the mean ( $\bar{D}_i$ ) is compared to the mean of the differences for the corresponding category.

Nature of Data. In order to make an initial assessment of the data to be analyzed, a histogram and box and whiskers chart of the calculated differences for each category are created. Any points identified as outliers are individually examined to ascertain the nature of the unusual measurement. Outliers that are determined to be members of a different population or incorrectly recorded or computed are removed from the sample, and new histograms and box and whiskers charts are run for that sample. Finally, a critical underlying assumption of the parametric tests used in this study is that the sample distribution of the test statistic is approximately normal. Due to the large sample size, the Central Limit Theorem can be invoked and this sampling distribution can be assumed to be approximately normal. As stated in Statistics for Business and Economics,

Consider a random sample of  $n$  observations selected from a population (*any* population) with mean  $\mu$  and standard deviation  $\sigma$ . Then, when  $n$  is sufficiently large, the sampling distribution of  $\bar{x}$  will be approximately a normal distribution with mean  $\mu_{\bar{x}} = \mu$  and standard deviation  $\sigma_{\bar{x}} = \sigma/\sqrt{n}$ . The larger the sample size, the better will be the normal approximation to the sampling distribution of  $\bar{x}$  (McClave, Benson, and Sinich, 1998:254).

### Test Heuristic

As stated, the data was originally categorized based on whether it was deemed a problem part as defined earlier. This is the first case for which an aggregate analysis is completed. The result will allow an inference to be made as to whether a significant difference exists between the variance in ALT and PLT between problem parts and non-problem parts. The additional analyses are accomplished in order to widen the scope of this study.

The following variation of the V-heuristic is used in conducting the two sample t-test (Reynolds, 1988):

- (1) Statement of the focus question.
- (2) Statement of the hypothesis being tested from (1).
- (3) Declare the level of significance ( $\alpha$ ) under which the test is analyzed.
- (4) State the test statistic, rejection region, and decision rule.
- (5) State the statistical assumptions.
- (6) Conduct the test.
- (7) Analyze the results.
- (8) Make an inference based on the analysis.

### Comparing Two Population Means

Focus Question. Research questions 3-8 seek to determine if sufficient evidence exists to conclude that there is a difference between the actual ALT and PLT of problem parts versus non-problem parts, stock buy versus DVD items, and the combinations of these four categories. Hence, a two-sample hypothesis test is needed to determine if the mean of the differences between the observed lead times for each contracting action and

the corresponding ALTs and PLTs of record for one category are significantly different from the mean of the differences of the corresponding category.

Statement of Hypothesis. In order to determine if the mean of the differences for the aggregate ALT and PLT lead times of one group ( $\bar{D}_1$ ) is statistically different from the similarly defined mean for the corresponding group ( $\bar{D}_2$ ), the following hypotheses are tested for both variables:

$$\text{Null Hypothesis (H}_0\text{): } \bar{D}_1 - \bar{D}_2 = \bar{D}_0$$

$$\text{Alternative Hypothesis (H}_a\text{): } \bar{D}_1 - \bar{D}_2 \neq \bar{D}_0$$

Where  $\bar{D}_0$  is the theoretical difference between the means, or 0.

Significance Level. The observed significance level, or p-value, is used in all tests. The p-value is "the probability (assuming  $H_0$  is true) of observing a value of the test statistic that is at least as contradictory to the null hypothesis, and supportive of the alternative hypothesis, as the actual one computed from the sample data" (McClave, Benson, and Sinich, 332). For the purposes of this study, a p-value less than .05 is considered statistically significant.

Test Statistic, Rejection Region, and Decision Rule. The test statistic for large sample tests is  $z = \frac{(\bar{D}_1 - \bar{D}_2) - \bar{D}_0}{\sigma_{(\bar{D}_1 - \bar{D}_2)}}$ . Since each test is two-tailed, the rejection region is  $|z|$

$> z_{\alpha/2}$ , where  $z_{\alpha/2}$  is based on  $(n-1)$  degrees of freedom. Thus, if the calculated value of the test statistic falls in the rejection, the null is rejected.

Assumptions. Since the Central Limit Theorem guarantees an approximately normal sampling distribution of  $\bar{D}$ , no assumptions are necessary. Steps six and seven

of the heuristic are the focus of Chapter IV, and will be discussed as that chapter unfolds. The inferences and conclusions of step eight are left for Chapter V.

### Summary

This chapter addressed the methodology for the forthcoming data analysis in the next chapter. All of the assets chosen were consumable items for two types of F-16 engine. The particular NSNs were selected due to either their categorization as problem parts by item managers, or as bench stock. The data for analyzing the variation of ALT and PLT from the system values utilized by the SAMMS system were obtained through the DSSC. Data were analyzed to determine if significant differences existed in ALT and PLT in various aggregated categories using two-sample hypothesis testing.

## IV. Analysis and Results

### Introduction

The hypothesis tests described in Chapter III were designed expressly to answer the quantitative research questions of this study. To review, the quantitative based research questions were:

1. Is there a difference in the distributions of deviations from system lead times for items classified as problem parts versus items that are not (Case 1)?
2. Is there a difference in the distributions of deviations from system lead times for items purchased for stock replenishment versus direct vendor delivery (DVD) contracts (Case 2)?
3. Is there a difference in the distributions of deviations from system lead times for problem parts bought for stock replenishment versus problem parts under DVD contracts (Case 3)?
4. Is there a difference in the distributions of deviations from system lead times for non-problem parts bought for stock replenishment versus non-problem parts under DVD contracts (Case 4)?
5. Is there a difference in the distributions of deviations from system lead times for problem parts bought for stock replenishment versus non-problem parts bought for stock replenishment (Case 5)?

6. Is there a difference in the distributions of deviations from system lead times for problem parts under DVD contracts versus non-problem parts under DVD contracts (Case 6)?

In order to determine whether or not a difference exists in the mean deviation from the system lead times for items in the cases listed above, it is necessary to perform a two-sample hypothesis test for each case. The assumption of normality required for the parametric tests performed in this chapter is met via the Central Limit Theorem, as described in Chapter III. However, it is necessary to analyze the original data set in each category for outlying observations.

#### Outlier Analysis

During the preliminary analysis some suspicious data was discovered. In particular, three production lead time (PLT) observations for the same non-problem part purchased for DVD required over 2300 days for delivery. Thus, it affected all of the sample sets except for cases 3 and 5. This most unusual observation was over nine standard deviations from the mean in case 1, over eight standard deviations in case 2, over seven standard deviations for cases 4 and 6. As an extreme outlier, it was automatically removed from all cases where it appeared. The three observations represented .333% of the 903 total observations.

The other criterion used to evaluate outliers in the sample data was the removal of all observations outside an interval of plus or minus three standard deviations from the mean. This interval was selected as the capping point as this theoretically includes 99

percent of the observations in a normal distribution. The capping of individual observations is a method of minimizing bias in the data resulting from exceptional circumstances, and is an accepted procedure in defense inventory studies. In other words, it is not prudent to allow a small percentage of observations to skew results that are the basis for strategic and operational management decisions. In fact, the Logistics Management Institute generally uses two standard deviations as a cap in its inventory analyses (Mattern, 1997:2). It should be noted that removing outliers results in a new three standard deviation interval, and hence, new outliers. However, further removal jeopardizes the original criterion of retaining 99 percent of the observations. Graphical summaries of both lead times after removal of the outliers are shown for each case in Appendix E.

Table 3 shows the number of observations remaining for each data set after removal of multiple CLINs and outliers.

Table 3. Sample sizes

	ALT	PLT		ALT	PLT
PP	173	141	NPP	276	246
DVD	193	164	STK	258	198
PPDVD	62	51	PPSTK	111	92
NPPDVD	131	114	NPPSTK	147	131

## Results

The methodology to compute the test statistic was to subtract the system lead time from the actual lead time. A mean deviation was then computed for each of the eight

categories shown in Table 3, and utilized as the test statistic. Positive means represent aggregate actual lead times that were longer than the system lead time, and negative values represent those instances where the aggregate actual lead time was shorter than the system value. Table 4 summarizes the means of the aggregated differences from the system ALT and PLT.

Table 4. Summary of Means by Category

		$\mu$ ALT	$\mu$ PLT		$\mu$ ALT	$\mu$ PLT
Case 1	PP	-48.93	-63.63	NPP	-36.72	-44.65
Case 2	DVD	-82.22	-11.38	STK	-5.12	-8.67
Case 3	PPDVD	-116.58	-173.67	PPSTK	-11.05	3.30
Case 4	NPPDVD	-68.96	-85.87	NPPSTK	-0.65	-7.30

The hypotheses being tested in each case is whether the mean of the differences for the aggregate ALT and PLT lead times of one group ( $\bar{D}_1$ ) is statistically different from the similarly defined mean for the corresponding group ( $\bar{D}_2$ ). The following hypotheses are tested for both variables:

$$\text{Null Hypothesis (H}_0\text{): } \bar{D}_1 - \bar{D}_2 = \bar{D}_0$$

$$\text{Alternative Hypothesis (H}_a\text{): } \bar{D}_1 - \bar{D}_2 \neq \bar{D}_0$$

Where  $\bar{D}_0$  is the theoretical difference between the means, or 0.

The rest of this chapter discusses the analysis of the hypothesis tests. While the results of the tests are presented in simplified form in this chapter, complete results of all tests conducted can be found in Appendix F.



Case 1: Problem Parts versus Non-problem Parts. The issue explored in this case is whether or not lead times deviate significantly for items classified as problem parts versus those that are not. Recall from Chapter III that an item is termed a problem part based on the determination of the item manager. All of the problem parts in this study are on the ACC MICAP board, and thus, are affecting engine availability. In theory, longer than expected lead times result in out of stock conditions, and hence, could partially explain their presence on the problem item list. Table 5 shows the results of the two-sample test for problem part and non-problem part ALT and PLT. Based on the results for the test for equality of variances, the unequal variance assumption was required for both tests. The resulting p-values of .1369 and .1500 are not statistically significant. Thus, there is insufficient evidence to reject the null hypotheses that the mean aggregate deviations of problem parts from their system lead times are significantly different than the mean aggregate deviations of non-problem parts from their system lead times.

Table 5. Two-Sample T-test Results, Case 1

Variable	Mean	Standard Deviation	Standard Error	Test for Equality of Variances	P-value
PPALT	-48.93	93.892	7.1385	.0000	.1369
NPPALT	-36.72	69.603	4.1896		
PPPLT	-63.63	142.23	11.978	.0000	.1500
NPPPLT	-44.65	89.594	5.7123		

Two interesting observations result from the analysis of this case. The first observation of interest is the negative value of the means in all categories. Actual lead

times of non-problem parts averaged 80 days shorter than the system value, while problem part lead times were approximately 112 days shorter than the system value. Examining the histograms for these categories reveals that these skews are a result of a greater number of purchases received ahead of schedule, rather than the magnitude of the negative tail. The negative values also allow an inference related to problem parts. That is, supplier lead times can not be said to be a significant factor, overall, in the determination of problem part status. Although the assets may not be available when they are needed, which is the primary concern of demand forecasting, they tend to arrive quicker than expected once the acquisition process begins.

The second observation worth noting is the large standard deviations of all four samples. In fact, the minimum spread of the samples was over 415 days for non-problem part ALT. The extent of this variability is seen clearly in Figures 4 and 5. Although a significant difference did not exist in this case, the large standard deviations provide evidence of substantial variability in lead times for DLA consumable assets.




Figure 4. Comparison of Distributions of Deviations in ALT From System Lead Times: Problem Parts v Non-Problem Parts

Case 2: DVD versus Stock Buy. This case examined lead time deviations based on the nature of the purchase. As in Case 1, all of the sample observations were available for the analysis. Table 6 contains the results of the two-sample test for the DVD and stock buy categories. The unequal variance p-value applied for ALT, while the equal variance p-value was used for PLT. Nevertheless, the p-values  $\ll .05$  for both ALT and PLT are significant. Consequently, sufficient evidence exists to reject the null hypothesis in both tests, and a significant difference can be said to exist between the mean of the deviations from the system lead times.




Figure 5. Comparison of Distributions of Deviations in PLT From System Lead Times: Problem Parts v Non-Problem Parts

Given the expedited nature of many DVD purchases, this result is not surprising. However, the means and standard deviations are again worth noting. The data suggests that the average ALT for DVD items is 82 days shorter than the expected value under stock replenishment contracts. Similarly, PLT for DVD items is 111 days shorter than

expected in a stock replenishment. Thus, the DVD process reduced total acquisition lead time (TALT) by approximately 193 days. In terms of stock replenishment items, the weighted average was exceptionally accurate. Actual lead times deviated from the system ALT and PLT by under six and nine days, respectively. However, this result must be qualified as 50 percent of the deviations are in excess of the means, and the standard deviations for both ALT and PLT of stock replenishment purchases were over 85 days. Hence, the longer lead times, as shown in the upper tails of Figures 6 and 7, are potential causes of future problem items, or, if this variability is being captured in the reorder point, they are to some extent contributing to excess inventory.

Table 6. Two-Sample T-test Results, Case 2

Variable	Mean	Standard Deviation	Standard Error	Test for Equality of Variances	P-value
DVDALT	-82.22	50.672	3.6474	.0000	.0000
STKALT	-5.12	85.099	5.298		
DVDPLT	-111.38	90.043	7.0312	.0518	.0000
STKPLT	-8.67	101.83	7.2364		




Figure 6. Comparison of Distributions of Deviations in ALT From System Lead Times: DVD v Stock Replenishment




Figure 7. Comparison of Distributions of Deviations in PLT From System Lead Times: DVD v Stock Replenishment

Case 3: Problem Parts for DVD versus Problem Parts for Stock Buy. Case 3 subdivides the problem part category to determine if a difference exists within problem parts

between DVD and stock replenishment purchases. Although this division reduced the sample sizes by over 50 percent, the remaining observations still yielded an  $n$  sufficient to invoke the Central Limit Theorem. Additionally, since DVD and stock replenishment lead times are from separate populations, any inferences drawn must be in relation to the individual effect of contract type on problem parts. Furthermore, for the DVD category, the deviations are relative to the system lead times for stock replenishment, and any inferences must be compared to expected stock replenishment lead times

The results of the statistical tests for Case 3 are shown in Table 7. Based on the results for the tests for equality of variances, the unequal variance assumption was used in both tests. The resulting p-values were less than .0000 for both ALT and PLT. Thus, sufficient evidence exists to conclude that the differences of the means of the deviations from the system lead times are not equal.

Table 7. Two-Sample T-test Results, Case 3

Variable	Mean	Standard Deviation	Standard Error	Test for Equality of Variances	P-value
PPDVDALT	-116.58	66.054	8.3889	.0139	.0000
PPSTKALT	-11.05	85.60	8.1248		
PPDVDPLT	-173.67	94.082	13.174	.0009	.0000
PPSTKPLT	3.3043	142.32	14.838		

In the search to determine a link between lead time and problem parts, Case 3 demonstrates rather decisively that the primary driver of an asset being declared a problem part is not related to supplier lead times. In each of the classifications in this case, only the aggregated PLT of stock replenishment items was longer than the

expected, and then by a marginal amount of time. Case 3 does indicate, as shown in Figures 8 and 9, that two very separate lead time populations do exist between DVD and stock replenishment contracts.

Finally, an interesting comparison can be made between problem parts under DVD contracts versus all DVD contracts. The ALT of problem parts under DVD contracts is 34 days less, or quicker, than that of all DVD items. More significantly, the PLT for problem parts bought under DVD contracts is 62 days shorter than that of all DVD items. Thus, it can be seen that the various pressures and rewards applied throughout the acquisition cycle result in a significant improvement in lead times for problem parts.




Figure 8. Comparison of Distributions of Deviations in ALT From System Lead Times: Problem Part DVD v Problem Part Stock Replenishment




Figure 9. Comparison of Distributions of Deviations in PLT From System Lead Times: Problem Part DVD v Problem Part Stock Replenishment

Case 4: Non-problem Parts for DVD versus Non-problem Parts for Stock Buy.

Case 4 provides further evidence of the significant variability experienced in consumable item lead times. The same restrictions apply in this case in relation to inferences drawn as in Case 3. Table 8 shows the results of the two-sample test for non-problem part DVD and non-problem part stock replenishment. As in Case 2, the ALT test required the unequal variance p-value, and the PLT test used the equal variance p-value. The resulting p-values  $< .0000$  for both the tests provide sufficient evidence to reject the null hypotheses.

Case 4 confirms that the true difference between problem parts and non-problem parts lies in the type of contract. ALT and PLT for non-problem parts under DVD contracts is at least two months quicker than the expected under stock replenishment contracts. On the other hand, TALT for non-problem items bought for stock is eight days



shorter than forecasted. Figures 10 and 11 demonstrate that the distinct difference in lead times between the contract types is also present in this category.

Table 8. Two-Sample T-test Results, Case 4

Variable	Mean	Standard Deviation	Standard Error	Test for Equality of Variances	P-value
NPPDVDALT	-68.96	36.275	3.1693	.0000	.0000
NPPSTKALT	-0.65	84.633	6.9804		
NPPDVDPLT	-85.87	78.399	7.3428	.3410	.0000
NPPSTKPLT	-7.30	81.415	7.1132		




Figure 10. Comparison of Distributions of Deviations in ALT From System Lead Times: Non-Problem Part DVD v Non-Problem Part Stock Replenishment




Figure 11. Comparison of Distributions of Deviations in PLT From System Lead Times: Non-Problem Part DVD v Non-Problem Part Stock Replenishment

Case 5: Problem Parts for Stock Buy versus Non-problem Parts for Stock Buy. To complete the analysis of the sample data, the type of purchase was kept constant in Cases 5 and 6, and problem parts were again compared to non-problem parts. Table 9 shows the results of the two-sample test for problem part and non-problem part lead times under a stock replenishment acquisition. In this case ALTs met the equality of variances test at the .05 level of significance. The unequal variance p-value was used for PLT. The resulting p-values were .3316 for ALT and .5279 for PLT. Therefore, the null hypotheses are rejected for both ALT and PLT.

As seen in Figures 12 and 13, the distributions of the deviations for problem parts and non-problem parts are remarkably similar. Additionally, the weighted average approach is reaffirmed as an accurate method of computing lead times, however, this is qualified as in Case 2 due to the large standard deviations exhibited.

Table 9. Two-Sample T-test Results, Case 5

Variable	Mean	Standard Deviation	Standard Error	Test for Equality of Variances	P-value
PPSTKALT	-11.05	85.60	8.1248	.4461	.3316
NPPSTKALT	-0.65	84.633	6.9804		
PPSTKPLT	3.3043	142.32	14.838	.0000	.5279
NPPSTKPLT	-7.30	81.415	7.1132		




Figure 12. Comparison of Distributions of Deviations in ALT From System Lead Times: Problem Part Stock Replenishment v Non-Problem Part Stock Replenishment




Figure 13. Comparison of Distributions of Deviations in PLT From System Lead Times: Problem Part Stock Replenishment v Non-Problem Part Stock Replenishment

Case 6: Problem Parts for DVD versus Non-problem Parts for DVD. In Case 6, problem parts and non-problem parts purchased for DVD are examined. Again, the results are presented as a comparison to expected values under stock replenishment contracts. Table 10 shows the results of the two-sample t-test. Using the unequal variance p-value for ALT and the equal variance p-value for PLT, the resulting p-values  $\ll .0000$  in both tests provide sufficient evidence to reject the null hypotheses. Thus, a significant difference between the differences of the means of the deviations from the system lead times does exist.

Table 10. Two-Sample T-test Results, Case 6

Variable	Mean	Standard Deviation	Standard Error	Test for Equality of Variances	P-value
PPDVDALT	-116.58	66.054	8.3889	.0000	.0000
NPPDVDALT	-68.958	36.275	3.1693		
PPDVDPLT	-173.67	94.082	13.174	.0574	.0000
NPPDVDPLT	-85.868	78.399	7.3428		

This case serves to reemphasize the impact of DVD on lead time. Regardless of the classification of the asset, parts under DVD contracts experience considerably accelerated lead times. Moreover, a significant difference exists between problem parts and non-problem parts within the DVD category. Thus, it appears problem parts receive additional attention in both lead time components of the acquisitions process. The profound deviations from the forecasted values are shown in Figures 14 and 15.




Figure 14. Comparison of Distributions of Deviations in ALT From System Lead Times: Problem Parts DVD v Non-Problem Parts DVD




Figure 15. Comparison of Distributions of Deviations in PLT From System Lead Times: Problem Parts DVD v Non-Problem Parts DVD

## Summary

The analysis of sample data demonstrated that the weighted average method of determining lead times for stock replenishment items performed well over the aggregate data. However, particularly large standard deviations in the differences from the system values temper this finding. To some extent, lead times significantly shorter than the system value used in requirements computations are contributing to excess inventory levels. In terms of problem parts, the analysis suggested that lead times are not significant contributors to the initial determination of an asset being a problem part. This finding can be generalized to individual parts as very few assets classified as problem parts had excessively large positive deviations.

In terms of the variables considered in this study, the type of purchase was shown to be the primary differentiating factor. Both ALT and PLT were significantly reduced when the part was purchased under a DVD contract. The distinction between problem parts and non-problem parts generated significant differences only in terms of DVD contracts. Case 6 revealed that under DVD, actual lead times for problem parts averaged 47 and 88 days faster than non-problem parts for ALT and PLT, respectively. Finally, observations of means and standard deviations yielded a strong indication of substantial variability in actual lead times.

In this research effort, eight classifications of parts were examined for ALT and PLT, resulting in a total of 16 mean differences. As previously shown in table 4, seven categories had a mean deviation from the system lead time of less than two weeks. Six of

these were localized to the stock replenishment category, and eight of the remaining nine categories, all DVD, had average lead times accelerated by over seven weeks.

Chapter V provides a summary of this study, conclusions regarding each of the investigative questions, and discusses potential areas of further research in the area of consumable item lead times.

## V. Conclusion and Recommendations

### Introduction

The accurate computation of requirements for spare parts is a critical component of military logistics. The effectiveness of such computations is heavily dependent on a multitude of variables, one of which is total acquisition lead time (TALT). Simply stated, TALT is the length of time between the date the purchase request is initiated and receipt of the order. This time period is utilized to compute the inventory level, or reorder point, at which the acquisition process should begin in order satisfy the expected demands during TALT. Inaccurate lead times can result in inaccurate reorder points. The consequences of erroneous reorder points are either too much or too little stock relative to demand. Both of these conditions directly affect weapon system readiness through misallocation of supply dollars or work stoppages.

The two classifications of spares in the Air Force are reparables and consumables. Chapter II established the importance of consumable items in terms of management efficiency and weapon system readiness within the Department of Defense. Chapters III and IV examined the variability experienced in TALT among various classifications of consumable items. This chapter collects the findings of the previous chapters to answer the management and research questions posed in this study.



## Conclusions

This section restates each research question along with the conclusions reached based on the information presented throughout this study.

1. *What is the impact of lead-time variability on consumable item inventory levels in the DoD?*

Chapter II discussed the theoretical foundation of the EOQ model and the function of lead time in DoD requirements computations. Lead time variability directly impacts safety stock calculations and pipeline quantity, which are two factors in determining the reorder point of an asset. Reorder points higher than necessary result in the misallocation of funds through the premature purchase of assets, while artificially low reorder points result in lower inventory levels, that could affect weapon system readiness through work stoppages. The acquisition of consumable items at DLA does experience a high degree of lead time variability. To some extent, this variability, in particular stock replenishment purchases in the range of one to two standard deviations may be affecting reorder points, and hence, be contributing to the problem of excess inventory that the General Accounting Office has repeatedly criticized in its reports.

2. *What methodology does DLA use to assign lead times to assets?*

Chapter II also examined DLA methodology for consumable requirements computations. DLA updates lead times weekly using a simple weighted average for both administrative lead time and production lead time. Although exceptions do occur, the

standard computation for determining a new lead time is the sum of 67 percent of the latest lead time and 33 percent of the previous lead time.

3. *Is there a difference in variability of lead times for items classified as problem parts versus items that are not (Case 1)?*

The results of the hypothesis test on the aggregated data showed insufficient evidence to conclude that a significant difference existed between the mean of the deviations of problem parts, including those under DVD contracts, and the mean of the deviations of non-problem parts from their respective system lead times. While individual items of either category can experience lead times well in excess of the system lead time, these cases are generally confined to stock replenishment contracts. Therefore, the conclusion can be drawn that lead time is not a major contributor to problem parts as a whole.

The two categories in Case 1, which included the entire set of sample data, displayed large standard deviations. Although no statistically significant difference between the two categories was evident, in terms of the broader issue of lead time variability, substantial variability exists in TALT for consumable items. After the removal of outlying observations, the maximum deviations in ALT were 247 days in excess and 294 days ahead of the forecasted lead time. For PLT, the maximum deviations were 419 days and 413 days, respectively, and both were observed in the problem parts category. This leads to the inference that the degree of variability in production lead time contributes, on an individual basis, to the classification of items as problem parts.

4. *Is there a difference in variability of lead times for items purchased for stock replenishment versus direct vendor delivery (Case 2)?*

This hypothesis test yielded sufficient evidence to conclude, for both ALT and PLT, that a significant difference does exist between these categories in their mean of the deviations from the programmed lead times. Most notably, TALT of direct vendor delivery items averaged 193 days faster than expected under stock replenishment buys.

The weighted average method proved accurate for stock replenishment parts, which averaged 14 days shorter than the system value. From a statistical standpoint, approximately 50 percent of the actual lead times had positive deviations, equating to lead times in excess of the system value. This may result in a slight increase in inventory levels, however, given the cost of consumable items, the frequency of purchase, and the simplicity of the weighted average forecast, a 14-day acceleration can not be considered a significant problem. However, the high variability of stock replenishment lead times must be suspected of increasing inventory levels, or causing stockout conditions to some extent. Quantifying this impact is left for future research.

5. *Is there a difference in variability of lead times for problem parts bought for stock replenishment versus problem parts that are DVD (Case 3)?*

Within the category of problem parts, the differences of the means of the deviations from the system lead times between DVD and stock replenishment items was significant. This result is not surprising due to the dominating effect of DVD that was observed in Case 2. Problem parts under DVD contracts also had the largest deviation in TALT, almost 290 days faster than the stock replenishment TALT. This nine-month improvement in lead time demonstrates the benefit of contracting under DVD for problem parts. However, if the DVD contract was let because an item was a problem

part, this accelerated lead time will not eliminate the original cause, which may be the high degree of variability this study uncovered. Thus, from the aggregate perspective, ALT and PLT can not be considered one of the causes of an item being classified as a problem part, but their variability is certainly suspect.

6. *Is there a difference in variability of lead times for non-problem parts bought for stock replenishment versus non-problem parts that are DVD (Case 4)?*

Case 4 compared non-problem parts using type of purchase as the independent variable. In this case, sufficient evidence again existed to reject the null hypothesis for both ALT and PLT. Here, the weighted average approach again proved accurate, with actual lead times for stock replenishment items within one week of the system values. The effectiveness of DVD contracts was also evidence through a 155 day acceleration in TALT.

7. *Is there a difference in variability of lead times for problem parts bought for stock replenishment versus non-problem parts bought for stock replenishment (Case 5)?*

Case 5 tested the variability of stock replenishment purchases across the categories of problem parts and non-problem parts. The statistical test showed no significant difference in the mean differences for either ALT or PLT. This result reveals that little difference exists in the lead times of problem parts and non-problem parts for stock replenishment. Additionally, this case demonstrated the accuracy of the weighted average forecast for stock replenishment. Considering the sizable standard deviations, the degree of the accuracy observed is somewhat surprising. With regard to stock replenishment contracts, the conclusions can be drawn that lead times are not significantly contributing to the excess inventory in DLA, and the weighted average forecast is performing effectively.

8. *Is there a difference in variability of lead times for problem parts bought for DVD versus non-problem parts that are DVD (Case 6)?*

Case 6 tested problem parts and non-problem parts purchased under DVD contracts. A significant difference did exist in both tests between the differences of the means of the deviations from the forecasted lead times. The statistical analysis of this case offered further insight into the impact of DVD on lead time. Average ALTs of both categories were at least 68 days faster than system values for stock replenishment. In terms of PLT, problem parts were received 173 days faster than expected, and non-problem parts averaged 85 days shorter in the PLT cycle.

Summary of Findings

Three primary conclusions can be reached based on the qualitative and quantitative information provided in this study. The first two relate to the specific issues addressed in the management questions presented in Chapter I, while the third confirms the performance of DVD contracts.

The first problem explored by this research effort was whether inaccurate lead time determination was a contributing factor in the classification of parts as problem items. Relative to the entire class of problem parts, the answer is a cautious no. Overall, ALT and PLT of problem parts was approximately 49 days and 64 days faster than the system lead times, respectively. When analyzed based on type of purchase, the aggregated mean deviation in TALT of problem parts under DVD contracts was 290 days faster than expected. On the other hand, ALT of problem parts purchased for stock

replenishment averaged only 11 days faster than expected, and PLT averaged 3 days slower.

All of these figures must be considered in their context as averages in samples that experience considerable variability. Although these deviations may not seem significant, approximately 50 percent of items had lead times in excess of these averages. Therefore, on an individual basis, there is cause to suspect unusually long lead times to be a contributing factor in problem parts. The only instance where this issue seems to be eliminated is the case of DVD contracts, where unusually long lead times are noticeably rare occurrences.

The second problem addressed was the accuracy of the system lead times utilized by DLA in relation to the actual lead times experienced in the acquisitions process. The findings in this study support the conclusion that sufficient variability exists in both ALT and PLT to at least warrant further efforts to reduce this variability through close cooperation with suppliers. The minimum standard deviation in the sixteen sample sets was 36 days, and most were over 80 days. Although the excessive deviations were not confined to any particular category of asset, the weighted average used to determine system lead times are taken from the prior two representative contracting actions. Hence, if the last two procurements of an asset were for stock replenishment, and the lead times were particularly long, the newly computed reorder point will be artificially high, and DLA will accumulate some excess inventory.

This study also confirmed, from a statistical viewpoint, the dramatic reduction in lead time that occurs with DVD contracts. Relative to DLA inventory, the importance of this reduction is only seen in light of its increased use of DVD contracts. The greater use

of DVD should equate to lower inventory levels for DLA as suppliers directly fill field requirements. The question then becomes how much safety stock should DLA hold in order to meet demands during DVD lead times.

### Recommendations for Future Research

Several ideas arose during the course of this study, which create opportunities for follow-on research. This study could easily be expanded using a greater number of stock numbers across a larger number of weapon systems or end items. This would greatly increase the extent to which this analysis can be generalized.

Another possible extension is the change in the cost of safety stock, given DVD lead times and the percentage of demands for particular assets filled through DVD. This could be accomplished empirically, through the use of actual transaction histories used to recreate the inventory cycle using recalculated reorder points based on the two factors listed above. Any recommended buy date serves well as an initial reorder date as long as the inventory position of the asset on that date is known.

A third potential research effort is a regression analysis to analyze the impact of other variables such as specific type of contract, weapon system or end-item, and diminishing manufacturing sources and material shortages. Similar analyses has already been accomplished in the area of reparable components, but as yet, is left incomplete for consumable items.

## Summary

The overriding purpose of this study was to examine lead time variability for consumable items in the Air Force wholesale supply system. DLA manages the majority of these assets, and is caught between end users clamoring for support to maintain the readiness of its weapon systems, and congressional oversight committees continually criticizing the dollar value of excess inventory. This study examined a small piece of an extremely complex environment in order to determine if there was sufficient reason to mine further into the lead time issue.

Overall, the weighted average forecasting method used by DLA tended to accurately reflect actual lead times. Lead times of problem parts were not found to be significantly different from those of non-problem parts, except within the category of DVD contracts. The limitations of this study in terms of generalizing the findings were discussed and recommendations for future research were suggested.



## Appendix A: Supply Codes

### ITEM CATEGORY CODE (ICC)

<u>Code</u>	<u>Definition</u>
-------------	-------------------

- |   |   |
|---|---|
| P | Replenishment Demand Type Item (program oriented) - an item for which demand forecasts are based on program data as well as historical demand data. |
| 1 | Replenishment Demand Type Item (demand oriented) - an item for which demand forecasts are based on historical demand data.                          |

(DLAM 4140.2, 1965:Vol.II, Part 3, Appendix A-87)

### STANDARDIZATION STATUS CODE (STDZ, SSC)

<u>Code</u>	<u>Term</u>	<u>Explanation</u>
3	Item not authorized for purchase	An item, which as a result of a formal item reduction study, is accepted as not authorized for purchase
E	Item not authorized for purchase	An item no longer authorized for purchase which has been replaced by a new item as the result of new or revised superseding specifications or standards being promulgated.

(DLAM 4140.2, 1965:Vol.II, Part 3, Appendix A-101)

### SUPPLY STATUS CODES (SSC)

<u>Code</u>	<u>Term</u>	<u>Explanation</u>
6	Terminal, Stocked	Item in stock and being issued until exhausted. Not authorized for future procurement.

(DLAM 4140.2, 1965:Vol.II, Part 3, Appendix A-50)

Appendix B: Air Force Materiel Command Readiness Assessment Module Reports

FY98 Air Force MICAP Incidents

DATE: 08/09/99 - 14.12.21 C.T. D165B-MIC : 08/08/99  
 AGGREGATE SUMMARY REPORT FOR D165B-MICAP HISTORY  
 SUBSETS SELECTED: MONTH: 97/10-98/09

Command	Opening MICAP Incidents	Active MICAP Incidents	Closing MICAP Incidents	MICAP Period Hours
	0	1	1	121
AAC	0	0	0	0
AAG	5	6	5	1585
ACC	124342	127792	123933	37303845
ADC	14	15	15	4443
AET	55686	57210	54999	20307693
AFA	4	4	4	197
AFC	5	6	6	1524
AFE	23158	24053	23029	8787204
AFR	30841	31571	30723	6664361
AFT	1	1	1	7
AIC	5	6	6	820
AMC	54216	55625	53999	13479093
ANG	103089	105397	102639	24784668
AUN	11	14	11	5095
CAF	19	19	19	3239
CML	2	2	2	45
CMS	16	18	13	7257
CNT	809	820	816	116924
CON	201	208	199	62061
CSV	42	42	42	6064
DOD	2	2	1	119
ESC	1	1	1	99
FAA	1	1	1	60
GAF	2	2	2	6
HAF	2	3	2	325
ICT	0	0	0	0
ISC	7	7	7	1211
LCT	1	1	1	28

FY98 Air Force MICAP Incidents (Continued)

Command	Opening MICAP Incidents	Active MICAP Incidents	Closing MICAP Incidents	MICAP Period Hours
MAP	1	1	1	119
MEA	167	179	170	48956
MIF	9	9	9	1500
MPC	6	6	6	1348
MTC	20029	21169	19109	15266533
OAF	24	28	26	5310
OAR	1	1	1	25
OFG	6	7	6	3773
OSI	1	1	1	46
OTE	9	9	9	448
OUS	10	10	10	411
PAF	32211	33209	32149	10200892
RBO	1	1	1	154
RED	54	67	65	47472
SOC	9797	10080	9805	2709830
SPC	2477	2578	2487	708844
TAC	0	1	0	8760
TAP	6	6	6	3001
USS	28	32	31	13675
Total	457319	470221	454369	140559191

FY98 MICAP Incidents for DLA Managed Items

DATE: 08/09/99 - 13.47.45 C.T. D165B-MIC : 08/08/99  
 AGGREGATE SUMMARY REPORT FOR D165B-MICAP HISTORY  
 SUBSETS SELECTED: MONTH: 97/10-98/09; SOURCE OF SUPPLY:  
 S9E,S9F,S9G,S9I,S9T

Command	Opening MICAP Incidents	Active MICAP Incidents	Closing MICAP Incidents	MICAP Period Hours
ACC	31883	32885	31825	9304986
ADC	5	5	5	1385
AET	13673	14095	13421	5646480
AFA	1	1	1	49
AFC	2	2	2	661
AFE	7183	7401	6997	2850220
AFR	9728	9956	9660	2257406
AIC	2	2	2	133
AMC	14537	15168	14310	6093652
ANG	37042	37783	36812	8370856
CAF	7	7	7	661
CMS	8	9	6	3795
CNT	181	182	182	24117
CON	68	72	69	26703
CSV	15	15	15	3414
HAF	1	2	1	122
ICT	0	0	0	0
ISC	2	2	2	180
MEA	63	69	65	21348
MIF	3	3	3	436
MPC	2	2	2	252
MTC	5883	6231	5401	4844121
OAF	6	7	7	1368
OFG	2	2	1	287
OTE	3	3	3	176
OUS	3	3	3	153
PAF	8676	9019	8673	3074066
RED	23	31	30	32398
SOC	3187	3296	3199	917071
SPC	662	672	651	127682
TAP	1	1	1	2392
USS	4	4	4	6644
Total	132856	136930	131360	43613214

FY98 MICAP Incidents for Consumable Items

DATE: 08/09/99 - 13.42.14 C.T. D165B-MIC : 08/08/99  
 AGGREGATE SUMMARY REPORT FOR D165B-MICAP HISTORY  
 SUBSETS SELECTED: MONTH: 97/10-98/09; ERRC: N

Command	Opening MICAP Incidents	Active MICAP Incidents	Closing MICAP Incidents	MICAP Period Hours
AAG	1	1	0	735
ACC	50718	51933	50591	12970583
ADC	9	9	9	1875
AET	20412	20868	20232	6478621
AFA	1	1	1	49
AFC	2	2	2	245
AFE	10918	11231	10685	3936780
AFR	13693	13974	13637	2759961
AFT	1	1	1	7
AIC	2	2	2	191
AMC	21527	22297	21378	7731290
ANG	51961	52903	51712	11022425
AUN	0	1	0	4331
CAF	9	9	9	827
CML	0	0	0	0
CMS	9	10	7	4022
CNT	375	378	377	43366
CON	125	129	125	39309
CSV	16	16	16	1247
GAF	1	1	1	6
HAF	0	1	1	21
ISC	3	3	3	274
MEA	82	88	84	22652
MIF	5	5	5	1128
MPC	2	2	2	259
MTC	7641	8027	7147	5273318
OAF	11	12	12	2452
OFG	2	3	2	2293
OSI	1	1	1	46
OTE	4	4	4	176
OUS	4	4	4	183
PAF	15485	15938	15445	4358027
RED	31	40	39	42069

FY98 MICAP Incidents for Consumable Items (Continued)

Command	Opening MICAP Incidents	Active MICAP Incidents	Closing MICAP Incidents	MICAP Period Hours
SOC	5265	5412	5258	1331661
SPC	968	985	961	187049
SPC	968	985	961	187049
TAC	0	1	0	8760
TAP	4	4	4	2813
USS	6	6	6	7722
Total	199294	204302	197763	56236773

Appendix C: List of Parts Used in Sample Data

	Problem Parts
NSN	Nomenclature
2840-01-146-9387	SEAL, METALLIC, AIRCRAFT
2840-01-178-0436	NUT, LOCKING, TURBINE
2840-01-198-4866	LEVER AND LINK
2995-01-200-7234	MANIFOLD, FLUID, AIRCRAFT
2995-01-324-2084	MANIFOLD, FLUID, AIRCRAFT
3110-01-147-4486	BEARING, ROLLING, CYLINDRICAL
4710-01-347-8084	TUBE ASSEMBLY, METAL
5305-01-319-6514	SCREW, MACHINE
5305-01-344-2126	SCREW, MACHINE
5306-01-312-8967	BOLT, MACHINE
5315-01-238-3341	PIN, STRAIGHT, HEADED
5315-01-272-0068	PIN, STRAIGHT, HEADED
5340-01-323-8442	BRACKET, MOUNTING
5365-01-218-0912	RING, SEAL
	Non-problem Parts
1680-01-213-8558	CLAMP, TUBE, DOUBLE HINGED
2840-01-198-4854	GUTTER, AUGMENTOR, FLAMEHOLDER
2840-01-322-4756	CASE, TURBINE, AIRCRAFT GAS TURBINE
2925-01-190-9352	IGNITER, SPARK, GAS, TURBINE ENGINE
4010-00-929-0041	ROPE, WIRE
5306-00-551-4845	BOLT, MACHINE
5306-01-173-9537	BOLT, MACHINE
5306-01-175-3619	BOLT, MACHINE
5306-01-323-5467	BOLT, SHOULDER
5310-01-177-4992	NUT, SELF-LOCKING, EXTENDED WASHER
5315-01-177-5964	PIN, STRAIGHT, HEADED
5315-01-269-2679	PIN, STRAIGHT, HEADED
5330-00-020-0203	PACKING, PREFORMED
5330-01-234-6378	GASKET
5331-00-166-0992	O-RING
5331-00-166-0993	O-RING
5331-00-166-1063	O-RING
5331-00-167-5110	O-RING
5331-00-167-5143	O-RING
5365-01-213-7700	SPACER, SLEEVE
5365-01-323-2790	SPACER, SLEEVE
5365-01-323-2794	SPACER, SLEEVE
6685-01-173-0502	TUBE, SIGHT, PYROMETER

# Appendix D: Sample Data

Note: Numbers in bold represent National Stock Numbers

Problem Parts											
Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
4710013478084											
1997313	1998191	1999133	244	308	1	N	91	125	13	153	183
1998007	1998252	1999133	246		2	N	91		13	155	
1998196	1998252	1999134	57	248	1	N	91	125	17	-34	123
1998281	1999055	0	140		1	N	91		0	49	
1999060	1999090	0	31		1	N	230		0	-199	
2840011469387											
1997152	1998156	1999058	370	268	1	N	88.5	138	20	281.5	130
1997162	1997210	1997276	49	67	2	N	88.5	69	7	-39.5	-2
1997162	1997210	1997279		70	1	Y		69	1		1
1998186	1999029	0	209		0001AA	N	177		0	32	
1999067	1999067	0	1		3	N	365		0	-364	
1999112	1999114	1999134	3	21	1	Y	365	434	1	-362	-413
2840011780436											
1995267	1995352	1996121	86	135		N	240	63	63	-154	72
1996221	1996327	1997112	107	152	2	N	229	260	29	-122	-108
1998165	1998219	1998315	55	97	2	N	106	148	40	-51	-51
1998213	1998324	1999120	112	162	1	N	106	148	100	6	14
1998225	1998230	1998253	6	24	2	Y	106	148	1	-100	-124
1999066	1999131	1999147	66	17	1	N	106	190	21	-40	-173



Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
<b>2840011984866</b>											
1996122	1996345	1997304	224	326	1	N	229	411	1118	-5	-85
1997296	1997356	1999212	61	587	5001AA	N	112.5	168	0	-51.5	419
1999121	1999126	1999155	6	30	1	Y	300	380	17	-294	-350
<b>2995012007234</b>											
1995162	1995343	1996139	182	162	1	N	199	217	74	-17	-55
1995279	1996025	1996192	112	168	1	N	174	206	125	-62	-38
1996017	1996023	1996068	7	46	1	Y	149	206	1	-142	-160
1998060	1998183	0	124		1	N	130		0	-6	
1998288	1999036	1999183	114	148	0001AA	N	125	171	20	-11	-23
1999007	1999148	0	142		1	N	125		0	17	
1999096	1999096	1999110	1	15	0101AA	N	260	182	0	-259	-167
1999112	1999123	1999180	12	58	2	Y	192.5	176.5	0	-180.5	-118.5
1999132	1999133	1999180	2	48	1	Y	192.5	176.5	0	-190.5	-128.5
1999141	1999154	1999180	14	27	6	Y	192.5	176.5	1	-178.5	-149.5
<b>2995013242084</b>											
1991037	1991256	1992231	220	341	0001AA	N		279.5	2		61.5
1992110	1993033	1994040	290	373	0001AA	N	222	430	2	68	-57
1995158	1995252	0	95		0001AA	N	266		0	-171	
1997303	1998181	1999076	244	261	0001AA	N	266	430	2	-22	-169
1998113	1998212	1999085	100	239	0001AA	N	266	430	2	-166	-191
<b>3110011474486</b>											
1997254	1998071	1999112	183	407	0001AA	N		428	52		-21
1998106	1998349	0	244		0001AA	N	95		0	149	
1999104	1999106	0	3		1	Y	169		0	-166	

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
<b>5365012180912</b>											
1992072	1992213	1992338	142	126	1	N	131	312	45	11	-186
1998193	1998203	1999022	11	185	1	N	138	123	4	-127	62
1998218	1999037	1999134	185	98	1	N	138	147	100	47	-49
<b>5305013196514</b>											
1994249	1994279	1994311	31		10	Y	68.5		54	-37.5	
1994280	1994298	1994332	19	35	1	Y	68.5	176.5	52	-49.5	-141.5
1995197	1995341	1997052	145	443	1	N	137	353	10460	8	90
1995295	1995341	1997241	47	632	1	N	126	353	12022	-79	279
1995338	1996018	1996179	46	162	1	Y	126	250	593	-80	-88
1995353	1996019	1996180	32	162	1	Y	126	250	593	-94	-88
1996072	1996085	1996102	14	18	2	N	115	301.5	236	-101	-283.5
1996072	1996085	1996115	14	31	1	Y	126	301.5	94	-112	-270.5
1996095	1996242	1997154	148	279	1	N	118.5	233	24150	29.5	46
1997051	1997176	1998232	126	422	1	N	122	216	7000	4	206
1998113	1999050	0	303		1	N	122		0	181	
1998302	1999046	0	110		1	N	122		0	-12	
1999007	1999046	0	40		1	N	122		0	-82	
1999125	1999128	1999147	4	20	2	Y	122	236	90	-118	-216
1999128	1999133	1999165	6	33	5	Y	122	236	0	-116	-203
1999128	1999133	1999167		35	15	Y		236	54		-201
1999130	1999133	1999165	4		1	Y	122		159	-118	
1999134	1999139	1999187	6	49	3	Y	122	236	200	-116	-187
1999139	1999140	0	2		1	Y	122		0	-120	
1999140	1999144	0	5		2	Y	122		0	-117	

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1999141	1999141	1999212	1	72	3	N	122	236	0	-121	-164
1999141	1999144	1999169	4	26	1	Y	122	236	54	-118	-210
1999145	1999147	1999169	3	23	1	Y	122	236	42	-119	-213
1999166	1999167	1999179	2	13	1	Y	122	236	54	-120	-223
<b>5305013442126</b>											
1992068	1992073	1993045	6	339	1	N	123	450	90	-117	-111
1993294	1994040	1995130	112	456	1	N	45	312	63	67	144
1994156	1994218	1995144	63	292	1	N	45	288.5	100	18	3.5
1994345	1995034	1995130	55	97	1	N	50.5	265	100	4.5	-168
1995036	1995074	1995229	39	156	1	N	56	288.5	500	-17	-132.5
1995113	1995165	1995362	53	198	1	N	52.5	219.5	225	0.5	-21.5
1995285	1995352	1996242	68	256	1	N	52.5	219.5	500	15.5	36.5
1995358	1996059	1996242	67	184	1	N	52.5	174	1000	14.5	10
1996189	1996202	1996242	14	41	1	N	49	151.5	600	-35	-110.5
1996315	1996319	1997274	5	322	1	N	44.5	151.5	500	-39.5	170.5
1997019	1997059	1998042	41	349	1	N	40	129	950	1	220
1997100	1997106	1998049	7	309	1	N	40	114.5	1425	-33	194.5
1997296	1998012	0	82		2	N	40		0	42	
1997296	1998037	1998056	107	20	1	N	40	114.5	950	67	-94.5
1998022	1998024	0	3		1	N	40		0	-37	
1998197	1998358	0	162		1	N	40		0	122	
1999014	1999051	1999187	38	137	2	N	75	132	2000	-37	5
1999101	1999145	0	45		1	N	75		0	-30	
<b>5306013128967</b>											
1995060	1995220	1996012	161	158	1	N	95	172.5	2000	66	-14.5

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1995113	1995301	1996089	189	154	1	N	122.5	172.5	20000	66.5	-18.5
1995115	1995194	1996124	80	296	1	Y	122.5	202	1000	-42.5	94
1995351	1996082	1996171	97	90	2	N	122.5	143	9400	-25.5	-53
1997096	1997135	1997267	40	133	1	N	40	128	24300	0	5
1997208	1998100	1998149	258	50	0001AB	N	40	180	5225	218	-130
1997299	1998220	0	287		1	N	40		0	247	
1998099	1998220	1998258	122	39	5	N	160	180	5000	-38	-141
1998228	1998267	1999147	40	246	2	N	160	180	19822	-120	66
1998249	1999104	1999127	221	24	2	N	160	85	11732	61	-61
<b>5315012383341</b>											
1990067	1990229	1991074	163	211	1	N	112	272	1430	51	-61
1990214	1990239	0	26		3	Y	137		0	-111	
1990223	1990337	1992128	115	522	1	N	137	247	1045	-22	275
1990325	1990341	1991004	17	29	5	Y	137	247	20	-120	-218
1990359	1991030	1991063	37	34	3	Y	137	222	20	-100	-188
1991001	1991030	1991063	30	34	1	Y	162	222	30	-132	-188
1991038	1991050	1991070	13	21	3	Y	137	247	20	-124	-226
1991039	1991050	1991070	12		4	Y	137		20	-125	
1991051	1991088	0	38		1	Y	137		0	-99	
1991066	1991084	0	19		1	Y	137		0	-118	
1991072	1991084	1991119	13	36	4	Y	137	247	20	-124	-211
1991077	1991088	1991126	12	39	1	Y	137	247	9	-125	-208
1991078	1991084	0	7		2	Y	137		0	-130	
1991094	1991164	1992196	71	398	1	N	116.5	235.5	1900	-45.5	162.5
1991110	1991122	1991155	13	34	1	Y	116.5	235.5	20	-103.5	-201.5

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1991122	1991136	1991155	15	20	6	Y	116.5	235.5	20	-101.5	-215.5
1991149	1991165	1991192	17	28	6	Y	116.5	235.5	3	-99.5	-207.5
1991160	1991221	1992198	62	343	1	N	116.5	235.5	1400	-54.5	107.5
1992037	1992045	1992065	9	21	1	Y	71	249	1	-62	-228
1992055	1992073	1992086	19	14	3	Y	116.5	235.5	20	-97.5	-221.5
1992099	1992121	1992171	23		2	Y	71		20	-48	
1992100	1992121	1992171	22		1	Y	71		20	-49	
1992105	1992121	1992171	17	51	3	Y	71	288.5	20	-54	-237.5
1992107	1992358	0	252		2	N	71		0	181	
1992183	1992353	0	171		1	N	71		0	100	
1992184	1992199	1992216	16	18	3	Y	71	288.5	20	-55	-270.5
1992306	1993090	0	151		1	N	71		0	80	
1993089	1993103	1993118	15	16	1	Y	71	210.5	11	-56	-194.5
1993098	1993112	1993132	15	21	1	Y	79.5	210.5	6	-64.5	-189.5
1993103	1993112	1993132	10		3	Y	79.5		20	-69.5	
1993104	1993112	1993132	9		4	Y	79.5		20	-70.5	
1993115	1993171	1993287	57	117	1	N	79.5	210.5	11899	-22.5	-93.5
1993118	1993146	1993159	29	14	1	Y	79.5	210.5	20	-50.5	-196.5
1993131	1993158	1993176	28	19	1	Y	79.5	210.5	17	-51.5	-191.5
1993213	1993296	1994006	84	76	1	N	79.5	210.5	4753	4.5	-134.5
1993217	1993222	1993267	6	46	2	Y	79.5	210.5	1	-73.5	-164.5
1993261	1993293	1993316	33	24	1	Y	79.5	210.5	18	-46.5	-186.5
1993298	1993301	0	4		2	Y	79.5		0	-75.5	
1993311	1993346	1994090	36	110	1	N	79.5	210.5	4200	-43.5	-100.5
1994055	1994121	1996102	67	712	1	N	88	93	3700	-21	619

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1994317	1994348	1995069	32	87	1	N	80	96	4300	-48	-9
1995253	1996062	1996144	175	83	1	N	72	88	6405	103	-5
1996070	1996153	1996242	84	90	1	N	45	85	8175	39	5
1997096	1997178	1998033	83	221	1	N	133	82	10400	-50	139
1997274	1997330	1998097	57	133	1	N	133	90	3000	-76	43
1997352	1998180	0	194		1	N	133		6825	61	
1998182	1998280	0	99		1	N	101		0	-2	
1998260	1999011	0	117		1	N	101		0	16	
1998340	1999042	1999146	68	105	1	N	116	133	0	-48	-28
1999119	1999127	1999209	9	83	1	N	120	122	0	-111	-39
<b>5315012720068</b>											
1995267	1995317	1996185	51	234	2	N	151	119	1787	-100	115
1995358	1996090	1996220	98	131	1	N	147.5	116	3000	-49.5	15
1996046	1996050	1996072	5	23	2	Y	144	113	15	-139	-90
1996102	1996305	1997130	204	192	1	N	134	129	5000	70	63
1996310	1997042	1997228	99	187	1	N	134	145	2180	-35	42
1998071	1998174	0	104		2	N	78		0	26	
1998172	1998211	0	40		1	N	78		0	-38	
1998309	1999069	1999146	126	78	1	N	86	153	2590	40	-75
1999052	1999097	1999174	46	78	2	N	70	153	2000	-24	-75
<b>5340013238442</b>											
1990223	1991128	1991275	271	148	1	N		360	34		-212
1993248	1994153	1995047	271	260	1	N	270	257.5	29	1	2.5
1994124	1994144	1994160	21	17	1	Y	270	276	11	-249	-259
1994188	1994315	1995349	128	400	1	N	270	257.5	192	-142	142.5

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1994189	1994213	1994227	25	15	3	Y	270	257.5	1	-245	-242.5
1994190	1994213	1994227	24		1	Y	270		1	-246	
1994194	1994213	1994242	20	30	4	Y	270	257.5	3	-250	-227.5
1994262	1994286	1994297	25	12	1	Y	270	257.5	10	-245	-245.5
1994296	1995202	1997113	272	643	1	N	270	245	504	2	398
1995162	1995172	1995195	11	24	1	Y	270	239	1	-259	-215
1995169	1995232	1995311	64	80	0001AC	N	212	245	120	-148	-165
1995194	1995198	1995223	5	26	1	Y	212	245	10	-207	-219
1996014	1996048	1996145	35	98	1	N	154	251	225	-119	-153
1996042	1996088	1996326	47	239	0001AB	N	212	245	302	-165	-6
1996066	1996131	1996281	66	151	0001AA	Y	212	175.5	250	-146	-24.5
1996066	1996131	1996335		205	0001AB	Y		175.5	216		29.5
1996183	1996229	1996353	47	125	1	N	97	175.5	267	-50	-50.5
1996298	1996312	1997043	15	98	1	N	97	175.5	300	-82	-77.5
1996326	1997036	1997127	77	92	0001AA	Y	97	100	210	-20	-8
1996333	1996353	1997064	21	78	1	N	97	175.5	300	-76	-97.5
1997019	1997166	1997197	148	32	0001AA	N	40	83.5	200	108	-51.5
1997083	1997222	0	140		1	Y	97		0	43	
1997166	1997183	1997281	18	99	1	N	41	83.5	350	-23	15.5
1997182	1997206	1997309	25	104	1	N	41	83.5	234	-16	20.5
1997201	1997222	1997303	22	82	0001AC	N	41	83.5	100	-19	-1.5
1998060	1998134	1998289	75	156	0001AC	N	42	93	300	33	63
1998162	1998280	1998321	119	42	1	N	42	72	195	77	-30
1998273	1999008	1999022	101	15	0002AC	N	53	69	100	48	-54
1998273	1999008	1999025		18	0001AA	Y		69	100		-51

Sample data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1998273	1999008	1999070		63	0002AD	N		69	422		-6
1998273	1999008	1999105		98	0001AB	Y		69	314		29
1999129	1999160	1999175	32	16	0001AA	N	74	51	350	-42	-35
1999161	1999170	1999203	10	34	0001AB	N	63.5	60	300	-53.5	-26

Non-problem Parts

<b>1680012138558</b>											
1990238	1991039	1991265	167	227	3	N	113	259	175	54	-32
1990350	1991039	1993170	55	863	3	N	113	259	805	-58	604
1992198	1992327	1993324	130	364	2	N	113	259	417	17	105
1993057	1993063	1993351	7	289	1	Y	68	365	2	-61	-76
1993090	1993103	1993328	14	226	4	Y	90.5	347.5	1	-76.5	-121.5
1993096	1993103	1993328	8		3	Y	68		5	-60	
1993097	1993103	1993328	7		2	Y	68		1	-61	
1994006	1994119	1994278	114	160	3	N	68	330	225	46	-170
1995239	1995335	1996209	97	240	1	N	68	301	176	29	-61
1996214	1996325	1997077	112	119	1	N	68	206	150	44	-87
1996319	1997237	1998338	285	467	1	N	77.5	223	30	207.5	244
1997261	1997309	1998125	49	182	1	N	87	186.5	390	-38	-4.5
1998244	1999092	0	214		1	N	106		0	108	
<b>2840011984854</b>											
1997159	1998135	1999177	342	408	1	N		304	255		104
<b>2840013224756</b>											
1998315	1999043	0	94		0001AA	N	177		0	-83	
1999066	1999113	0	48		1	N	177		0	-129	



Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
<b>2925011909352</b>											
1995064	1995233	1996058	170	191	0001AA	N	250	240	325	-80	-49
1995197	1995293	1996118	97	191	1	N	215.5	225.5	141	-118.5	-34.5
1996049	1996214	1997094	166	247	0001AA	N	181	211	500	-15	36
1996222	1996274	1996295	53	22	4	Y	181	198	2	-128	-176
1996245	1996297	1997155	53	225	1	N	181	198	109	-128	27
1996255	1996274	1996295	20	22	2	Y	181	198	1	-161	-176
1996302	1996320	1997036	19	83	1	Y	181	198	1	-162	-115
1996326	1996328	1996362	3	35	1	Y	181	198	2	-178	-163
1997100	1998028	1998155	294	128	0001AA	N	181	168	150	113	-40
1997348	1998071	1999051	89	346	5001AB	N	120.5	176.5	150	-31.5	169.5
1998067	1999085	0	384		0001AA	N	60		0	324	
1999066	1999139	0	74		5001AA	N	293		0	-219	
<b>6685011730502</b>											
1994006	1994172	1994299	167	128	2	N	90	365	49	77	-237
1995121	1995332	1996144	212	178	0001AA	N	141	122	50	71	56
1996025	1996089	1997030	65	308	6	N	141	152	63	-76	156
1996189	1996239	1997036	51	164	5001AA	N	141	159	50	-90	5
1996242	1997227	1998160	352	299	1	N	141	166	40	211	133
1997225	1997227	1998069	3	208	0003AB	N	141	166	50	-138	42
1999136	1999147	1999190	12	44	1	N	180	277	0	-168	-233
<b>4010009290041</b>											
1991041	1991100	1991268	60	169	2	N	210	90	40000	-150	79
1991077	1991118	1991165	42	48	1	Y	139.5	132.5	2997	-97.5	-84.5
1991218	1992009	1992046	157	38	2	N	134.5	175	38000	22.5	-137

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1992030	1992057	1992182	28	126	0021AA	N	59	132.5	20000	-31	-6.5
1992212	1992283	1993096	72	180	0021AA	N	49.5	146.5	30000	22.5	33.5
1992250	1992280	1993096	31	183	0021AB	N	49.5	146.5	18000	-18.5	36.5
1993152	1993224	1994095	73	237	0021AA	N	40	118	80000	33	119
1994005	1994040	1994140	36	101	0021AA	N	40	162	105000	-4	-61
1994182	1994224	1995068	43	210	0021AA	N	40	150	100000	3	60
1995265	1996088	1996161	189	74	2	N	40	137	75000	149	-63
1996133	1996197	1996299	65	103	1	N	40	123	72000	25	-20
1996350	1997080	1997233	97	154	1	N	80	109	62000	17	45
1997187	1997309	1997364	123	56	2	N	120	105.5	61000	3	-49.5
1998116	1998243	1998316	128	74	1	N	116	94	170000	12	-20
<b>5365012137700</b>											
1989279	1990081	1990272	168	192	2	N		250	2100		-58
1990056	1990117	0	62		1	N	94		0	-32	
1990133	1990194	1992022	62	559	2	N	79.5	241.5	1000	-17.5	317.5
1990164	1990172	1990193	9	22	1	Y	79.5	241.5	75	-70.5	-219.5
1990166	1990172	1990193	7		2	Y	79.5		125	-72.5	
1990171	1990177	1990213	7	37	3	Y	79.5	241.5	4	-72.5	-204.5
1990180	1990200	1990227	21	28	1	Y	79.5	241.5	24	-58.5	-213.5
1990187	1990200	1990227	14		1	Y	79.5		24	-65.5	
1990194	1990206	1990233	13	28	1	Y	79.5	241.5	2	-66.5	-213.5
1990200	1990233	1990262	34	30	1	Y	79.5	241.5	9	-45.5	-211.5
1990202	1990233	1990262	32		2	Y	79.5		24	-47.5	
1990205	1990233	1990262	29		2	Y	79.5		24	-50.5	
1990207	1990226	1990253	20	28	3	Y	79.5	241.5	6	-59.5	-213.5

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1990219	1990232	1990262	14	31	3	Y	79.5	241.5	1	-65.5	-210.5
1990220	1990232	1990262	13		6	Y	79.5		4	-66.5	
1990221	1990233	1990262	13	30	1	Y	79.5	241.5	3	-66.5	-211.5
1990222	1990233	1990262	12		4	Y	79.5		12	-67.5	
1990226	1990233	1990262	8		6	Y	79.5		24	-71.5	
1990228	1990242	1990269	15	28	2	Y	79.5	241.5	1	-64.5	-213.5
1990234	1990249	0	16		2	Y	79.5		0	-63.5	
1990236	1990249	0	14		4	Y	79.5		0	-65.5	
1990237	1990249	0	13		5	Y	79.5		0	-66.5	
1990238	1990332	0	95		1	N	79.5		0	15.5	
1990242	1990254	0	13		2	Y	79.5		0	-66.5	
1990249	1990267	0	19		2	Y	79.5		0	-60.5	
1990251	1990267	0	17		3	Y	79.5		0	-62.5	
1990255	1990270	0	16		1	Y	79.5		0	-63.5	
1990261	1990269	0	9		1	Y	79.5		0	-70.5	
1990263	1990269	0	7		2	Y	79.5		0	-72.5	
1990308	1991033	1991273	91	241	3	N	79.5	233	1640	11.5	8
1991027	1991132	1991256	106	125	1	N	65	170.5	3418	41	-45.5
1991094	1991184	1991271	91	88	0001AB	N	80.5	170.5	4000	10.5	-82.5
1991096	1991112	1991126	17	15	1	Y	80.5	170.5	24	-63.5	-155.5
1991150	1991348	1992184	199	202	1	N	80.5	170.5	7035	118.5	31.5
1991171	1991184	1991214	14	31	5	Y	80.5	170.5	23	-66.5	-139.5
1991179	1991196	1991214	18	19	2	Y	80.5	170.5	24	-62.5	-151.5
1991184	1991270	1991310	87	41	4	Y	80.5	170.5	14	6.5	-129.5
1991197	1991206	1991241	10	36	5	Y	80.5	170.5	24	-70.5	-134.5

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1991199	1991207	1991218	9	12	1	Y	80.5	170.5	24	-71.5	-158.5
1991200	1991212	1991241	13	30	2	Y	80.5	170.5	24	-67.5	-140.5
1991206	1991224	1991239	19	16	1	Y	80.5	170.5	24	-61.5	-154.5
1991214	1991227	1991239	14	13	1	Y	80.5	170.5	24	-66.5	-157.5
1991226	1991235	1991259	10	25	1	Y	80.5	170.5	14	-70.5	-145.5
1991253	1991266	1991283	14	18	2	Y	80.5	170.5	24	-66.5	-152.5
1996095	1996138	0	44		1	N	92		0	-48	
1996179	1996281	1997036	103	122	1	N	82.5	111.5	1565	20.5	10.5
1997219	1997297	1998049	79	118	1	N	73	121	1710	6	-3
1997331	1998009	0	44		1	N	78		0	-34	
1998214	1998299	0	86		1	N	68		0	18	
1999010	1999056	0	47		1	N	68		0	-21	
<b>5365013232790</b>											
1990223	1991122	1992009	265	253	1	N		360	26		-107
1991206	1991235	1991259	30	25	1	Y	95	323	1	-65	-298
1996340	1997283	1998099	310	182	1	N	95	263	31	215	-81
1997320	1998029	1998189	75	161	1	N	95	250	42	-20	-89
1998025	1998120	1998356	96	237	1	N	95	263	53	1	-26
1998031	1998035	1998056	5	22	1	Y	95	256.5	1	-90	-234.5
<b>5365013232794</b>											
1991069	1991312	1991362	244	51	1	N	95	270	135	149	-219
1995348	1995354	1996064	7	76	1	Y	194	143	1	-187	-67
1996108	1996110	1996166	3	57	1	Y	194	143	41	-191	-86
1996112	1996281	1997063	170	149	2	N	147	143	57	23	6
1996189	1996281	1997071	93	157	1	N	147	143	110	-54	14

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1996305	1997013	1997226	75	214	1	N	147	143	204	-72	71
1996322	1997074	1997155	119	82	1	N	147	143	750	-28	-61
1997219	1997269	1998093	51	190	1	N	100	153.5	2500	-49	36.5
1998039	1998087	1998274	49	188	1	N	75	164	3150	-26	24
<b>5306005514845</b>											
1991027	1991088	1991347	62	260	2	N	171	243	10500	-109	17
1996139	1996144	1996207	6	64	1	Y	100	228	49	-94	-164
<b>5306011739537</b>											
1998155	1998318	1999084	164	132	1	N	124	124	6669	40	8
1998260	1998348	1999093	89	111	2	N	124	124	3022	-35	-13
1998323	1998348	1999093	26		1	N	124		1819	-98	
<b>5306011753619</b>											
1995229	1995319	1996101	91	148	0001AB	N	95	202	10940	-4	-54
1996067	1996124	1997004	58	247	1	N	130	289	5000	-72	-42
1996165	1996185	1997065	21	247	1	N	97	203.5	5240	-76	43.5
1996284	1996359	1997073	76	81	1	N	97	203.5	4620	-21	-122.5
1996357	1997004	1997065	14	62	1	N	97	118	9154	-83	-56
1997264	1997268	0	5		1	N	64		0	-59	
1998081	1998217	1998245	137	29	2	N	28	104	4515	109	-75
1998137	1998217	1998240	81	24	1	N	28	104	8400	53	-80
1998221	1998295	1998343	75	49	1	N	28	104	5300	47	-55
1998281	1999101	1999163	186	63	2	N	60	61	5250	126	2
<b>5306013235467</b>											
1991069	1992017	1992351	314	335	1	N	118	200	105	196	135
1991283	1991297	1991322	15	26	1	Y	118	300	1	-103	-274

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1992019	1992166	1993192	148	393	1	N	118	200	100	30	193
1993185	1994117	1994200	298	84	1	N	137	297	100	161	-213
1994005	1994117	1994200	113		2	N	137		77	-24	
1995244	1995278	1996115	35	203	1	N	239	162	174	-204	41
1997278	1998016	1998086	104	71	1	N	94	172	298	10	-101
<b>5310011774992</b>											
1996091	1996138	1996291	48	154	1	N	129	136	19440	-81	18
1996109	1996291	1997037	183	113	0001AD	N	96.5	109.5	15000	86.5	3.5
1996142	1996159	1996169	18	11	1	Y	96.5	109.5	68	-78.5	-98.5
1996158	1996173	1996258	16	86	1	N	96.5	109.5	2100	-80.5	-23.5
1996221	1996262	1996268	42	7	2	N	96.5	109.5	2393	-54.5	-102.5
1996221	1996272	1996346	52	75	1	N	96.5	109.5	4441	-44.5	-34.5
1996350	1997231	1997331	248	101	1	N	96.5	83	61770	151.5	18
1997331	1998222	1999013	257	157	3	N	64	83	16648	193	74
1998029	1998222	1999013	194		2	N	64		15000	130	
1998183	1998189	1998219	7	31	0001AA	N	64	83	7500	-57	-52
1998225	1998322	1999005	98	49	0001AB	N	64	83	2553	34	-34
1999017	1999085	1999198	69	114	1	N	45	68.5	33000	24	45.5
1999049	1999068	1999080	20	13	1	N	54.5	54	19000	-34.5	-41
<b>5315011775964</b>											
1995288	1996241	1997191	319	317	1	N	95	82	6000	224	235
1996242	1996356	0	115		1	N	144		0	-29	
1997047	1997100	1997218	54	119	1	N	197	233.5	8400	-143	-114.5
1997056	1997063	1997083	8	21	6	Y	170.5	265	18	-162.5	-244
1997056	1997063	1997091		29	4	Y		265	20		-236

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1997285	1998020	1998114	101	95	1	N	164	202	6300	-63	-107
1998281	1998325	1999140	45	181	1	N	121	134	1650	-76	47
<b>5315012692679</b>											
1990098	1990241	1991060	144	185	1	N	156	217	1995	-12	-32
1990191	1990200	1990227	10	28	1	Y	151.5	154	18	-141.5	-126
1990249	1991073	1991177	190	105	1	N	151.5	280	1635	38.5	-175
1991241	1992039	1992171	164	133	1	N	147	137	2310	17	-4
1992173	1992263	1993015	91	119	1	N	175	133.5	1900	-84	-14.5
1993168	1993298	1994053	131	121	1	N	167	130	2900	-36	-9
1993297	1993353	1994138	57	151	1	N	141	125.5	3700	-84	25.5
1994027	1994102	1994246	76	145	1	N	115	121	3400	-39	24
1994170	1994347	1995054	178	73	1	N	95.5	132.5	3900	82.5	-59.5
1994356	1995094	1995251	104	158	1	N	95.5	144	5300	8.5	14
1996102	1996163	1996214	62	52	1	N	96	119	4787	-34	-67
1997142	1997253	1997315	112	63	1	N	75	73	5292	37	-10
1997296	1997351	1998085	56	100	1	N	72	75	8403	-16	25
1998274	1998348	1999041	75	59	1	N	64	90	6820	11	-31
1999098	1999144	1999210	47	67	1	N	93	85	0	-46	-18
<b>5330000200203</b>											
1990112	1990179	0	68		1	N	114		0	-46	
1990238	1990358	1991239	121	247	2	N	91.5	179	144473	29.5	68
1990308	1991037	1991354	95	318	1	N	91.5	152	75143	3.5	166
1991060	1991298	0	239		4	N	69		0	170	
1991069	1991298	0	230		9	N	91.5		0	138.5	
1993346	1994090	1994253	110	164	1	N	216	177	66300	-106	-13

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1995005	1995087	1995203	83	117	1	N	144	134	57150	-61	-17
1995330	1995362	1996069	33	73	1	N	121	108.5	57906	-88	-35.5
1996343	1997024	1997144	48	121	1	N	98	89	54111	-50	32
1997096	1997136	1997220	41	85	1	N	54	90.5	73330	-13	-5.5
1997180	1997364	1998183	185	185	1	N	50.5	90.5	73175	134.5	94.5
1998035	1998037	1998156	3	120	1	Y	47	92	610	-44	28
1998036	1998038	1998156	3	119	1	Y	50.5	92	56	-47.5	27
1998042	1998044	1998202	3	159	1	Y	50.5	90.5	33	-47.5	68.5
1998051	1998055	1998195	5	141	1	Y	50.5	90.5	57	-45.5	50.5
1998056	1998058	1998159	3	102	1	Y	50.5	90.5	78	-47.5	11.5
1998060	1998064	1998159	5	96	1	Y	50.5	90.5	48	-45.5	5.5
1998061	1998064	1998159	4	96	1	Y	50.5	90.5	521	-46.5	5.5
1998063	1998065	1998160	3	96	1	Y	50.5	90.5	60	-47.5	5.5
1998066	1998069	1998159	4	91	1	Y	50.5	90.5	171	-46.5	0.5
1998071	1998073	1998159	3	87	1	Y	50.5	90.5	169	-47.5	-3.5
1998077	1998079	1998160	3	82	1	Y	50.5	90.5	4	-47.5	-8.5
1998082	1998203	1998337	122	135	1	Y	50.5	92.5	100	71.5	42.5
1998104	1998106	1998160	3	55	1	Y	47	92	5	-44	-37
1998120	1998125	1998160	6	36	1	Y	47	92	4	-41	-56
1998122	1998125	1998160	4	36	1	Y	47	92	3	-43	-56
1998122	1998125	1998161	4	37	1	Y	47	92	382	-43	-55
1998126	1998128	1998202	3	75	1	Y	47	92	26	-44	-17
1998128	1998132	1998202	5	71	1	Y	47	92	93	-42	-21
1998129	1998132	1998202	4	71	1	Y	47	92	34	-43	-21
1998130	1998133	1998216	4	84	1	Y	47	92	138	-43	-8



Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1998132	1998134	1998229	3	96	1	Y	47	92	90	-44	4
1998133	1998135	1998173	3	39	1	Y	47	92	2	-44	-53
1998134	1998136	1998225	3	90	1	Y	47	92	29	-44	-2
1998135	1998139	1998226	5	88	1	Y	47	92	81	-42	-4
1998135	1998139	1998226	5	88	1	Y	47	92	585	-42	-4
1998137	1998140	1998226	4	87	1	Y	47	92	33	-43	-5
1998138	1998140	1998226	3	87	1	Y	47	92	295	-44	-5
1998140	1998142	1998226	3	85	1	Y	47	92	58	-44	-7
1998142	1998147	1998226	6	80	1	Y	47	92	75	-41	-12
1998144	1998148	1998225	5	78	1	Y	47	92	8	-42	-14
1998149	1998152	1998226	4	75	1	Y	47	92	52	-43	-17
1998164	1998167	1998226	4	60	1	Y	47	92	149	-43	-32
1998167	1998169	1998226	3	58	1	Y	47	92	29	-44	-34
1998170	1998174	1998225	5	52	1	Y	47	92	8	-42	-40
1998170	1998174	1998226	5	53	1	Y	47	92	245	-42	-39
1998171	1998174	1998225	4	52	1	Y	47	92	4	-43	-40
1998174	1998176	1998229	3	54	1	Y	47	92	50	-44	-38
1998176	1998178	1998226	3	49	1	Y	47	92	2	-44	-43
1998178	1998181	1998260	4	80	1	Y	47	92	16	-43	-12
1998180	1998182	1998260	3	79	1	Y	47	92.5	2	-44	-13.5
1998180	1998182	1998261	3	80	1	Y	47	92.5	25	-44	-12.5
1998182	1998188	1998229	7	42	1	Y	47	93	41	-40	-51
1998183	1998188	1998226	6	39	1	Y	47	93	3	-41	-54
1998192	1998195	1998232	4	38	1	Y	47	92.5	45	-43	-54.5
1998197	1998199	1998218	3	20	1	Y	47	92.5	49	-44	-72.5

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1998199	1998203	1998230	5	28	1	Y	47	92.5	15	-42	-64.5
1998201	1998203	1998279	3	77	1	Y	47	92.5	33	-44	-15.5
1998202	1998204	1998231	3	28	1	Y	47	92.5	253	-44	-64.5
1998203	1998205	1998231	3	27	1	Y	47	92.5	9	-44	-65.5
1998204	1998206	1998265	3	60	1	Y	47	92.5	439	-44	-32.5
1998206	1998209	1998246	4	38	1	Y	47	92.5	25	-43	-54.5
1998209	1998211	1998244	3	34	1	Y	47	92.5	2	-44	-58.5
1998225	1998254	1999042	30	154	0001AB	N	47	92.5	59165	-17	61.5
1999129	1999179	0	51		1	N	41		0	10	
<b>5330012346378</b>											
1991290	1992059	1992105	135	47	3	N		94	500		-47
1992008	1992024	1992050	17	27	1	Y	146	188	31	-129	-161
1992055	1992073	1992094	19	22	2	Y	73	94	40	-54	-72
1992064	1992085	1992118	22	34	1	Y	73	94	40	-51	-60
1992084	1992101	1992125	18		1	Y	73		4	-55	
1992098	1992101	1992125	4	25	2	Y	134.5	155.5	4	-130.5	-130.5
1992099	1992105	1992118	7	14	1	Y	134.5	155.5	40	-127.5	-141.5
1992110	1992339	1993089	230	117	1	N	134.5	155.5	3845	95.5	-38.5
1992140	1992162	1992171	23	10	1	Y	134.5	155.5	1	-111.5	-145.5
1992156	1992178	1992213	23	36	1	Y	134.5	155.5	40	-111.5	-119.5
1992245	1993038	1993167	160	130	1	Y	134.5	155.5	3313	25.5	-25.5
1992311	1992325	1992343	15	19	1	Y	134.5	155.5	40	-119.5	-136.5
1992317	1992321	1992343	5	23	1	Y	134.5	155.5	40	-129.5	-132.5
1992343	1992363	1993057	21	61	2	Y	134.5	155.5	40	-113.5	-94.5

Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1992350	1992363	1993061	14	65	4	Y	134.5	155.5	40	-120.5	-90.5
1993008	1993039	1993050	32	12	1	Y	134.5	123	2	-102.5	-111
1993024	1993315	1994049	292	100	2	N	134.5	103.5	8930	157.5	-3.5
1993026	1993043	1993061	18	19	1	Y	134.5	155.5	40	-116.5	-136.5
1993036	1993071	1993083	36	13	2	Y	134.5	155.5	40	-98.5	-142.5
1993047	1993071	1993083	25		3	Y	134.5		40	-109.5	
1993056	1993071	1993083	16		1	Y	134.5		40	-118.5	
1993065	1993078	1993090	14	13	1	Y	134.5	155.5	40	-120.5	-142.5
1993069	1993085	1993095	17	11	1	Y	134.5	155.5	40	-117.5	-144.5
1993098	1993105	1993110	8	6	1	Y	123	103.5	38	-115	-97.5
1993159	1993190	1993231	32	42	2	Y	123	103.5	1414	-91	-61.5
1993166	1993315	1994053	150	104	1	Y	123	103.5	5586	27	0.5
1993182	1993190	1993230	9	41	1	Y	123	103.5	40	-114	-62.5
1993204	1993210	1993231	7	22	1	Y	123	103.5	40	-116	-81.5
1993210	1993260	1993342	51	83	1	N	123	103.5	4975	-72	-20.5
1993267	1993294	1993323	28	30	2	Y	123	103.5	25	-95	-73.5
1993287	1993295	1993312	9	18	1	Y	123	103.5	40	-114	-85.5
1993287	1993295	1994011		82	3	Y		103.5	30		-21.5
1993339	1994069	1994161	96	93	1	N	123	84	5885	-27	9
1994139	1994180	1994264	42	85	0051AA	N	123	88	3925	-81	-3
1995047	1995073	1995130	27	58	0051AA	N	115	92	2940	-88	-34
1995260	1995276	1995341	17	66	51	N	102.5	91	2339	-85.5	-25
1995320	1996018	1996065	64	48	2	N	102.5	90	2656	-38.5	-42
1997194	1997258	1997310	65	53	1	N	72	58	3300	-7	-5
1997236	1997282	1997358	47	77	1	N	57.5	62.5	3600	-10.5	14.5


Sample Data (continued)

Recomm buy date	Award date	Receipt date	Actual ALT	Actual PLT	CLIN	DVD	Sys ALT	Sys PLT	Qty	ALT Differ- ence	PLT Differ- ence
1997289	1997307	1998009	19	68	1	N	57.5	62.5	3500	-38.5	5.5
1997355	1998023	1998058	34	36	1	N	57.5	67	3000	-23.5	-31
1998064	1998096	1998161	33	66	1	N	43	73	4700	-10	-7
1998127	1998152	1998218	26	67	1	N	35	70	4000	-9	-3
1998225	1999015	1999063	156	49	1	N	34	67	6150	122	-18
1999038	1999103	1999169	66	67	1	N	30	67	0	36	0
<b>5331001660992</b>											
1998116	1998154	1999007	39	219	1	N	58	83	95693	-19	136
<b>5331001660993</b>											
1998152	1998180	1998272	29	93	1	N	39	105	35000	-10	-12
<b>5331001661063</b>											
1998081	1998132	1998317	52	186	1	N		125	26444		61
1998305	1998336	1999006	32	36	1	N	43	118	31000	-11	-82
<b>5331001675110</b>											
1998095	1998112	1998266	18	155	1	N	60	129	14662	-42	26
<b>5331001675143</b>											
1998116	1998157	1998276	42	120	1	N	19	69	10382	23	51
1999073	1999109	1999161	37	53	2	N	26	95	3129	11	-42


## Appendix E: Graphical Summaries of Sample Sets


### Case 1: Administrative Lead Time

Box and Whisker Plot






Histogram






### Case 1: Production Lead Time






## Case 2: Administrative Lead Time


Box and Whisker Plot




Histogram












## Case 2: Production Lead Time








Case 3: Administrative Lead Time






### Case 3: Production Lead Time







#### Case 4: Administrative Lead Time

Box and Whisker Plot






Histogram





#### Case 4: Production Lead Time









### Case 5: Administrative Lead Time

Note: Histograms are shown in Cases 3 and 4 above.




### Case 5: Production Lead Time




### Case 6: Administrative Lead Time

Note: Histograms are shown in Cases 3 and 4 above.



### Case 6: Production Lead Time



Appendix F: Results of Hypothesis Tests

CASE 1: TWO-SAMPLE T TESTS FOR PPALT VS NPPALT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
-----	-----	-----	-----	-----
PPALT	-48.931	173	93.892	7.1385
NPPALT	-36.717	276	69.603	4.1896
DIFFERENCE	-12.213			

NULL HYPOTHESIS: DIFFERENCE = 0  
ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
-----	-----	-----	-----	-----
EQUAL VARIANCES	-1.58	447	0.1153	(-27.427, 3.0003)
UNEQUAL VARIANCES	-1.48	289.4	0.1369	(-28.504, 4.0777)

TESTS FOR EQUALITY OF VARIANCES	F	NUM DF	DEN DF	P
-----	-----	-----	-----	-----
	1.82	172	275	0.0000

CASE 1: TWO-SAMPLE T TESTS FOR PPPLT VS NPPPLT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
-----	-----	-----	-----	-----
PPPLT	-63.631	141	142.23	11.978
NPPPLT	-44.646	246	89.594	5.7123
DIFFERENCE	-18.985			

NULL HYPOTHESIS: DIFFERENCE = 0  
ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
-----	-----	-----	-----	-----
EQUAL VARIANCES	-1.61	385	0.1082	(-42.171, 4.2015)
UNEQUAL VARIANCES	-1.43	204.9	0.1500	(-45.149, 7.1794)

TESTS FOR EQUALITY OF VARIANCES	F	NUM DF	DEN DF	P
-----	-----	-----	-----	-----
	2.52	140	245	0.0000

# CASE 2: TWO-SAMPLE T TESTS FOR DVDALT VS STKALT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
-----	-----	-----	-----	-----
DVDALT	-82.218	193	50.672	3.6474
STKALT	-5.1163	258	85.099	5.2980
DIFFERENCE	-77.101			

NULL HYPOTHESIS: DIFFERENCE = 0

ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
-----	-----	-----	-----	-----
EQUAL VARIANCES	-11.19	449	0.0000	(-90.644, -63.558)
UNEQUAL VARIANCES	-11.99	429.3	0.0000	(-89.744, -64.459)

	F	NUM DF	DEN DF	P
-----	-----	-----	-----	-----
TESTS FOR EQUALITY OF VARIANCES	2.82	257	192	0.0000

# CASE 2: TWO-SAMPLE T TESTS FOR DVDPLT VS STKPLT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
-----	-----	-----	-----	-----
DVDPLT	-111.38	164	90.043	7.0312
STKPLT	-8.6667	198	101.83	7.2364
DIFFERENCE	-102.72			

NULL HYPOTHESIS: DIFFERENCE = 0

ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
-----	-----	-----	-----	-----
EQUAL VARIANCES	-10.06	360	0.0000	(-122.79, -82.645)
UNEQUAL VARIANCES	-10.18	358.4	0.0000	(-122.56, -82.875)

	F	NUM DF	DEN DF	P
-----	-----	-----	-----	-----
TESTS FOR EQUALITY OF VARIANCES	1.28	197	163	0.0518

### CASE 3: TWO-SAMPLE T TESTS FOR PPDVDALT VS PPSTKALT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
PPDVDALT	-116.58	62	66.054	8.3889
PPSTKALT	-11.050	111	85.600	8.1248
DIFFERENCE	-105.53			

NULL HYPOTHESIS: DIFFERENCE = 0

ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
EQUAL VARIANCES	-8.41	171	0.0000	(-130.31, -80.749)
UNEQUAL VARIANCES	-9.04	154.0	0.0000	(-128.60, -82.461)

TESTS FOR EQUALITY OF VARIANCES	F	NUM DF	DEN DF	P
	1.68	110	61	0.0139

### CASE 3: TWO-SAMPLE T TESTS FOR PPDVDPLT VS PPSTKPLT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
PPDVDPLT	-173.67	51	94.082	13.174
PPSTKPLT	3.3043	92	142.32	14.838
DIFFERENCE	-176.97			

NULL HYPOTHESIS: DIFFERENCE = 0

ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
EQUAL VARIANCES	-7.96	141	0.0000	(-220.91, -133.03)
UNEQUAL VARIANCES	-8.92	136.6	0.0000	(-216.21, -137.73)

TESTS FOR EQUALITY OF VARIANCES	F	NUM DF	DEN DF	P
	2.29	91	50	0.0009

#### CASE 4: TWO-SAMPLE T TESTS FOR NPPDVDALT VS NPPSTKALT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
-----	-----	-----	-----	-----
NPPDVDALT	-68.958	131	36.275	3.1693
NPPSTKALT	-0.6463	147	84.633	6.9804
DIFFERENCE	-68.312			

NULL HYPOTHESIS: DIFFERENCE = 0

ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
-----	-----	-----	-----	-----
EQUAL VARIANCES	-8.56	276	0.0000	(-84.017, -52.607)
UNEQUAL VARIANCES	-8.91	202.7	0.0000	(-83.427, -53.196)

	F	NUM DF	DEN DF	P
-----	-----	-----	-----	-----
TESTS FOR EQUALITY OF VARIANCES	5.44	146	130	0.0000

#### CASE 4: TWO-SAMPLE T TESTS FOR NPPDVDPLT VS NPPSTKPLT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
-----	-----	-----	-----	-----
NPPDVDPLT	-85.868	114	78.399	7.3428
NPPSTKPLT	-7.2977	131	81.415	7.1132
DIFFERENCE	-78.571			

NULL HYPOTHESIS: DIFFERENCE = 0

ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
-----	-----	-----	-----	-----
EQUAL VARIANCES	-7.67	243	0.0000	(-98.761, -58.380)
UNEQUAL VARIANCES	-7.69	240.5	0.0000	(-98.709, -58.432)

	F	NUM DF	DEN DF	P
-----	-----	-----	-----	-----
TESTS FOR EQUALITY OF VARIANCES	1.08	130	113	0.3410

CASE 5: TWO-SAMPLE T TESTS FOR PPSTKALT VS NPPSTKALT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
-----	-----	-----	-----	-----
PPSTKALT	-11.050	111	85.600	8.1248
NPPSTKALT	-0.6463	147	84.633	6.9804
DIFFERENCE	-10.403			

NULL HYPOTHESIS: DIFFERENCE = 0  
ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
-----	-----	-----	-----	-----
EQUAL VARIANCES	-0.97	256	0.3316	(-31.464, 10.657)
UNEQUAL VARIANCES	-0.97	235.6	0.3344	(-31.506, 10.699)

TESTS FOR EQUALITY OF VARIANCES	F	NUM DF	DEN DF	P
-----	-----	-----	-----	-----
	1.02	110	146	0.4461

CASE 5: TWO-SAMPLE T TESTS FOR PPSTKPLT VS NPPSTKPLT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
-----	-----	-----	-----	-----
PPSTKPLT	3.3043	92	142.32	14.838
NPPSTKPLT	-7.2977	131	81.415	7.1132
DIFFERENCE	10.602			

NULL HYPOTHESIS: DIFFERENCE = 0  
ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
-----	-----	-----	-----	-----
EQUAL VARIANCES	0.70	221	0.4819	(-19.055, 40.260)
UNEQUAL VARIANCES	0.64	132.7	0.5279	(-21.946, 43.150)

TESTS FOR EQUALITY OF VARIANCES	F	NUM DF	DEN DF	P
-----	-----	-----	-----	-----
	3.06	91	130	0.0000

# CASE 6: TWO-SAMPLE T TESTS FOR PPDVDALT VS NPPDVDALT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
PPDVDALT	-116.58	62	66.054	8.3889
NPPDVDALT	-68.958	131	36.275	3.1693
DIFFERENCE	-47.623			

NULL HYPOTHESIS: DIFFERENCE = 0

ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
EQUAL VARIANCES	-6.46	191	0.0000	(-62.170, -33.075)
UNEQUAL VARIANCES	-5.31	78.9	0.0000	(-65.472, -29.773)

TESTS FOR EQUALITY OF VARIANCES	F	NUM DF	DEN DF	P
	3.32	61	130	0.0000

# CASE 6: TWO-SAMPLE T TESTS FOR PPDVDPLT VS NPPDVDPLT

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
PPDVDPLT	-173.67	51	94.082	13.174
NPPDVDPLT	-85.868	114	78.399	7.3428
DIFFERENCE	-87.798			

NULL HYPOTHESIS: DIFFERENCE = 0

ALTERNATIVE HYP: DIFFERENCE  $\neq$  0

ASSUMPTION	T	DF	P	95% CI FOR DIFFERENCE
EQUAL VARIANCES	-6.24	163	0.0000	(-115.58, -60.014)
UNEQUAL VARIANCES	-5.82	82.4	0.0000	(-117.80, -57.797)

TESTS FOR EQUALITY OF VARIANCES	F	NUM DF	DEN DF	P
	1.44	50	113	0.0574



### Bibliography

- Air Combat Command Regional Supply Squadron. "Our Mission." Mission Statement webpage, n. pag. <http://www.hqacclgs.langley.af.mil/locked/mission.htm>. 16 March 1999.
- Air Force Materiel Command. Aggregate Summary Report for D165B-MICAP History. Wright-Patterson AFB OH 10 August 1999.
- Defense Logistics Agency. Supply Operations Manual. DLAM 4140.2. Fort Belvoir: HQ DLA, n. pag. [http://www.dlaps.hq.dla.mil/dynaweb/dlaps/dlaman/@Generic\\_\\_BookView](http://www.dlaps.hq.dla.mil/dynaweb/dlaps/dlaman/@Generic__BookView) 15 April 1965.
- Department of the Air Force. USAF Standard Base Supply System. AFMAN 23-110 Vol 2, Part 2. Washington: HQ USAF, 1 April 1999.
- Gaudette, Kevin J. Material Requirements Planning in Air Force Depot-Level Maintenance. MS Thesis, AFIT/GIM/LAL/98S-2. School of Logistics and Acquisition Management, Air Force Institute of Technology (AU), Wright-Patterson AFB, OH, September 1998 (AD-A354232).
- Glisson, Henry T., Director of the Defense Logistics Agency. Statement Before the Subcommittee on Readiness and Management Support Senate Armed Services Committee. n. pag. <http://www.dla.mil/library/testimony%20readiness.htm>. 17 March 1999.
- General Accounting Office. Defense Inventory Management: Problems, Progress and Additional Actions Needed. Report Number T-NSIAD-97-109. Washington: Government Printing Office, March 1997a.
- Defense Inventory Management: Expanding Use of Best Practices for Hardware Items Can Reduce Logistics Costs. Report Number T-NSIAD-98-47. Washington: Government Printing Office, January 1998.
- Inventory Management: Greater Use of Best Practices Could Reduce DOD's Logistics Costs. Report Number NSIAD-97-214. Washington: Government Printing Office, July 1997b.
- Defense Logistics: Much of the Inventory Exceeds Current Needs. Report Number NSIAD-97-71. Washington: Government Printing Office, February 1997c.

- Defense Logistics: Requirement Determinations for Aviation Spare Parts Need to Be Improved. Report Number NSIAD-96-70. Washington: Government Printing Office, March 1996.
- Defense Supply: Acquisition Leadtime Requirements Can Be Significantly Reduced. Report Number NSIAD-95-2. Washington: Government Printing Office, December 1994.
- High-Risk Series: Defense Inventory Management. Report Number HR-95-5. Washington: Government Printing Office, February 1995.
- High-Risk Series: Defense Inventory Management. Report Number HR-97-5. Washington: Government Printing Office, February 1997d.
- Hanks, Christopher H. How DLA's Supply Performance Affects Air Force Readiness. Contract Number MDA903-85-C-0139. Bethesda MD: Logistics Management Institute, October 1990 (AD-A230291).
- Weapon-System-Oriented Supply Management at DLA: Relating Inventory Investment to Readiness. Contract Number MDA903-90-C-0006. Bethesda MD: Logistics Management Institute, March 1993 (AD-A268674).
- Lambert, Douglas M. and James R. Stock. Strategic Logistics Management. Boston: McGraw-Hill Companies Inc., 1993.
- Mattern, Ginny. "Lean Logistics Risk Analysis." Memorandum to AF/ILSY. Logistics Management Institute, McLean VA, 1997.
- McClave, James T. and others. Statistics for Business and Economics (Seventh Edition). Upper Saddle River: Simon & Schuster, 1998.
- Regional Supply Squadron, Air Combat Command. ACC Weapon System Fleet Drivers Cntrl#36098A. Langley AFB VA. 8 April 1999a.
- , Air Combat Command. D165B-MICAP History Ranking of NSN/MMC by MICAP Period Hours. Langley AFB VA. 21 April 1999b.
- Reynolds, Daniel E. Class handout, V-heuristic. School of Engineering, Air Force Institute of Technology, Wright-Patterson AFB OH, July 1988.
- Shields, Patricia A. Chief, Performance, Planning and Analysis Branch, Defense Supply Center - Columbus. Columbus, OH. Personal Correspondence. 17 May 1999a.

----- Chief, Performance, Planning and Analysis Branch, Defense Supply Center - Columbus. Columbus, OH. Personal Correspondence. 19 July 1999b.

Stevens, Stanley S. Chief of Systems Support, Air Combat Command Logistics Group, Langley AFB, VA. Personal Correspondence. 15 July 1999.

Tersine, Richard J. Principles of Inventory and Materials Management (Fourth Edition). New Jersey: Prentice-Hall, 1994.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 074-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of the collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE September 1999		3. REPORT TYPE AND DATES COVERED Master's Thesis
4. TITLE AND SUBTITLE A Statistical Analysis of the Variability Experienced in DLA Administrative and Production Lead Time			5. FUNDING NUMBERS	
6. AUTHOR(S)  Kieran F. Keelty, Captain, USAF				
7. PERFORMING ORGANIZATION NAMES(S) AND ADDRESS(S)  Air Force Institute of Technology 2950 P Street WPAFB OH 45433-7765			8. PERFORMING ORGANIZATION REPORT NUMBER  AFIT/GIM/LAL/99S-2	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)  ACC/XRS Attention: Colonel Stanley S. Stevens 204 Dodd Blvd Langley AFB, VA 23665			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release; distribution unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT ( <i>Maximum 200 Words</i> ) This study examined the variability experienced in the administrative and production lead times of consumable items managed by the Defense Logistics Agency (DLA). Assets were categorized based on an item manager's determination that an asset was a problem part, and whether the asset was purchased for stock replenishment or direct vendor delivery. The methodology was a two-sample t-test of aggregated data to determine if significant differences existed between the mean deviations from the system lead times of various combinations of categories. The study produced results indicating that a significant difference did not exist between the mean deviations of problem parts and non-problem parts, but substantial variability did exist for all categories of consumable items. The degree of variability was such that the author suspected this as a possible cause for individual assets entering problem part status. The study also confirmed that while the DLA methodology used for forecasting lead times of stock replenishment purchases was accurate over aggregated data, the variability present is, to some extent, contributing to excess inventory levels..				
14. Subject Terms Administrative Lead Time, Production Lead Time, Inventory Management, Variability, Defense Logistics Agency, Safety Level, Reorder Point			15. NUMBER OF PAGES 132	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT  UL	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)  
Prescribed by ANSI Std. Z39-18  
298-102