Air Force Institute of Technology AFIT Scholar

Theses and Dissertations

Student Graduate Works

9-1999

Reparable Inventory Reduction: Impacts on Air Force Fighter Aicraft Mission Capability

Gregory E. Hutson

Follow this and additional works at: https://scholar.afit.edu/etd

Part of the Aviation Commons

Recommended Citation

Hutson, Gregory E., "Reparable Inventory Reduction: Impacts on Air Force Fighter Aicraft Mission Capability" (1999). *Theses and Dissertations*. 5200. https://scholar.afit.edu/etd/5200

This Thesis is brought to you for free and open access by the Student Graduate Works at AFIT Scholar. It has been accepted for inclusion in Theses and Dissertations by an authorized administrator of AFIT Scholar. For more information, please contact AFIT.ENWL.Repository@us.af.mil.



REPARABLE INVENTORY REDUCTION: IMPACTS ON AIR FORCE FIGHTER AIRCRAFT MISSION CAPABILITY

THESIS

Gregory E. Hutson, Captain, USAF

AFIT/GLM/LAL/99S-6

DEPARTMENT OF THE AIR FORCE AIR UNIVERSITY AIR FORCE INSTITUTE OF TECHNOLOGY

Wright-Patterson Air Force Base, Ohio

REPARABLE INVENTORY REDUCTION: IMPACTS ON AIR FORCE FIGHTER AIRCRAFT MISSION CAPABILITY

THESIS

Gregory E. Hutson, Captain, USAF

AFIT/GLM/LAL/99S-6

Approved for public release; distribution unlimited.

DTIC QUALITY INCOMPLETED 3

The views expressed in this thesis are those of the author and do not reflect the official policy or position of the Department of Defense or the U.S. Government.

-

.

.

AFIT/GLM/LAL99S-6

REPARABLE INVENTORY REDUCTION: IMPACTS ON AIR FORCE FIGHTER AIRCRAFT MISSION CAPABILITY

THESIS

Presented to the Faculty of the Graduate School of Logistics and Acquisition Management of the Air Force Institute of Technology

Air University

Air Education and Training Command

In Partial Fulfillment of the

Requirements for the Degree of

Master of Science in Logistics Management

Gregory E. Hutson, B.S.

Captain, USAF

September 1999

Approved for public release; distribution unlimited

Acknowledgments

First, I thank my thesis committee. Maj Alan Johnson, my thesis advisor, provided me with great direction/correction over the past year and sought help for me when needed. Maj Michael Rehg, my thesis reader/statistician, provided a great service, as did Maj Marvin Arostegui who kept me straight with supply/forecasting issues. My heartfelt thanks and admiration go out to these fine officers. The sponsors of this effort proved invaluable to data collection and process understanding. Colonel Robert Dehnert, currently Director of the Reconnaissance Program Office, and Lt Coł Marti Ham, Logistics Analyst at Headquarters USAF, provided me with sound information and excellent assistance throughout this entire process.

One person that I'm sure this effort would not have been possible without is Mr. Bill Morgan at the AFMC Studies and Analysis Office. Mr. Morgan, on his own time, collected data for this study over a four-month time period. Thanks Bill, I'm deeply indebted to you.

I also extend my appreciation to the faculty of the Graduate School of Logistics and Acquisition Management. In particular, I thank my program manager, Maj Steve Swartz, who was always available for counsel. Along the same lines, I extend my appreciation to my fellow students. Their drive and enthusiasm made this effort all the easier. Particularly, I thank the "night crew" whose zest and zeal for the game of foosball is unmatched, I'm sure, by any class heretofore.

Most importantly, I thank Heidi, my beautiful wife. Her sacrifices during these 16 months have not gone unnoticed and without them, I certainly would not have been able to make the most of this experience. With God as our compass, we go forward.

ii

Table of Contents

6

P

.

-

Page
Acknowledgmentsii
List of Figures ix
List of Tablesx
Abstract xi
I. Introduction1
Chapter Overview1
Background1
Inventory Reduction
Problem Statement4
Scope
Research Objectives
Summary
Overview of Remaining Chapters9
II. Literature Review
II. Literature Review
Introduction10
Introduction
Introduction
Introduction
Introduction10USAF Reparable Pipeline11Introduction11Overview12Base Repair13
Introduction10USAF Reparable Pipeline11Introduction11Overview12Base Repair13Base Processing13
Introduction10USAF Reparable Pipeline11Introduction11Overview12Base Repair13Base Processing13Reparable In-transit14
Introduction10USAF Reparable Pipeline11Introduction11Overview12Base Repair13Base Processing13Reparable In-transit14Supply-to-maintenance15
Introduction10USAF Reparable Pipeline11Introduction11Overview12Base Repair13Base Processing13Reparable In-transit14Supply-to-maintenance15Shop Flow15
Introduction10USAF Reparable Pipeline11Introduction11Overview12Base Repair13Base Processing13Reparable In-transit14Supply-to-maintenance15Shop Flow15Serviceable Turn-in16
Introduction10USAF Reparable Pipeline11Introduction11Overview12Base Repair13Base Processing13Reparable In-transit14Supply-to-maintenance15Shop Flow15Serviceable Turn-in16Order and Ship Time16

RCDL Example	17
Summary	20
The Air Force Agile Logistics Concept	20
Introduction	20
Implementation of Agile Logistics	20
Major Initiatives of Agile Logistics	22
Two-Level Maintenance	22
Worldwide Express (WWX)	23
Depot Repair Enhancement Program (DREP) and Contract Repair	
Enhancement Program (CREP)	24
AAM	25
EXPRESS	25
RBL	26
Results of Agile Logistics	27
Agile Combat Support from the Oklahoma City Air Logistics	
Center (OC-ALC) Engine Shop Viewpoint	27
C-5 Lean Logistics Demonstration: Phase I	29
F-16 Avionics Logistics Chain Management Study	29
Time to Tweak the AF's Approach to 2LM?	30
Management Actions Create Spare Parts Shortages and Operational	l
Problems	31
Summary	33
Air Force Inventory Reduction	34
Introduction	34
Inventory Reduction Efforts	35
Summary	38
Comparison of Air Force Logistics Management with Private Sector	38
Introduction	38
The Air Force is Not Alone in its Quest for Optimum Supply Chain	
Management	39
Summary	41
Other Variables that May Affect TNMCS	42

	Introduction	42
	Other Variables	42
	Predicted TNMCS Rates	43
	Section Summary	44
	Chapter Summary	45
	Overview of Next Chapter	46
III.	Methodology	47
	Introduction	47
	Data	48
	Introduction	48
	Assumptions	48
	Needs and Acquisition	49
	MERLIN	50
	D041	51
	Preparation	52
	TNMCS Rates	52
	TNMCS Hours and Possessed Hours	54
	Predicted TNMCS Rates and Hours	55
	Inventory Levels, Order and Ship Time, Base Repair Cycle, and	
	Depot Repair Cycle	56
	Limitations	57
	Summary	58
	Statistical Tests and Methods	59
	Introduction	59
	Regression Analysis	59
	Model Development	60
	Regression Assumptions	61
	Potential Problems with Regression	62
	Theil's U-Statistic	65
	Summary	67
	Chapter Summary	67

Overview of Next Chapter	68
IV. Analysis and Results	69
Introduction	69
Analysis Approach	69
Hypotheses	70
Serviceable Inventory	70
Serviceable Inventory/Total Active Aircraft	
Serviceable Inventory/Order and Ship Time, Serviceable Inv	/entory/Base
Repair Cycle, and Serviceable Inventory/Depot Repair Cycle	e71
Results	
Introduction	
Hypothesis 1 (Table 4)	73
Hypothesis 2 (Table 5)	74
Hypothesis 3 (Table 6)	75
Hypothesis 4 (Table 7)	76
Hypothesis 5 (Table 8)	77
Theil's U-Statistic	78
A/OA-10	79
F-15A	80
F-15B	81
F-15C	82
F-15D	83
F-15E	83
F-16A and F-16B	84
F-16C	85
F-16D	85
Supplemental Analysis (Table 10)	86
Results Summary	88
Chapter Summary	89
Overview of Next Chapter	90

V. Conclusions and Recommendations	1
Introduction9	1
Summary of Findings9	1
Research Question #1: How have the variables (inventory, transportation	
and repair) been affected in the past ten years?9	1
Research Question #2: What other independent variables exist that could	
contribute to TNMCS?9	3
Research Question #3: How strong is the relationship of each variable to	
TNMCS rates?9	4
Managerial Recommendations9	5
Disaggregate Predicted TNMCS Hours9	5
Carefully Consider Inventory Reductions for Parts that Remain in Use	
Over 5 Years9	6
Consider Adding Logistics Chain Variables to TNMCS Predictions9	7
Scrutinize Expedited Transportation9	7
Add Inventory Buffers until Agile Logistics Has Proven Itself	7
Limitations of Research9	8
Recommendations for Future Research99	9
Recommendation 1: Using USAF TNMCS prediction equations, add	
logistics chain variables to determine if predictive capabilities improve10	0
Recommendation 2: Analysis of three level maintenance (3LM) versus	
two level maintenance (2LM) on the same reparables over the same time	
horizon10	0
Chapter Summary10	1
Thesis Summary10	1
Appendix A: Predicted TNMCS Equations and Charts102	2
Appendix B: Data Collection from the D041 (Using SAS)110	0
Appendix C: Data Preparation	7
Appendix D: MDS Variables11	8
Appendix E: Statistical Results	8

5

*

2

.

Appendix F: Verification of Regression Assumptions	229
Appendix G: Supplemental Analysis	231
Appendix H: Acronyms	272
Bibliography	276
Vita	281

•

.

.

List of Figures

Figure	Page
1. How an Aircraft Becomes NMCS	7
2. Repair Cycle/Pipeline Diagram	14
3. TNMCS Cause and Effect Diagram	45
4. Illustration of Parameter Estimability	63

5

4

2

••

List of Tables

•

-

Table Pag	ge
1. Computation of Service Levels (RCDL Example)1	19
2. Functional Products Versus Innovative Products4	40
3. Potential TNMCS-Causing Independent Variables4	49
 Results of Simple Linear Regression on TNMCS Rates and TNMCS Hours, Using Serviceable Inventory as an Independent Variable	73
 Results of Simple Linear Regression on TNMCS Rates and TNMCS Hours, Using Serviceable Inventory/Total Active Inventory as an Independent Variable7 	74
 Results of Simple Linear Regression on TNMCS Rates and TNMCS Hours, Using Serviceable Inventory/Order and Ship Time as an Independent Variable	75
 Results of Simple Linear Regression on TNMCS Rates and TNMCS Hours, Using Serviceable Inventory/Base Repair Cycle as an Independent Variable	76
 Results of Simple Linear Regression on TNMCS Rates and TNMCS Hours, Using Serviceable Inventory/Depot Repair Cycle as an Independent Variable	78
 Comparison of USAF Predictions and Predictions of Variables Analyzed Using Theil's U-Statistic	79
 Comparison of USAF Predictions and Multiple Regression Predictions (with and without Serviceable Inventory) Using Theil's U-Statistic	37

AFIT/GLM/LAL99S-6

Abstract

During the 1990's the Air Force experienced severe declines in serviceable inventory levels and a rise in their TNMCS rates. Air Force predictions of TNMCS hours during this time period did not account for the upward trend in TNMCS rates. The Air Force uses a regression equation, consisting of possessed hours, flying hours, and sorties, to predict TNMCS hours.

This research, through simple linear regression, found a significant relationship between serviceable inventory levels and TNMCS rates for 8 of the 10 aircraft studied. Using this relationship, serviceable inventory levels were then added to the Air Force equations and new multiple regression equations were derived. Results indicate the addition of serviceable inventory as an explanatory variable renders a better Theil's *U*statistic for each of the aircraft studied than the current predictions. The study recommends adding a logistics chain variable to TNMCS predictions and careful consideration of further reparable inventory reductions.

REPARABLE INVENTORY REDUCTION: IMPACTS ON AIR FORCE FIGHTER AIRCRAFT MISSION CAPABILITY

I. Introduction

Chapter Overview

This chapter begins with a discussion of two views prevalent in today's Air Force as they pertain to logistics management. From this discussion, a problem statement is derived. Next, a brief background is presented on inventory reduction efforts the Air Force has been executing since 1991. Following the background discussion, the scope of the study is then established. The resulting research objective and research questions follow. Finally, an overview of the remaining chapters is provided.

Background

American businesses, during the past two decades and perhaps beginning with the implementation of just-in-time manufacturing and other pull-type inventory systems, have set out on a quest to reduce inventory (Krajewski and Ritzman, 1994:722). For many it is an intelligent strategy, given that other components of the logistics chain (e.g., increased transportation and ordering costs) can offset the cost of carrying additional inventory. Additionally, in order to stay competitive within their respective industries, businesses initiating inventory reduction policies must ensure service levels are maintained or improved (Lambert and Stock, 1993:423).

Commensurate with other initiatives in the DoD to make government practices more like business practices, such as acquisition reform, the Office of the Secretary of Defense (OSD) issued Defense Management Report Decision 987 (DMRD 987) in 1990. DRMD 987, The Inventory Reduction Plan, was an attempt to set service-specific inventory reduction goals. The basic premise of the plan was to reduce inventory levels commensurate with the military drawdown (in 1990, inventories were seen as "rightsized," and as the military buildup started to decline with the end of the Cold War it was believed inventories should also decline proportionally). For the Air Force specifically, this meant going from an inventory estimated at \$42 billion in 1992 to an inventory of approximately \$21 billion (forecasted) in 2003 (Mattern, 1997:8).

Inventory Reduction. There are two methodologies that the DoD employs for inventory reduction (Neumann, 1999b). The two methods are related, yet disparate. The first way of reducing inventory refers to actually *disposing of on-hand inventory*. The goal is to eliminate stock that is obsolete or no longer required. However, this methodology can have negative impacts if not monitored very closely. For example, in 1984 the Air Force scrapped millions of dollars in *usable* spare parts as part of an Air Force-wide inventory reduction crusade (Hiatt, 1984). Although there were no "horror" stories reported as a result of the DMRD 987, the impacts to readiness are still uncertain (Mattern, 1997:10). Since inventory reduction is usually carried out in response to some directive (e.g., DMRD and GAO reports), it could be referred to as a *reactive strategy* since it brings inventories to acceptable levels by disposing of those inventories.

The second method of reducing inventory is through a *proactive strategy*. Here, a series of proactive actions brings inventory to acceptable levels over time. DRMD 987

accomplished this by cutting the Air Force's obligational authority (OA) for initial spares funding. DRMD 987 offered that "more intensive management and the use of premium transportation" would help reduce resupply times to make up for the loss of spares (Inventory, 1991:8). Subsequently, subordinate layers of defense management amended DMRD 987, an OSD document. For example, the Air Staff also tried to take proactive steps by dictating new factors to use as standards in the computations of the DO41 systems (Neumann, 1999b). As Neumann (1999b) explains, this was initiated to allow Air Force Materiel Command (AFMC) to buy spares based on reduced pipeline times. It was hoped when AFMC was faced with this situation (fewer spares and less money), they would respond with new business initiatives to facilitate lower actual pipeline times.

Few would argue with the notion of conducting business operations in a more efficient manner. However, over the past decade in particular, the General Accounting Office (GAO) has issued studies and audits citing numerous examples of inefficient inventory management practices within the Air Force. As such, new initiatives and processes are further substantiated in an era of declining budgets.

The primary mission of the Air Force, to protect and defend the United States of America, has not changed, while its support base has changed (e.g., Agile Logistics and reduced inventories) in response to reduced funding and manpower. This is not to say that military readiness should come at any cost or that military leaders should not be prudent stewards of American tax dollars; however, a thorough understanding of the tradeoffs between readiness and inventory levels is necessary. It seems almost paradoxical that a Defense Management Report Decision, issued by the Office of the Secretary of Defense, would have only one sentence dealing with military readiness when

its primary thrust of reducing aircraft part inventory levels may affect readiness levels. This study seeks to understand how this change in the support base, i.e., reducing inventory levels, has affected mission capability rates.

Problem Statement

Currently in the Air Force, there seems to be two deeply divided views in regards to inventory policy. The first view advocates Agile Logistics policies. The major thrust of these policies promote decreased transportation and repair times in order to lessen dependence on inventory. Another tenant of Agile Logistics includes eliminating or significantly reducing three-level maintenance in favor of two-level maintenance, thereby decreasing a unit's mobility footprint as well as infrastructure. Agile Logistics objectives do appear to be the current panacea to decreasing Air Force costs and have the support of senior management (Hallin, 1998a:1)

The second view, however, believes that Agile Logistics objectives may be reducing readiness levels. Field commanders have stated repeatedly that responsiveness has been affected by the elimination of intermediate maintenance levels (Dehnert, 1998). Additionally, there is some concern amongst this group that drastic inventory reduction policies may also be affecting readiness levels (Dehnert, 1999). Compounding this problem is the concern that transportation and depot repair cycle times have not decreased enough in order to allow the present inventory reductions, thus decreasing mission capability.

From FY94 to FY98 the aggregate Total Not Mission Capable Maintenance (TNMCM) rate for all aircraft increased from 14.0 to 18.2%, respectively (Hallin,

1998b:2). Likewise, the Total Not Mission Capable Supply (TNMCS) rate during FY94 to FY98 for fighter aircraft assigned to Air Combat Command (ACC) increased from 8.8 to 14.5%, respectively (HQ ACC, 1999). Starting a couple years prior, the Air Force embarked on developing a "leaner," and thus "meaner," posture. The term used to encapsulate this movement was called Lean Logistics.

As the new core competencies in the Air Force came about in 1997, from *Joint Vision 2010* and *Global Engagement: A Vision for the 21st Century Air Force*, Lean Logistics was subsequently changed to Agile Logistics. Despite the name change, the new logistics systems were designed to increase responsiveness and reduce costs. For example to reduce costs, three-level maintenance was replaced in favor of two-level maintenance. This transition resulted in \$259 million savings and reduced the number of personnel positions by 4,430 (Hallin, 1998a:1). Additionally, Agile Logistics reduced both inventory and manpower for a savings of \$800 million over a three-year period (FY97-99 projected) (Hallin, 1998a:2). After reviewing these figures, there seems to be little doubt that the Air Force has saved millions of dollars as a result of these initiatives. What is less clear is the effect on readiness levels.

While it can not be disputed that cost savings are critically important in times of decreasing or static budgets, cost savings do not measure military readiness. Referring to the aforementioned TNMCM and TNMCS rates, it is evident the Air Force has not gotten meaner, but rather meeker. Perhaps the shift in these statistics would not be so problematic if the Air Force was prepared for it. That is, if a conscious decision was made by leadership that a declination in mission capability would occur following the Cold War, then higher not mission capable rates would not be a problem, as they would

be understood and planned for appropriately. However, during this timeframe the Air Force has predicted that TNMCS rates would remain relatively unaffected. Obviously, this should be a major concern to senior leaders in the Air Force, as well as the Department of Defense (DoD). As one senior Air Force logistician appositely stated, "One of our major struggles is our ability to correlate wholesale performance [levels of inventory] with retail results [aircraft mission capable rates]" (Dehnert, 1999).

how entry in the set

This research effort first seeks to investigate, identify, and model the relationship of reparable inventory levels and TNMCS rates during the 1990's. If a relationship is found, then the predictive capability of these models will be tested against Air Force TNMCS predictions.

Scope

There are essentially two reasons for an aircraft becoming NMCS: either a reparable item is not available or a consumable item is not available to repair an aircraft that has become unserviceable. Additionally, the broken part must affect a system on the aircraft that is considered essential to the mission of the unit to which the aircraft is assigned, hence the term "not mission capable." Figure 1 illustrates how an aircraft becomes NMCS when a mission critical failure of a reparable item occurs. One exception to this figure is the time that it takes base supply to deliver the part to the flight line. This rather short time period, even though the part is located on base, still represents NMCS time (if parts, or inventory, are available on the flight line, then the aircraft is not mission capable due to maintenance and supply is not the constraint).

As a result of aircraft being NMCS, base supply has primarily two options. If the part is a reparable item, it will be requested through the appropriate depot or fixed at the base if the repair capability exists. However, if the part is a consumable item, a requisition is placed to the Defense Logistics Agency (DLA). All of these parts are referred to as those having a direct impact on mission capability (MICAP). The scope of this research deals specifically with reparable inventory.




Figure 1. How an Aircraft Becomes NMCS

To narrow the scope further, it is not feasible for this particular research effort to evaluate the Air Force's entire fleet of aircraft. Therefore, only fighter aircraft reparable inventory levels and TNMCS rates will be examined. The fighter fleet is defined as OA/A-10, F-15A/B/C/D, F-15E, and F-16A/B/C/D assigned to ACC, Air Force Reserve Command (AFRC), Air National Guard, Pacific Air Forces (PACAF), United States Air Forces in Europe (USAFE), and Air Education and Training Command (AETC).

Research Objectives

The objective of this study is to determine how changes in reparable *inventory levels, repair, and transportation* policies, beginning with the inventory reduction plan in 1991, have affected Air Force fighter aircraft readiness. Each of these three variables can be considered as a decision variable. As such, the management question *How can TNMCS rates for fighter aircraft be improved?* is posed, using the three variables as a guide. In order to support the answer to this question, data were collected to address the following research questions:

- How have the variables (inventory, transportation and repair) been affected in the past ten years? (Chapter II)
- What other independent variables exist that could contribute to TNMCS? (Chapter II)
- 3) How strong is the relationship of each variable to TNMCS rates? (Chapter IV)

Summary

This chapter outlined the impetus for this study. First, the problem was defined: "One of our major struggles is our ability to correlate wholesale performance [levels of inventory] with retail results [aircraft mission capable rates]" (Dehnert, 1999). Next, Agile Combat Support and two relevant positions regarding inventory appropriation were

discussed. The background provided information surrounding reactive and proactive measures involved with reducing inventory levels, as well as initiatives taken by the DoD to reduce inventory. The scope of this study was limited to USAF fighter aircraft and their respective reparable inventory levels. Next, research objectives were discussed and the management question, *How can TNMCS rates for fighter aircraft be improved*? was posed. Finally, research questions were derived in order to manage the research effort.

Overview of Remaining Chapters

Chapter II discusses how inventory, transportation, and repair have been affected due to inventory reduction and Agile Logistics. Chapter II also identifies other variables that affect TNMCS. This review includes a discussion of Agile Logistics, the USAF reparable pipeline, and other relevant information as well as interviews with key logisticians and analysts. After the variables are ascertained, an investigation is conducted in order to determine how easily data for the variables can be collected. The data needs, collection, and preparation are presented in Chapter III. Additionally, an experimental design is selected. Hypotheses are then developed and tested in Chapter IV. Finally, the results of the analysis and their implications as well as recommendations for future research are discussed in Chapter V.

II. Literature Review

Introduction

"There are potential risks inherent in some Lean Logistics initiatives. Reducing inventory without process improvement can have a negative impact upon capability. Over-correcting for long pipelines across all items may be a mistake for some items. Potential supply pipeline disruptions are a valid risk point within Lean Logistics. When the system is operating just-in-time, there is less insurance (in the form of stocks) against these disruptions. Applying Lean Logistics approaches to all components based on the results with a limited range of items without fundamental changes to the underlying processes or without selecting critical problem areas to focus upon is a mistake."

> The Risks of a Lean Logistics System, (USAF Baseline Lean Logistics Master Plan and Roadmap, 1995)

In order to answer Research Questions 1 and 2, a review of the literature is necessary to understand the defense supply environment of the past ten years. From Chapter I, three facts have emerged. First, TNMCS rates (in the aggregate) have increased. Second, the Air Force has implemented aggressive inventory reduction policies. Third, Agile Logistics has emerged as a way to manage logistics functions. This chapter's focus is to understand the policies of the past ten years and their effects on inventory, transportation, and repair at and between bases and maintenance depots. To complete this process, it is necessary to have an understanding of three areas. First, it is necessary to understand the USAF reparable pipeline and the tradeoffs that exist within it. Second, the Agile Logistics concept, including its background and implementation, must be understood. Third, principal inventory reduction actions must be known.

After discussing inventory reduction, a comparison with the private sector will be completed to determine if the impacts of initiatives such as these are isolated to the Air Force, and whether we can learn from the methods civilian companies use in handling these issues. The focus of the next section is to understand how other variables may affect TNMCS rates. This includes a discussion of how the Air Force currently predicts TNMCS rates. The chapter ends with a summary of the aforementioned areas. The answers to Research Questions 1 and 2 will be reported in Chapter V.

USAF Reparable Pipeline

Introduction. To gain an understanding of the Air Force's inventory management structure, it is essential to understand the basic philosophy governing dayto-day actions. The objective of the pipeline is simple...to have the right parts at the right location at the right time so a unit can complete its mission. As stated in Chapter I, if this is not accomplished in an Air Force flying wing, then an aircraft needing a part becomes not mission capable due to supply.

Literally volumes of literature exist for the USAF pipeline and its accompanying supply systems. A great deal of this literature can be found in AFIT logistics theses (Bond and Ruth, 1989; Kettner and Wheatley, 1991; Hill and Walker, 1994; and Barney, 1995). Bond and Ruth (1989), in response to a request from the Air Staff, provided perhaps one of the most extensive overviews of the pipeline to date.

However, in the past ten years it has been especially difficult to describe the pipeline in its entirety because of the numerous changes in business practices (Arostegui, 1999). Due to these changes (and impending ones), it was decided to use graduate classes taught at AFIT as a source, supplemented with relevant published literature. Whenever the classroom lectures were derived from AFIT theses, the theses were used as a source instead.

Overview. The Air Force generally defines its reparable logistics pipeline as a system of supply, repair, and transportation activities that, in concert with one another, form a distribution network that collects unserviceable assets at an operational location and through a series of transactions restore the assets to serviceable condition in order to be used again by the operational units (Moore, 1998). In order to visualize this process, Barney (1995) suggested that the logistics pipeline is analogous to a physical (i.e., petroleum) pipeline since it has properties such as routing, volume, and length (Barney, 1995:2-5). Here, the volume indicates quantities of assets (inventory) and the length of the pipeline represents times involved with transporting and repairing assets to and from the users, bases, and depots (Bond and Ruth, 1989:5). Routing involves decisions involved with what to do with the assets when they reach certain points in the pipeline.

Past illustrations of such a pipeline model have traditionally included six steps: 1) base processing; 2) reparable in-transit; 3) supply-to-maintenance; 4) shop flow; 5) serviceable turn-in; and 6) order and ship time (Vickers, 1997:7). (Note that the term *retrograde times* is often used to describe steps 1 and 2.) Additionally, a recent GAO report included DLA warehousing as one of the steps in this process (GAO, 1999:16). In effect, DLA has taken over the supply-to-maintenance and serviceable turn-in functions.

Although the functions of these activities remains almost the same, the DLA does use a different information system; however, the impacts of DLA taking over these functions have not yet been assessed (Gaudette, 1999). Figure 2 provides a layout of the pipeline; DLA has been added to this model in order to illustrate the change.

Base Repair. To initiate the supply pipeline, the user experiences a failure of a reparable item. The item is removed from the aircraft and it is ascertained whether the base has the capability to fix the part. If the base does have the capability, the item is repaired and put into the base's serviceable stock. Porter (1990:3A) estimated base repair to be 4 days. More recently, the average base repair time as recorded by Synergy, Inc., from the third quarter of FY98 to the second quarter of FY99, was 5.6 days (Synergy, 1999).

Base Processing. If repair capability does not exist at the base, then base processing begins. As Kettner and Wheatley (1991:11) describe, this process consists of four steps: 1) item movement from base maintenance to base supply; 2) request for disposition from the depot item manager; 3) item packing at base supply; and 4) item movement from base supply to the base transportation office. The estimated time for base processing is 4 days (Porter et al., 1990). Although this process seems static throughout the literature reviewed for the past 10 years, changes are currently underway to combine supply and transportation activities to make this process more efficient. In a pilot project conducted by the 20 Fighter Wing at Shaw AFB, SC, after combining these activities, management was able to reduce the base processing time to 2 days (Douglas, 1999).




Figure 2. Repair Cycle/Pipeline Diagram (Moore, 1998)

Reparable In-transit. Reparable in-transit time starts where the baseprocessing segment finishes, at the base transportation office. The process ends when the part arrives at the depot or the DLA warehouse. This segment of the pipeline is also composed of four activities: 1) preparation for movement, 2) scheduling of the transportation carrier, 3) cargo loading, and 4) actual movement of the unserviceable reparable to the maintenance depot or DLA warehouse (Kettner and Wheatley, 1991:12). During a recent study, in which F-16 avionics components were evaluated, in-transit time was measured at 3.2 days (F-16, 1998:25). **Supply-to-maintenance.** Supply-to-maintenance time consists of two processes. The first process is DLA processing time, it starts when the unserviceable item arrives at the depot and is completed when its receipt is posted to the appropriate supply records (Kettner and Wheatley, 1991:12). The item is stored until the Air Force Supply Management Activity Group (SMAG) determines that a part needs to be fixed (GAO, 1999:16). The SMAG then directs DLA to send the item to the appropriate depot maintenance activity. Delivery to depot maintenance is the second process. This starts when the SMAG requests the item and is completed upon item delivery (Kettner and Wheatley, 1991:12). This segment of the pipeline is estimated to take three days (Porter et al., 1990).

Shop Flow. The next segment of the pipeline, shop flow, initiates when the unserviceable item arrives at the depot maintenance activity and is completed when the item is repaired and is deemed serviceable (Kettner and Wheatley, 1991:12). This segment of the pipeline is estimated at 30 days (Porter et al., 1990). Recent data collected by Synergy, Inc., indicates that the average shop flow time for the depots, from third quarter FY98 to the second quarter FY99, was 26.8 days (Synergy, 1999). However, the three depots that will remain after 2002 (due to the 1993 Base Realignment and Closure (BRAC) committee decision), averaged 30 days during the same period (Synergy, 1999). Although Vickers (1997) claimed that order and ship time is possibly the longest segment of the pipeline, depot repair cycle times posted in the D041 system and data collected by Synergy, Inc., indicates differently. Instead, shop flow is consistently the longest portion of the pipeline (Synergy, 1999; GAO, 1999b:9).

Serviceable Turn-in. The fifth segment in the reparable pipeline is serviceable turn-in. This segment begins when the item becomes serviceable and is completed when it is transported to depot supply and posted to the accountable records as a serviceable item (Kettner and Wheatley, 1991:13). This segment takes approximately six days (Porter et al., 1990). Here, the serviceable item can take one of two paths. It can either go to the DLA warehouse and await a user request, or it can go to the sixth segment, order and ship time.

Order and Ship Time. The final segment of the pipeline is order and ship time. This segment starts when the customer places an order to the depot for a serviceable item to replace the one that failed. This segment is completed when the base receives the replacement. Although this segment can include all the time of the previous segments, a majority of the time the depot either has a replacement or is in the process of repairing it (Moore, 1998). Data collected by Synergy, Inc. indicates that the average order and ship time, from third quarter FY98 to the second quarter FY99, was 7.4 days (Synergy, 1999). This is down from 16.2-day average as measured by the Air Force Logistics Management Center in 1991 (Kettner and Wheatley, 1991:54). However, since the order and ship time can include the entire aforementioned segment, large variances can be realized. For example, in a study conducted on 10 critical F-16 avionics reparables the average order and ship time was 37 days (F-16, 1998).

Summary. The USAF reparable pipeline is a complex system. The previous discussion simplifies the process to provide the reader with a general overview. However, when one considers the number of parts (hundreds of thousands) that fill the pipeline, the complexity becomes readily apparent. It is clear from this discussion that

pipeline success depends on timely transportation and repair and the number of items in the pipeline. The next section illustrates of the interactions of transportation, repair, and inventory as they work in a simple Repair Cycle Demand Level (RCDL) model.

Interactions of Transportation, Repair, and Inventory

Introduction. As seen in the overview of the reparable pipeline, repair and

transportation times are key to the success of the reparable pipeline. In fact, the amount

of inventory that is purchased is often dependent upon these two variables. In order to

present the relationship among these variables, an RCDL example is shown in Table 1.

RCDL Example. The following terms and equations are used (Moore, 1998):

Daily Demand Rate (DDR): the average daily demand rate for an item as calculated in the Standard Base Supply System (SBSS).

Percentage Base Repairable (PBR): the average fraction of assets of any particular type which can be repaired on base.

Not Repairable This Station (NRTS): the average fraction of assets of any particular type which cannot be repaired on base (1-PBR).

Order and Ship Time (OST): the average time it takes to transmit a stock replenishment requisition between a given base and source of supply, plus the depot response time for packing and crating the serviceable asset, plus the shipment time from the depot to the base.

Repair Cycle Time (RCT): the average amount of time that it takes to repair an item on base, given that it is base repairable.

Retrograde Time (RET): the time it takes to ship an unserviceable reparable item from the base to the next higher level of repair.

Depot Repair Time (DRT): the average amount of time it takes a depot to repair a specific type of asset.

Nonrepairable Cycle Time (NCT): the average amount of time it takes to determine an item is NRTS.

Base Repair Pipeline (RCQ): RCQ= (DDR) X (PBR) X (RCT)

Off-base Repair Pipeline (OSTQ): OSTQ = (DDR) X (1-PBR) X (OST)

Repair Decision Time (NCQ): $NCQ = (DDR) \times (1-PBR) \times (NCT)$

Pipeline Stock (Q): Q = RCQ + OSTQ + NCQ

Number of Standard Deviations (C): Used to help calculate safety stock given an authorized service level

Standard Deviation (σ): In the normal distribution, corresponds to service level above the mean. One σ is equal to 34% of the distribution above the mean. Hence, a C factor of one would give a supply system an 84% service level.

Safety Stock (SLQ): SLQ = $C\sqrt{3Q}$

Rounding factor (K): if part costs <\$750, then K=.9, otherwise K=.5

Total Stock Requirement (TSR): Truncate (Q + SLQ + K)

Service Levels using standard z-table: z score = (TSR-Q)/(SLQ), translate z value and add .5 to derive service level. The 50th percentile is the average.

As discussed in Chapter I, there are two ways of reducing inventory—proactive and reactive. One way to proactively reduce inventory requirements would be either to reduce repair time or transportation. In this RCDL example, scenario 1 illustrates a base trying to achieve an 84% service level. If they meet the averages (RCT, RET, DRT, OST, and NCT) they have set, then they will achieve the service level. Scenario 2 illustrates what happens when OST can be lowered by one day. The service level will stay the same, but the TSR goes down, thus cost savings are achieved, *ceteris paribus*. In scenario 3, the original computation is that OST is nine days; however, it is not achieved. Ordering inventory on the assumption of a lower OST, and not achieving it, will result in a lower service level. This is computed by TSR = (TSR-TSR at 50% service level)/ σ . In all scenarios, the 50% service level is equal to 96 items. Thus, (107-96)/(16.92) \approx .65. This z-value is translated .2422, thus service level is now .2422 + .5 = .7422, instead of 84%. This same process can be achieved with repair times as well and will yield similar results.

Scenario One (Actual)								
Daily Demand Rate (DDR)	9					τ		
Percent Base Repairable (PBR)	0.4							
Repair Cycle Time (RCT)								
Retrograde Time (RET)	5				· · · · · · · · · · · · · · · · · · ·			
Depot Repair Time (DRT) Order and Ship Time (OST)	7					· · · · · · · · · · · · · · · · · · ·		
	10				· · · · · · · · · · · · · · · · · · ·			
Nonrepairable Cycle Time (NCT)	5							
Base Repair Pipeline (RCQ)	14.4				· · · · · · · · · · · · · · · · · · ·			
Off-base Repair Pipeline (OSTQ)	54				Service Level	s		
Repair Decision Time (NCQ)	27		z-score			translation		
Pipeline Stock (Q)	95.4	1	.029555288		.3485+.5	approx 84%	service l	evel
Saftey Stock (SLQ)	16.92	C	Cost/Item	Total	Cost			
Rounding factor (K)	0.5							
Total Stock Requirement (TSR)	113	\$	1,000.00		113,000.00			
	Scenario Two	o (Lo	wering OST	By O	ne Day)			
Daily Demand Rate (DDR)	9							
Percent Base Repairable (PBR)	0.4							
Repair Cycle Time (RCT)	4							
Retrograde Time (RET)	5							
Depot Repair Time (DRT)	7							
Order and Ship Time (OST)	9							
Nonrepairable Cycle Time (NCT)	5							
Base Repair Pipeline (RCQ)	14.4							
Off-base Repair Pipeline (OSTQ)	48.6				Service Level			
Repair Decision Time (NCQ)	27		z-score			translation		
Pipeline Stock (Q)	90	1	1.030429031		.3485+.5	approx 84%	service l	level
Saftey Stock (SLQ)	16.43	C	Cost/Item	Total	Cost			
Rounding factor (K)	0.5							
Total Stock Requirement (TSR)	107	\$	1,000.00	\$	107,000.00			
Scenario Three (Co	ompute Lower	OS	T, But Fail to	o Achi	eve Process Im	provement)		
Daily Demand Rate (DDR)	9		· · · · · · · · · · · · · · · · · · ·			Γ	1	ı
Percent Base Repairable (PBR)	0.4		In this sc	enaric	the actual rec	quirement is	113,	
Repair Cycle Time (RCT)	4	·····			a lower OST a			
Retrograde Time (RET)	5				ower service le			
Depot Repair Time (DRT)	7				7,000, but in o			
Order and Ship Time (OST)	9		84% serv	ice le	vel, \$113,000	should be sp	oent.	
Nonrepairable Cycle Time (NCT)	5		1					
Base Repair Pipeline (RCQ)	14.4		L			1	1	
Off-base Repair Pipeline (OSTQ)	48.6				Service Level	s	1	
Repair Decision Time (NCQ)	27		z-score			translation	• •	
Pipeline Stock (Q)	90		0.65		.2422 +.5	approx 74%	service l	level
Saftey Stock (SLQ)	16.43	- (Cost/Item	Total	Cost			
Rounding factor (K)	0.5	····					1	
Total Stock Requirement (TSR)	107	\$	1,000.00	\$	107,000.00		1	i
							I	

Table 1. Computation of Service Levels (RCDL Example)

.

Summary. The RCDL example illustrates that inventory levels are dependent upon the speed of repair and transportation. The interactions of these three components (inventory, repair, and transportation) determine whether the Air Force has a capable, mission-ready force. While service levels do not necessarily correspond to aircraft readiness levels, i.e., TNMCS, there is a relationship. The more complex, availabilitybased Aircraft Availability Model (AAM) uses these factors as well for determining worldwide expected backorders. The following linkage can now be deduced from this example: mission readiness is determined by inventory available; the amount of inventory is determined by transportation and repair activities; hence, mission readiness is affected by repair and transportation activities. Thus, it can be concluded that inventory, transportation times, and repair times are all variables that affect mission readiness. The next two sections discuss inventory reduction initiatives and Agile Logistics in order to understand their role as it pertains to these three variables.

The Air Force Agile Logistics Concept

Introduction. This section on Agile Logistics discusses the history of the program and how it emerged as a result of Air Staff studies and two-level maintenance practices. Next, key initiatives of Agile Logistics are explained. The section concludes with how the implementation of Agile Logistics is proceeding: from practitioners', consultants' and the GAO's viewpoints.

Implementation of Agile Logistics. As stated in Chapter I, Agile Logistics was formerly referred to as Lean Logistics. The impetus in the literature for reducing pipeline times--thereby "leaning" the inventory in the pipeline-- all point to correspondence issued

in 1988 by Major General Skipton, then Assistant Deputy Chief of Staff for Logistics and Engineering. General Skipton stated studies had shown that a one day reduction in the pipeline would save in excess of \$50 million (Skipton, 1988). This study was later confirmed by HQ Air Force Logistics Command when they completed a similar study in 1990, which revealed a one-day reduction in the 58-day pipeline, would result in a savings of \$50.9 million (Moore, 1998).

During this same time period (1989-1990), the Air Force started implementing the Two-Level Maintenance policy (2LM). Nearly a decade earlier a researcher at RAND authored a study that explained the complexity of conventional weapons had increased dramatically since the Vietnam era. This complexity, he offered, was increasing the requirements for test equipment, personnel skill levels, and tooling; making support increasingly expensive (Rice, 1979:47). This researcher, Dr. Donald Rice, became Secretary of the Air Force on 1 May 1989 and sought to make 2LM a reality. One of the major tenets of this program was to create a reliable, high-velocity transportation network in which reparables could travel quickly from the base to the depot and back (Barney, 1995: 2-12).

Using General Skipton's direction, the 2LM concept, and results of commercial businesses to reduce their inventories, in 1991 the Air Force logistics directorate asked the RAND Corporation to examine modern business practices and determine how they could be applied to the Air Force's reparable pipeline in order to minimize resource investments (USAF, 1995:17-18; Orr, 1998:12). RAND then presented ideas on how the Air Force could use Theory of Constraints and Just-In-Time practices to improve reparable depot repair processes and pipeline activities (Hill and Walker, 1994:23).

These ideas were subsequently briefed to senior Air Force members and Lean Logistics was born.

In January 1993, a Lean Logistics transition team was sponsored by Maj Gen Nowak, the USAF's Director of Supply under the Deputy Chief of Staff, Logistics, in order to implement the tenets of Lean Logistics. These tenets included the transition to 2LM, more responsive base and depot operations, reengineering depot shop flows, and continuous process improvements (i.e., reducing transportation times), all of which will be discussed in detail later. After a year of planning, Lean Logistics initiatives were implemented on a selective basis in 1994 (Hallin, 1997:1).

As articulated in Chapter I, as a result of *Joint Vision 2010* and *Global Engagement: A Vision for the 21st Century Air Force*, Agile Combat Support became one of the core competencies of the Air Force. Faced with these new policies, and the negative connotations associated with the word "lean," it was decided at CORONA SOUTH 98 (a meeting of the Air Force's general officers) that Lean Logistics should be changed to Agile Logistics (Orr, 1998:12). As of this writing, the name, Agile Logistics, is still being used to represent a number of initiatives used by the Air Force in order to support combat capability. Some of the major initiatives, as they apply to this study, are described in detail below.

Major Initiatives of Agile Logistics. There are several initiatives that have resulted with the implementations of Agile Logistics. This study reviews six of the major initiatives. They are as follows:

Two-Level Maintenance. The cost savings for this initiative was discussed previously in Chapter I. Essentially, this process seeks to convert maintenance

for avionics and engines from three levels of maintenance (3LM) to 2LM. The three levels consist of (1) organizational maintenance: aircraft repair on the flightline using maintenance technicians; (2) intermediate maintenance: "backshop" repair requiring specialized machinery and skills for repair of parts that flightline maintainers could not perform; and (3) consolidated repair facilities (depots): advanced repair of aircraft or aircraft parts that the two aforementioned levels were unable to accommodate. During the implementation of 2LM a series of tests, called CORONET DEUCE for avionics and CORAL THRUST/CORAL for engines, were run to determine the effectiveness of 2LM (USAF, 1995:22). This same document stated, "pipeline times for avionics have been reduced significantly while engine repair processes have made less progress" (USAF, 1995:22). Intriguingly, a study published three years later on the F-16 avionics logistics reported a 71% increase in MICAP incidents (F-16, 1998:37). The study also concluded that AFMC lacked a comprehensive materiel management program and that repair was not keeping pace with demand (F-16, 1998:37).

Worldwide Express (WWX). WWX began as a response for express time-definite delivery of high priority parts in order to support programs such as Lean Logistics and 2LM since they demanded such service (WWX, 1999). Additionally, research indicated there was a large amount of cargo movement outside the Defense Transportation System (DTS) being transported effectively without government oversight (intransit visibility) (WWX, 1999). In order to create a synergistic effect, the DoD and Government Services Administration (GSA) entered a partnership to contract for the U.S. Federal Government an international, small package delivery service. The acquisition strategy for this service calls for "best value" contract to purchase commercial service

from express carriers. The contract provides services by civil reserve air fleet carriers to give the customer time-definite delivery, door-to-door delivery, intransit visibility, for high-priority documents and packages weighing up to 150 lbs. Thus far, contracts have been let to Federal Express, DHL, and UPS to the Central, Pacific, European, and Southern theaters. DoD shippers must use the program. Preliminary analysis estimates annual OSD savings of \$50 million with as good, or better service than was provided previously using military airlift (WWX, 1999).

Depot Repair Enhancement Program (DREP) and Contract Repair

Enhancement Program (CREP). These programs are designed to convert the push system methodology to a more efficient repair-on-demand system (F-16, 1998:5). The intent of DREP is to increase the availability of serviceable Depot Level Reparables (DLR) at the point of sale between base supply and base maintenance by increasing the velocity of inventory, reducing the size of inventory, and synchronizing the repair process to customer requirements (Stone, 1997:16). It is a six-step process that answers the following questions (Stone, 1997:16):

- How many assets of a particular reparable national stock number should the reparable business cycle own?
- 2) Of the assets the system should own, what are the optimum authorized levels for each business cycle partner?
- 3) On a daily basis, how many authorized levels are empty—what is the total repair need?
- 4) Of the total repair need, what are the most important repair priorities?

- 5) Of the total prioritized list of repair needs, which needs are supportable?
- 6) When a reparable has completed repair, where should the asset be shipped?

In order to answer these questions, three tools are used. Although they come under the guise of DREP, they are separate processes under Agile Logistics. These are the Aircraft Availability Model (AAM), the Execution and Prioritization of Repair Support System (EXPRESS), and Readiness Base Leveling (RBL).

AAM. The AAM is actually part of a larger system that computes requirements, the D041, but represents a leap forward in figuring out what and how many assets are needed. Throughout the Recoverable Consumption Item Requirement System (D041) spare part computation, the AAM computes the safety stock for each item with a demand history. The AAM uses targets, set by the Air Staff, in order to identify the number of parts needed to yield the required availability at the least cost (Gimme, 1997:28). In addition to the AAM, the D041 also accepts requirements for Readiness Spares Packages (RSP) and High Priority Mission Support Kits (HPMSK). Through this process the quantity of assets needed by the repair cycle is determined (Stone, 1997:16).

EXPRESS. This is a system designed to automate segments of the depot component repair program. It is a daily execution system that sees customer demands and sends assets to the depot shop as needed to fill those demands (Carter, 1997:20). This system, using the Distribution and Repair in Variable Environments (DRIVE) model logic developed by RAND, is designed to make critical choices in a constrained depot environment (Carter, 1997:21). The operation is as follows: (1) Customer needs are

prioritized in a sequence; (2) EXPRESS then checks to see what assets are available, first checking the consolidated depot inventory, then items in repair, and finally those items that are in-transit to the repair; (3) these assets then are matched with customer needs (Carter, 1997:21). In addition to considering customers' needs, EXPRESS considers all NSNs competing for depot repair resources. EXPRESS seeks to achieve, using this prioritization sequence, maximization of weapon system availability per repair dollar (Carter, 1997:21).

RBL. RBL is designed to allocate inventory worldwide among bases and the depots in order to minimize expected backorders. The RBL uses base and depot pipeline times, failure rates, on-hand/on-order inventory, and funding information in order to calculate the expected backorder (Arostegui, 1999). Again, for aircraft reparables, allocation is based on achieving the greatest availability for the fleet (Dymond, 1997:22). RBL allocation is performed for a single item at one time. RBL first computes pipelines for each base and the depot with the following equations:

Base Pipeline = OST Pipeline (DDR*(1-PBR)*OST) + Base Repair Cycle (BRC) Pipeline (DDR*PBR*BRC).

Depot Pipeline = Depot Repair Cycle Time (DRCT)*(Sum of all base DDR*(1-PBR))

Notice that these equations are similar to the example provided earlier in computing the Repair Cycle Demand Level (RCDL), but the difference is that where the RCDL relies on creating issue effectiveness as a means of measurement, the RBL relies on maximizing aircraft availability as a means of measurement (Arostegui, 1999).

Results of Agile Logistics. As indicated in Chapter I, Agile Logistics does appear to be the current panacea to complex logistical problems as the Air Force enters the 21st Century. The question then is--what type of effect are these initiatives having on the affected components of the logistics chain? Despite top leadership support, as referenced numerous times in this study by Lt Gen Hallin, the former Deputy Chief of Staff for Installations and Logistics, the jury still seems to be out. For instance, as late as 1998, General Babbitt, Commander of AFMC, expressed his concern about the depots' ability to support the new Expeditionary Aerospace Force concept with the following statement:

...we must reexamine our role in furthering the concept of Agile Combat Support, a key enabler of the Expeditionary Aerospace Force (EAF). The availability and timeliness of depot supply and maintenance support must improve. Our current high level of backorders represents a readiness problem. Our inability to quickly respond to every demand brings into question how well we can sustain combat operations (Babbitt, 1998).

These high levels of backorders, General Babbitt refers to, are a symptom of poor inventory management (Lambert and Stock, 1993:425). Although the comments presented by Generals Hallin and Babbitt are broad, there have been several studies, reports, and observations (by academicians, auditors, and practitioners) that assess specific portions of Agile Logistics. Some are described in detail below.

Agile Combat Support from the Oklahoma City Air Logistics Center

(OC-ALC) Engine Shop Viewpoint. The Propulsion Directorate at OC-ALC is responsible for worldwide management of many of the Air Force's turbine engines and they repair over 700 engines annually. As Larvick (1998) explains, under Agile Logistics

the engine shop has had to transform from a make-to-stock organization, using a continuous process, to a make-to-order/assemble-to-order business using a job-shop process. This transition has had both positive and negative aspects.

In regards to the positive aspects, the engine shop is more responsive to customer requirements (Larvick, 1998:30). Larvick credits DREP processes (EXPRESS and RBL) as key tools that have identified true customer requirements. In addition, inventory reduction has forced the shop to examine its processes more closely because high inventories in the past had masked many problems with ordering, tracking and prioritizing (Larvick, 1998:29).

Larvick, however, has found that reduced inventory is a "double-edge sword." One of the key observations he made, which is consistent with the production operations management literature (Silver et al., 1998:41), is that the job-shop environment requires a higher amount of work-in-process inventory to buffer against variations in work loads caused by variations in product mix. As Larvick states, "It is those inventories the original Lean Logistics initiative eliminated" (Larvick, 1998:28). Another problem the shop is faced with is that EXPRESS does not handle all the complexities of the engine repair process (Larvick, 1998:30). What this means is that there is not visibility for all engine customer requirements. Henceforth, shop floor managers need to develop databases for non-EXPRESS parts and resolve conflicts between repair resources, which increases the complexity of the shop's operations. Despite these pitfalls, Larvick believes depot operations are moving in the right direction with Agile Logistics. "Even in the commercial world, changes to Just-in-Time or other customer-oriented manufacturing

environments take a great deal of time to successfully implement—some companies plan this to take six years or longer" (Larvick, 1998:31).

C-5 Lean Logistics Demonstration: Phase I. HQ Air Mobility Command (AMC) was tasked to conduct the initial test of the Lean Logistics concept. This demonstration included observing 24 recoverable assets from various aircraft subsystems to which Lean Logistics principles had been applied. This study had a number of positive effects (Surrey and Honious, 1995:18). First, Federal Express-based transportation worked extremely well. There was increased user involvement in setting repair/distribution priorities, which helped shop managers manage workflow. Finally, repair times were reduced on 17 of the 24 items from an average of 30 days to an average of 15.

The observation team also reported a number of problems with implementation (Surrey and Honious, 1995:15). The first problem found was that repairs at base and depot levels were hindered by support part shortages. Second, they found that calculating lean levels is labor intensive (the Air Force still separates Lean Logistics parts from other). Finally, they observed that most base lean levels were lower than the normal demand levels.

F-16 Avionics Logistics Chain Management Study. This report by KPMG, at the direction of HQ AFMC Logistics Directorate, conducted a study of 10 selected National Stock Numbers (NSNs) repaired by the F-16 Avionics Shop at Ogden Air Logistics Center (OO-ALC). These 10 NSNs were responsible for 33% of all MICAP incidents and 52% of all MICAP hours (F-16, 1998:6). The report was cited previously in discussions of the USAF Reparable Pipeline and 2LM. It is important to

know that very few base repairs are authorized for F-16 avionics, making them almost completely dependent on the depot pipeline. Besides those examples cited previously, the study found that many other problems exist within the logistics chain.

First, the study found that base issue effectiveness (BIE) and base stockage effectiveness (BSE), two primary depot indicators of support levels provided to field activities, significantly decreased in 1997. In fact, BIE was down to a low of 33% by the end of FY97, compared to the USAF standard of 66% (F-16, 1998:18). Second, although the budgeted OST goal for FY97 was 10 days, the average for all F-16 avionics was 34.6 days (F-16, 1998:18). Recall the previous RCDL example and what can happen to service levels when OST is improperly computed? In this instance, the total requirement (for the 10 NSNs) came to 350 assets, but in actuality there was a need for 407 assets (F-16, 1998:27). Third, KPMG found that a DREP "cultural change" had not occurred within the avionics shop at OO-ALC. Finally, they found that the express transportation was working well; however, they noted that transportation costs could be reduced by not using fast transportation for retrograde items that are not MICAP (F-16, 1998:42).

One of the limitations in this study was that it did not address when the items they evaluated became 2LM items. This is important because 44 of the F-16's reparable items (out of 196) transitioned to 2LM in FY97. Thus, measurement data would have been taken during a time of transition, which may have unfairly skewed the results.

Time to Tweak the AF's Approach to 2LM? Another paradox found in the literature is also relevant to this study. Colonel Guy R. Vanderman was the Chief of the HQ AFMC Lean Logistics Program Office from 1995 to 1997. During an interview, Colonel Vanderman discussed why the Air Force needed to move a 2LM concept and

how it would help war-fighting capability (Hicks and Nicolai, 1997:7). Interestingly, Colonel Vanderman later published an article that spoke out against the concept because he discovered that many of the assumptions originally conceived to support tremendous savings by going to 2LM, did not stand up when the numbers were calculated.

According to Vanderman,

It was a mistake because we do not utilize avionics technicians remaining at operational units or depots to their fullest capacity, pay a high rate for transporting Line Replaceable Units (LRUs) to and from repair centers, and lose the availability of serviceable Shop Replaceable Units (SRUs) that are unnecessarily consumed into the retrograde, repair, and replenishment of the pipeline. (Vanderman, 1998:10)

Vanderman went on to say that the avionics technicians have the technical knowledge, skill, capability and desire to fix the problem, but are prevented (under Agile Logistics policies) from fixing the item. Also, because the LRUs are extremely heavy and bulky compared to SRUs, Vanderman also claims transportation costs are also more expensive than they need to be (Vanderman, 1998:12). He stated that he had discussed the issue with senior members of the Air Force Logistics Management Agency staff and discovered it was politically incorrect to challenge the Air Force's view on 2LM (Vanderman, 1998:10).

Management Actions Create Spare Parts Shortages and Operational

Problems. Accomplished by the GAO, this report analyzed selected parts that were most frequently causing supply problems for the B-1, F-16 and C-5 aircraft. The impetus of this report came from the fact that TNMCS rates had risen from 6.4% in FY90 to 13.9% in FY98 (GAO, 1999b:5). The GAO cited three key reasons that were contributing to supply problems (GAO, 1999b:5). First, they noted weaknesses in forecasting inventory

and executing inventory procurement and repair budgets. Second, they reported that the Air Force was not achieving Agile Logistics goals. Specifically, these goals pertain to the improvement of processes such as timely return of broken items to depot and reducing the time it takes to receive an item once it is ordered by a unit (GAO, 1999b:9). Finally, they concluded that the depot maintenance activities were providing untimely repair.

Of the 155 parts reviewed by the GAO, they found that 57 of the problem parts were related to forecasting of inventory requirements and execution of the SMAG's budget. These forecasting errors, they claimed, resulted in a \$500 million shortfall in funding in the FY97 SMAG's budget. Due to funding shortfalls, the SMAG tried to optimize its funds by repairing items that were causing aircraft to be not mission capable. As a consequence, the number of useable items at the base and the depot declined, which resulted in shortages of different inventory items. The shortage of these items also caused aircraft to be not mission capable.

In reference to the Air Force not meeting Agile Logistics goals, the GAO reported that the Air Force reduced the SMAG's budget in anticipation of savings from the implementation of the new logistics processes as part of the Agile Logistics program. Of the 155 items reviewed, 31 did not achieve Agile Logistics process improvement goals. Recall from the RCDL example that when a process improvement is overestimated, lower levels of inventory occur. Thus, after goals are determined, it is imperative to verify whether the goals are met. Since these goals were not met, the GAO claimed that the Air Force units were forced into uneconomical maintenance actions (discussed in further detail following the next paragraph).

Another reason for the shortage of parts, the GAO asserted, was the depots' inability to accomplish timely repair for 53 of the 155 items reviewed. (GAO, 1999b:9). This was due in large part to shortages of component parts to fix broken reparables and shortages of repair shop personnel. The GAO alleged that although component part shortages have been a long-standing and well-documented problem AFMC has not yet developed an effective plan to correct the problem. Furthermore, while manpower shortages were noted as a main constraint, maintenance activities were tasked to repair the items that were breaking on a daily basis, as well as items that had been backlogged from prior years. In other words, the shop personnel were asked to do more with less and were unable to meet the increased demand with the labor supply. The GAO stated that one of the problems behind this was that AFMC had made little progress in developing multi-skilled workers that the depot maintenance activities need in order to operate effectively in a repair-on-demand environment (GAO, 1999b:39). This situation, the GAO maintained, also contributed to Agile Logistics goals not being met.

As mentioned earlier, the GAO also noted poor (uneconomical) maintenance practices stemming from inadequate supply support. For instance, during a two year period in 1996-1998 maintenance personnel spent approximately 178,000 hours removing inventory items on the B-1, F-16, and C-5 aircraft to replace broken items on other aircraft (GAO, 1999b:7). This process, known as cannibalization, equated to about 43 people working 8 hours a day, 5 days a week for 2 years.

Summary. Agile Logistics came about as a way to manage logistics activities in times of reduced budgets. It seeks to improve processes involved in the USAF reparable pipeline. By linking the Agile Logistics initiatives to aircraft availability and reduced

backorders, the Air Force seeks to maximize use of its funds to support war-fighting capability.

Results appear mixed. Although field activities have reported some positive results, consultants and the GAO appear less impressed. Among the criticisms listed, three are especially important. First, inventory levels do not seem to be supporting a job shop approach to remanufacturing. Although repair process improvements may be occurring at the depot, lower inventory levels may have caused the GAO to report "untimely repair" is contributing to TNMCS increases. Second, the transition from 3LM to 2LM is troublesome from many perspectives, i.e., culture, capacity, and reengineering of processes, as evidenced by the F-16 avionics report. Third, Agile Logistics processes are going to take a while to implement and work effectively, especially in a large institution that is not used to change.

Air Force Inventory Reduction

Introduction. Before addressing inventory reduction, it is first necessary to discuss the intent of inventory. Although there have been numerous inventory models proposed over the years, the reasons to maintain inventories have remain unchanged since the beginning of the century. Businesses generally maintain inventory for five reasons: (1) it enables firms to achieve economies of scale; (2) it balances supply and demand; (3) it enables specialization in manufacturing; (4) it provides protection from uncertainties in demand and order cycle; (5) it acts as a buffer between critical interfaces within the channel of distribution (Lambert and Stock, 1993:399). This section describes

actions taken by the Air Force in order to reduce inventory. The stimulus behind these actions came from the GAO and DRMD 987.

Inventory Reduction Efforts. As discussed earlier, one of the ways to reduce inventory is through reactive measures. Again, this is defined as disposing of on-hand inventory. DoD inventory management quickly came under the scrutiny of the GAO at the end of the cold war when the transfer to a peacetime force was imminent. "In 1990, we identified DoD's management of secondary inventory as a high-risk area because levels of inventory were too high and management systems and procedures were ineffective" (GAO, 1999a:2).

In response to this criticism, DoD leadership sided with the GAO and in 1991 issued DRMD 987 citing, "In view of changing world events, national policy, force reductions and budget realities, the DoD needs to make commensurate adjustments to its inventories" (Inventory, 1991:2). This policy was not totally unfounded given that in 1985 the DoD adopted a policy to retain all serviceable and economically repairable material having application to a weapon system in active use by U.S. forces (Inventory, 1991:10).

As a result of the anticipated DRMD 987, Air Force Logistics Command (AFLC) in March of 1990 began a reduction initiative of its own called PACER TRIM (AFLC, 1990:6). The objectives of PACER TRIM were threefold. The first objective was to reduce or terminate contracts for spare parts and equipment no longer required as readiness changed. The second objective was to design new contracts in a flexible manner that could adjust as requirements changed. Finally, the third objective called for initiating aggressive disposal actions to clear warehouses of unserviceable inventory

(AFLC, 1990:6). General McDonald, then Commander of AFLC, stated that a lion's share of this reduction would come from the inventory item managers (ALFC, 1990:6).

By 1991, PACER TRIM seemed to be accomplishing these objectives. As Colonel Newsome, AFLC's Assistant Deputy Chief of Staff for Requirements reported, contracts had been reduced or terminated by \$1.2 billion in 1990 and 1991 (Newsome, 1991:1). Additionally, he reported that the depots had disposed of nearly \$4 billion of reparable and consumable inventory (Newsome, 1991:1).

Interestingly, one year after these actions had occurred, they still seemed to be inadequate and further pressure was applied to reduce inventory despite the fact that inventory managers across the command had further reduced reparable items by 900,000 from 1991 to 1992. In August, 1992, General Yates, Commander, Air Force Materiel Command, requested his staff do something "dramatic" to reduce inventory in preparation for a visit by the Deputy Assistant Secretary of Defense (Logistics) (Owens, 1992:1). The general's staff responded with inventory reduction goals of over \$3 billion a year through 1995 (Illsley, 1992:10). They also added that a major constraint in reducing inventory was the item manager's time and sought to establish an integrated inventory reduction team at each center (Owens, 1992:1). Finally, the staff offered a new program for the command, PACER REDUCE (Illsley, 1992:30).

PACER REDUCE, now the Inventory Reduction Program, sought to continue the trends set in 1991 and 1992. From 1992 to 1996 approximately \$10 billion in further inventory reductions took place (Mattern, 1997:9). Additionally, from 1996 to 1997, reparable and consumable inventory were reduced another \$4 billion.

What were the effects of this reduction? First, the Air Force was highly motivated to reduce its inventory during this period (and still is). The Office of the Secretary of Defense (OSD) threatened to cut the Air Force's spare parts budgets, if inventory reduction goals were not met (Mattern, 1997:9). Eventually, they did cut the budget. Second, this reduction may have forced the Air Force to throw away old spare parts that may still be useful (Mattern, 1997:9). The combination of these two (reducing spare parts budgets and disposing of possible useful inventory) could spell trouble to fleet readiness; however, it is difficult to quantify these actions. This is due in large part to the fact the Air Force does not track a list of MICAP parts versus those that were disposed of years earlier.

Views on this issue appear mixed at the maintenance depots. Two senior item managers were contacted at the F-16 and F-15 program offices and asked to state their opinions as to whether or not these inventory reduction initiatives possibly led to poor decisions in the disposal of inventory. In the case of the F-15 program office, they have an inventory reduction program that is aimed at disposing obsolete reparable items; however, there is no evidence that needed items have been deleted from the inventory (Mullis, 1999). F-16 depot operations describe a similar program; however, they include the impact of inventory reduction initiatives as one of the drivers that may be causing a decline in mission readiness (Troop, 1999). Interestingly, reasons given by the F-16 support office could affect other programs as well.

As Troop (1999) explains, the move from three-level maintenance to two-level maintenance stimulated the move of base-level inventory to the depot in the early 1990's. During this same time, the enactment of DMRD 987 was in full effect, as was the GAO's

scrutiny. Inventory levels, now above what they had been during the days of three-level maintenance, were seen as excess and direction was given to dispose of this excess inventory.

Summary. This section began by identifying the purpose of inventory. Next, a chronology was established that explained the various programs and initiatives over the past nine years that were taken to reduce levels of inventory. While it is obvious that inventory has been reduced, it is less clear as to the direct (or indirect) impact on TNMCS. What can be derived from the two previous sections (Agile Logistics and Inventory Reduction) is fast transportation seems to be working effectively, availability-based repair (EXPRESS) is impaired by inventory reduction due to new manufacturing process (job shop versus continuous flow), and the Air Force is having difficulty reaching the Agile Logistics goals it has established for itself.

Comparison of Air Force Logistics Management with Private Sector

Introduction. Studies completed on corporations may provide some insight on how to effectively manage the logistics chain. The problem, however, is that objectives are different between government and private institutions. While many consultants like to compare the Air Force with civilian companies, these different objectives can pose problems in a making a valid comparison. Nevertheless, the Air Force can learn good practices from the private sector to improve its own financial management practices. And even though the Air Force will not go bankrupt, budgetary shortfalls can impact the Air Force mission.

The Air Force is Not Alone in its Quest for Optimum Supply Chain

Management. Fisher (1997) posed the question, "What is the right supply chain for your product?" He contended that although information management systems performance has never been higher, the performance of many supply chains has never been worse. The major problem is that managers lack a framework for deciding which ones are best for their particular company. This "framework" is essentially a new classification of a company's products. There are two primary framework categories, *functional* and *innovative*. Functional products are routine staples with a predictable demand, while innovative products have a great deal of variability in their demand (Fisher, 1997:107). This correlates strongly with the Air Force's and other researchers' definition of consumable items and reparable items, respectively (Crawford, 1988:1-7; Cohen et al., 1999:8).

The difference between these two categories is readily apparent from standard measurements as seen in Table 2. Due to the differences, Fisher contends that different supply chains are needed. Interestingly though, many companies adopted the latest fad of keeping low inventories, thus reducing inventory carrying costs, warehousing, etc. This strategy is fine for functional products, but the exact opposite is true for innovative products. This strategy also applies throughout the whole inventory chain, including safety stock and pipeline inventory (Fisher, 1997:107).

Fisher states that companies employing a market-responsive strategy (e.g., Agile Logistics) should aim to respond quickly to unpredictable demand. They should also adopt a manufacturing focus of deploying excess buffer capacity; an inventory strategy of

	Functional	Innovative	
Average margin of error in the			
forecast at the time production			
is committed	10%	40% to 100%	
Average stockout rate	1% to 2%	10% to 40%	
Lead time required for made-			
to-order products	6 months to 1 year	1 day to 2 weeks	

 Table 2. Functional Products Versus Innovative Products (Fisher, 1997:107)

deploying significant buffer stocks of parts or finished goods; and a lead-time focus that invests aggressively to reduce lead time (Fisher, 1997:108). From the Agile Logistics review, it is obvious that the Air Force is satisfying two of these requirements. First, they have adapted a repair-on-demand concept. Second, they have invested in lead-time reductions, i.e., premium transportation.

Besides increasing inventories, how should a supply chain with innovative products be managed? Fisher suggests four ways (Fisher, 1997:114-115). First, companies should simply accept their uncertainty and variability—it is inherent in innovative products. Second, companies should continue to reduce uncertainty. For example, by having innovative products share components, demand for components can become more predictable because it is aggregated. Third, uncertainty can also be avoided by cutting lead times. Finally, once uncertainty is reduced to its lowest levels, demand can then be hedged with buffer inventory, or safety stock. Lambert and Stock (1993) also suggest that it is wise to protect against uncertainties with inventory buffers—thus supporting Fisher's views. Lambert and Stock state that a majority of companies endure periodic inventory reduction rituals (Lambert and Stock, 1993:399). These crash inventory reductions are instituted every few years and usually last a few months. Lambert and Stock claim these times are characterized by top management edicts, middle management lip service, and insufficient knowledge of how to control inventory (Lambert and Stock, 1993:399).

This phenomenon is supported by a recent study conducted by KPMG and the University of Tennessee. The report said although many companies have made a concerted effort to improve supply chain efficiency over the past few years, 43% of U.S. companies have the same or higher levels of inventory as they did five years ago (Inventory, 1997:8). This was articulated by one of KPMG's senior logistician consultants, "Despite the industry buzz around supply chain management, many companies have a long way to go to improve their supply chain performance and efficiency" (Inventory, 1997:8).

Summary. The Air Force is not alone in its struggle to effectively manage its logistics activities. Fisher (1997) pointed out that many supply chains are performing poorly in today's environment—despite technological advantages. One of the key factors affecting their performance, Fisher attests, is that supply chains for innovative products are not maintaining appropriate levels of inventory in order to meet unpredictable demand. Similarly, this could be the case with Air Force reparables because they share the same qualities as the innovative products. Finally, many companies start inventory reduction campaigns that often prove ineffective because managers do not necessarily understand inventory management.

Other Variables that May Affect TNMCS

Introduction. In pursuing information for this section, opinions were gathered from published literature and interviews. This section covers other variables that may contribute to TNMCS besides the three variables (inventory levels, transportation times and repair times) covered previously.

Other Variables. As Gimmi (1997) explains, inventory levels are not the reason parts become mission capable (MICAP). Instead, he states that factors such as longer than expected repair times, contractor delinquencies, long contract lead times, technical surprises and funding shortfalls, rather than low inventory levels, are keeping spare parts from being where they are needed (Gimmi, 1997:29). Ironically, these are exactly the reasons why top supply chain experts (i.e., Fisher) state that inventory buffers are needed.

At the depot level there are several variables that can cause delays in getting the parts back out to the units. For example, the F-15 depot operation's increased TNMCS rates were caused by constrained capacity, diminishing manufacturing sources, and the transfer of consumable items to DLA (Mullis, 1999). Recall that DLA took over warehousing operations at the depot in 1997--at this same time they also took over responsibility for all consumable items (Gaudette, 1999). F-16 depot operations describe similar factors; however, they include the impact of inventory reduction initiatives as one of the causes of increased TNMCS rates as explained earlier (Troop, 1999).

According to Ham (1999b), other factors that affect TNMCS are inaccurate demand forecasting, contractor delinquencies, awaiting parts to repair LRUs (AWP), diminishing manufacturing sources and materiel shortages (DMSMS), aging aircraft issues (such as changes in failure rates), skilled technical personnel non-availability, and

spare parts funding. Many of these reasons are supported in the other interviews as well. In addition, others have stated that aging aircraft has become a considerable problem facing the readiness of the Air Force's fleet (Hallin, 1998b:1; Bailey, 1999). The factors mentioned in the preceding section are summarized in the form of a cause and effect diagram as illustrated in Figure 3.

Predicted TNMCS Rates. After the literature was reviewed and interviews were conducted, further research was conducted using the Multi-Echelon Resource and Logistics Information Network (MERLIN). It was found that the Air Force predicts TNMCS hours through the use of regression equations. All regression equations use the same independent variables to form the TNMCS equations. The independent variables used are *flying hours, possessed hours, and sorties* (Reynolds, 1999). By using these variables, the Air Force is basing their predictions on failure rates of parts due to flying hours and sorties. This approach is highly supported by years of research (Sherbrooke, 1997:1; Slay and Sherbrooke, 1997:1).

In order to establish a TNMCS rate as opposed to TNMCS hours, the Air Force first predicts TNMCS hours using one of the following equations (statistical printouts shown in Appendix A):

A/OA-10 TNMCS Hours = 7638 + 2.71019*Flying Hrs + 0.0808412*Possessed Hrs - 5.46947*Sorties F-15A-D TNMCS Hours = -101.149 - 0.364535*Flying Hrs + 0.211585*Possessed Hrs - 4.13984*Sorties F-15E TNMCS Hours = -3573.79 + 1.0864*Flying Hrs + 0.135368*Possessed Hrs - 1.86296*Sorties F-16 TNMCS Hours = -832.911 - 0.364756*Flying Hrs + 0.117839*Possessed Hrs - 0.51937*Sorties

These predicted TNMCS hours are then divided by possessed hours per mission design (MD) in order to derive a TNMCS rate or percentage. As Appendix A shows, these regression equations appear to follow actual TNMCS rates for the respective mission

design early in 1991 until 1997. However, there is a great deal of disparity from 1997 to 1999 between actual TNMCS rates and projected TNMCS rates, especially in the case of the A-10 and F-16. The difference between actual and predicted TNMCS rates seems to indicate that there may be an additional actor(s) that is having an impact on actual rates. It is this variable that this research seeks to understand and account for, if possible. It is interesting to note (as the TNMCS hours equations illustrate) that the Air Force does not predict TNMCS rates based on mission design series (MDS), but rather they are aggregated by MD.

Section Summary. This section identified additional variables that may cause TNMCS rates to increase. An overview was then presented on how the Air Force computes its predicted TNMCS rates. The original statistical printouts performed by the Air Force are located in Appendix A. In addition, Appendix A also contains charts the illustrate disparities between actual TNMCS rate and the current USAF predictions.

One of the ways to properly illustrate the relationship between a given outcome and all the factors that influence this outcome is a cause and effect diagram (AFPIG, undated:33). As such, a cause and effect diagram has been created in Figure 3 in order to demonstrate these relationships. Here, the factors have been broken down into four areas that adequately express logical relationships. As indicated, the environment the Air Force operates in and the procedures it uses seem to account for a majority of reasons why TNMCS rates are increasing. This research will focus on those variables within the USAF reparable pipeline.




Figure 3. TNMCS Cause and Effect Diagram

Chapter Summary

This chapter provided background information needed to understand the many variables that affect this research. First, the USAF reparable pipeline was introduced and its six segments defined. Next, a simple model was provided that explored the interactions of inventory and transportation and repair times and their relationship to each other within the reparable pipeline. The Air Force Agile Logistics concept was then presented, with a discussion on the implementation, initiatives and results thus far on Agile Logistics. Following this discussion, inventory reduction was introduced, with an overview of the efforts the Air Force has taken from 1991 to the present in order to reduce inventory. Next, a literature review was accomplished with the intention of highlighting areas in the corporate world that may be experiencing similar problems with

logistics. As a result of this review, four ideas were presented on how to better manage innovative products (reparable items). Finally, other factors affecting TNMCS rates were introduced and an overview of how the Air Force currently predicts TNMCS hours was provided. The other factors affecting TNMCS were then summarized and presented in a cause and effect diagram.

Overview of Next Chapter

Chapter III develops the methodology used in this study. First, the independent variables are selected for use in the analysis. Second, data collection and preparation is discussed, and data limitations and assumptions are presented. Finally, the statistical method used in the study, regression, is reviewed. This discussion focuses on the benefits of regression as well as some of the problems that can occur in using this method.

III. Methodology

Introduction

As indicated in the literature review, the USAF reparable pipeline has extremely complex relationships. In the case of the aircraft contained in this study (A/OA-10, F-16A/B/C/D and the F-15A/B/C/D/E), there are five maintenance depots servicing seven major commands at 71 operating locations (Fighter, 1999). With a unique parts list averaging over 2,000 reparables per mission design series (MDS), item management, even with the most advanced information systems, is troublesome. Despite the best efforts of the Air Force, TNMCS rates continue to climb; and the Air Force, especially in the past two years, is having problems predicting those increases.

The objective of this chapter is to develop a methodology to examine possible relationships between the dependent variable, TNMCS data, and a multitude of independent variables. The methodology stems from the problem identified in Chapter I that, "One of our major struggles is our ability to correlate wholesale performance [levels of inventory] with retail results [aircraft mission capable rates]" (Dehnert, 1999). The key word emanating from this problem statement is *correlate*. After conducting initial research as to the availability of data, and further discussions with the research sponsors, it became apparent that the best way to show relationships between TNMCS data and the independent variables was through regression analysis. As such, this chapter outlines data collection, acquisition, and preparation, and the statistical tests and methods necessary to conduct this analysis.

Data

Introduction. This section addresses data assumptions, needs and acquisition, preparation, and limitations. The three questions surrounding data collection activities are (1) what data to collect? (2) where to acquire the data?, and (3) how to prepare the data for analysis? This section answers these three questions.

Assumptions. There are four assumptions necessary for this study. They are as follows:

1. Inventory items collected in the D041 are assumed to highly represent inventory currently held. Similarly, depot repair cycle, base repair cycle, and order and ship times are assumed to accurately represent times for repair and transportation for each year. This assumption is made due to the criteria established in the methodology—all national identification item numbers (NIINs) analyzed must have been in the inventory from 1990-1999.

2. Data taken from the Air Force's Multi-Echelon Resource and Logistics Information Network (MERLIN) and the D041 are accurate and complete. As stated earlier, attempts to validate data from MERLIN were accomplished. The D041 database, however, represents a great deal of information. The input data to the D041 is acquired from many different sources; therefore, mistakes with data entry/transfer can be easily made. However, researchers and consultants from Logistics Management Institute, RAND, KPMG, and Synergy use D041 data in many of their analyses. While limitations may exist, it is viewed as valid. If analysis indicates differently, outliers will be noted.

3. A key assumption necessary for this research is that of the demand for the parts studied. This study assumes a constant demand for the inventory items analyzed.

This is due to the relatively constant flying hours and sorties for the aircraft examined. In some instances, as discussed in Chapter IV, outliers were removed. This approach, using flying hours and sorties to predict demand, is supported in the literature by Sherbrooke (1997) and Slay and Sherbrooke (1997).

4. One of the assumptions necessary, in order to use TNMCS hours and possessed hours for 1999, is that the first half (January to June) of 1999 accurately represents the last half (July to December) of 1999.

Needs and Acquisition. The literature review provided an understanding of many of the variables that may contribute to rising TNMCS rates. Additionally, it provided a timeframe in which activities such as inventory reduction policies and Agile Logistics' initiatives took effect. Table 3 provides a list of the variables taken from the cause and effect diagram, where the data is located, and the years they are available.

Independent Variables	Source	Years Available	Divided By MDS?
Serviceable Inventory Levels	D041	1987 - Present	Yes
Order and Ship Times	D041	1987 - Present	Yes
Base Repair Times	D041	1987 - Present	Yes
Depot Repair Times	D041	1987 - Present	Yes
Flying Hours	MERLIN	1991 - Present	Yes
Average Age of Aircraft	Acft Flight Records	Acquired-Present	Yes
Average Hours Aircraft Has Flown	Acft Flight Records	Acquired-Present	Yes
DMSMS	Depots	Unknown	Yes
Funding for Spare Parts	SMAG	1980-Present	No
Capacity Rates	Depots	Inception-Present	No
# of coordination problems w/DLA	Depots	Unknown	No
AWP	Depots	Unknown	No
# of parts not meeting Agile Logistics goals	AFMC/Depots	1994 – Present	No

Table 3. Potential TNMCS-Causing Independent Variables

Although the independent variables identified may be important enough to explain a great deal of variability in the TNMCS rates, four criteria were established for this study. First, independent variables must cover the time period established in the literature review as relevant (1990-Present) to this study. Second, they should be obtainable through reasonable means. Third, they should be broken out by specific MDS, if possible, in order to provide valid comparisons. Finally, the variables must be components of the reparable pipeline since these are the variables this research intends to study. Four independent variables meet these criteria: serviceable inventory levels, order and ship times, base repair times, and depot repair times.

MERLIN. It was determined through interviews with various agencies (AFMC Studies and Analysis Office, Directorate of Supply for the Deputy Chief of Staff, Installations and Logistics, and AFMC's Deputy Director for Logistics) that collection of TNMCS rates and other data that is needed for analysis (e.g., total active inventory) should come from MERLIN due to the accuracy of the database and its compilation of the MAJCOM data (Neumann, 1999a; Ham, 1999a; Dehnert, 1999). To further verify the accuracy, data were collected and verified through interviews with the respective program offices and compared to data that were available at the MAJCOM levels. The comparison of the MERLIN data to these sources (program offices and MAJCOM) displayed consistency. These results are congruent with the GAO's findings as to the accuracy of MERLIN (GAO, 1999b:17).

Since MERLIN is a web-based product, data collection is fairly easy. The data collection is accomplished by selecting the appropriate variable (e.g., annual A-10 TNMCS rates) and exporting this data to a Microsoft Excel spreadsheet. Data collected

from MERLIN included: TNMCS rates for all the appropriate MDS's, USAF-predicted TNMCS rates for the appropriate MD's, TNMCS hours by MDS by year, possessed hours by MDS by year, and total active inventory (the total number of each MDS by year).

D041. The next step in data acquisition was to determine how to retrieve serviceable inventory levels, repair times, and transportation times. After interviewing the AFMC Studies and Analysis Office, it was evident, based on aggregate reparable inventory levels and the other information needed, that the Recoverable Consumption Item Requirements System (D041) would provide the best data for the time period requested in order to get actual times (Neumann, 1999a). This was also confirmed by Lt Col Marti Ham, Logistics Analyst at AF/ILSY (Ham, 1999b).

The D041 operates on a quarterly schedule to coincide with the quarterly Stock Balance and Consumption Reports (SB and CR). The SB and CRs are "as-of" the last day of each calendar quarter: 31 March, 30 June, 30 September and 31 December. D041 computes spare parts requirements for all customers worldwide on an aggregate basis, and applies all available worldwide assets to these requirements. D041 uses historical failure and program data to determine a failure rate to be applied to a future program. Historical pipeline and lead time data are also recorded and applied to future activity (AFMCMAN 23-1, 1997:16-17). In discussions with Mr. Bill Morgan, Data Analyst, AFMC Studies and Analysis Office, it was determined to use data from the first quarter in each calendar year. This is due in large part to Mr. Morgan's assessment that data from the first quarter tends to be more accurate and complete (Morgan, 1999). In order to obtain data from the D041, it was necessary to create a software program to facilitate data extraction. This program is illustrated in Appendix B, "Data Collection from the D041 (Using SAS)." The two SAS programs were used to read and merge the D041 files. First, text files were created and read into Microsoft Excel. A weapon system file (maintained by the AFMC Studies and Analysis Office) in Microsoft Access was then used to identify the various weapon system NSNs. These weapon system files were then exported to a text file that were read with the SAS programs (Morgan, 1999).

To keep the inventory consistent throughout the time period, it had to meet the criterion of being in the D041 during the entire time period (1990-1999). This was accomplished via the use of the software programs. Essentially, this means that any part that entered the inventory after 1990 or was deleted before 1999 would not be included in the analysis. Another key point is that since A-10 and O/A-10 inventory levels were collected together, O/A-10 specific inventory items were not included. The data collected from the D041 included: serviceable inventory levels by NIIN, average order and ship times by NIIN, average base repair cycle by NIIN, and average depot repair cycle by NIIN. Note: NIIN is part of the NSN.

Preparation. This section explains how the data was manipulated once it was obtained from its source in order to prepare it for analysis. The results of this section produce a separate spreadsheet for each MDS, which list the dependent variable and independent variables. The spreadsheets are contained in Appendix D.

TNMCS Rates. As indicated, this data was collected from MERLIN on an annual basis. Two dependent variables (TNMCS rates and TNMCS hours) are used in

this study to fully analyze the impacts of inventory reduction and Agile Logistics. Although the Air Force uses TNMCS hours in its model, it is believed that using TNMCS rates will help eliminate the "fluctuation and noise" of TNMCS hours. That is, as possessed hours vary year to year, so do TNMCS hours. In some years where a modification is taking place to a fleet, possessed hours are lower. This in turn lowers the TNMCS hours; however, the percentage is usually in the same range as it would be otherwise because it is a relative scale. The TNMCS rate, a small percentage ranging from around 4% up to 20%, should provide a good scale upon which to judge the impacts of some of the independent variables, particularly serviceable inventory. Since TNMCS rates are derived from possessed hours, which represent the total active inventory, problems (i.e., multicollinearity) may result from the use of this variable with other independent variables that contain the total active inventory. TNMCS hours (discussed below) are also used in the analysis; however, since the range encompasses ten of thousands of hours the degree of variance experienced by the models created in this study may vary widely. This variable may be more appropriate than TNMCS rates in some instances, i.e., those containing total active inventory (TAI) of aircraft per year. (Note: TAI will refer to the number of aircraft per year throughout this text). Therefore, for the sake of comparison, both dependent variables are employed. TNMCS rates are evaluated from 1990 to 1999, while TNMCS hours are evaluated from 1991 to 1999.

There are two problems that need to be confronted with TNMCS rates. First, since the A-10 and O/A-10 serviceable inventories were combined it was necessary to either choose A-10 TNMCS rates, O/A-10 TNMCS, or perform a weighted average of the two. Second, the TNMCS data in MERLIN only dates to 1991.

Early in the data gathering process it became apparent that the A-10 and OA-10 should be treated as one entity. This was due to the commonality amongst the parts as described by Mr. Morgan (Morgan, 1999). Again, there are three possibilities of how to report the A-10/OA-10 TNMCS rates. Select either A-10 or O/A-10 TNMCS rates, if no significant difference exists, or perform a weighted average of the two. The first step was to conduct a z-test of the TNMCS rates for the past 8 1/2 years (Feb 1991 – May 1999). As seen in Appendix C "Decision criteria for the A-10/OA-10," no significant difference exists in TNMCS rates between the two. Therefore, A-10 TNMCS rates are used since they comprised the majority (67.5%) of the A-10/OA-10 total active inventory from 1990-1999 (MERLIN, 1999).

Since TNMCS rates for 1990 did not exist within MERLIN, an alternate source for this data was found. In discussions with Lt Col Ham, it was decided records kept by ACC should provide the closest estimate, since ACC possesses the majority of combat air force (CAF) assets (Ham, 1999c). Additionally, the Air Staff often uses ACC data when total force data is not available (Ham, 1999c). However, the problem with the ACC data is that it is not divided out by MDS. Therefore, it was decided to use the ACC TNMCS rate by MD (F-15A-D) and use these in each of the MDS's. For example, the recorded ACC TNMCS rate for the F-15A-D in 1990 is used in each separate MDS spreadsheet (F-15A, F-15B, F-15C, and F-15D).

TNMCS Hours and Possessed Hours. TNMCS hours are also used as a dependent variable in order to provide a comparison to the current Air Force regression model. As mentioned above, this variable is only used from 1991 to 1999. In order to obtain predicted TNMCS hours, the predicted percentages from each year will be

multiplied by possessed hours. This way a valid comparison can be made between TNMCS hours predicted by the variables used in this study and those predicted by the Air Force. Two areas of preparation were required for TNMCS hours and possessed hours. First, A-10 and OA-10 TNMCS hours and possessed hours were combined for the reasons stated earlier. Next, since 1999 is not yet complete both TNMCS hours and possessed hours (available through June 1999 in MERLIN) were multiplied by a factor of 2 in order to analyze the entire year.

Predicted TNMCS Rates and Hours. In order to assess the models developed in this research a valid comparison is necessary. As discussed in Chapter II, the Air Force currently predicts TNMCS hours using regression equations derived from flying hours, sorties, and possessed hours. The data is only given by month; therefore, it was necessary to acquire an average per year. This data is in MERLIN (in the form of TNMCS rates) and goes back to the beginning of 1991; therefore, it was necessary to develop a predicted TNMCS rate for 1990. For the A-10 and F-15E, this was accomplished by using the percentage decrease of the actual TNMCS rates from 1991 to 1990 and multiplying it times the predicted TNMCS rate of 1991. For the F-16 and the F-15, there was fluctuation of actual TNMCS rates in 1990 versus 1991 by MDS, it was decided to use a predicted value slightly lower than 1991. For the F-16 and F-15 MDS's, a predicted TNMCS rate of 7.9% and 9.2% in 1990 is used, respectively.

Since MERLIN indicates only predicted TNMCS rates, it is necessary to derive predicted TNMCS hours. This was accomplished by taking the TNMCS rate for a particular MDS and multiplying it by possessed hours. In order to attain 1999 predicted

TNMCS hours, possessed hours were doubled and multiplied by the predicted TNMCS rate up through June 1999.

Inventory Levels, Order and Ship Time, Base Repair Cycle, and Depot Repair Cycle. As mentioned, this data was taken from the D041 via the use of the software program found in Appendix B. The data were prepared by summing all the National Item Identification Numbers (NIIN) for each year. Once this was accomplished for each MDS, it was decided that artificial variables needed to be used in order to get a clear picture of the interaction of inventory, transportation, and repair. A total of five variables were created.

In order to understand the effects of inventory reductions, two variables were used. The first variable used was *serviceable inventory*. This variable was derived by summing all the serviceable items by NIIN per year. The second variable used was a ratio. This ratio was determined by dividing serviceable inventory levels per year by the total active inventory (TAI) of aircraft per year. This ratio is referred to as *serviceable inventory/TAI*. In some instances, the MDS's being evaluated have had their numbers reduced since 1990. Thus, the serviceable inventory per aircraft may increase, given that the total active inventory of aircraft decreases faster than serviceable inventory. Theoretically, as this ratio increasing or decreasing, TNMCS rates should decrease or increase, respectively.

The next three variables were developed in order to capture the interaction of inventory, repair, and transportation; and to illustrate the effects of Agile Logistics on TNMCS rates. These variables are also ratios. Recall the RCDL example from Chapter II. If transportation and repair times were reduced, inventory could also be reduced.

Also, if inventory levels remained static and transportation and repair times decreased, service levels would increase. Likewise, if these times were said to be reduced, but not actually reduced (assuming inventory remained static), then service levels would go down. Using these relationships as a guideline the following ratios were constructed: *serviceable inventory/OST, serviceable inventory/BRC, and serviceable inventory/DRC.* If the numerator increases and the denominator remains static, the ratio will increase. Similarly, other increases and decreases are possible. Theoretically, as ratios increase, TNMCS rates should decrease and vice versa.

Limitations. As a result of the assumptions made and data collection and preparation activities performed, limitations to this research were identified. They are as follows:

1. As discussed in the data preparation section, ACC TNMCS data will represent the TNMCS data for the entire USAF TAI in 1990. While this procedure is acceptable from an Air Staff perspective, the TNMCS rates during 1990 might have been significantly different between ACC and the TAI. One modifier that may have ensured like TNMCS rates during this time, however, was DESERT SHIELD/STORM. Since many aircraft from the ANG, AFRC, USAFE, and ACC took part in this operation, it makes sense that MICAP items may have been evenly distributed throughout the theater. While this can not be validated with the available data, it seems highly unlikely during this scenario that a significant difference (ACC versus total fleet TNMCS rates) existed.

2. Due to the reasons stated above, reparable parts specific to the O/A-10 will not be evaluated. However, since there are many commonalties between O/A-10 and A-10

aircraft, it is believed that analyzing common inventory parts will provide useful insight. (Morgan, 1999).

3. This study is analyzing aggregate data. By conducting the analysis in this manner, problems could result. For example, although inventory reductions may have severely affected some items, these effects may not be realized when they are combined and averaged with other parts that have not witnessed a reduction. This applies to the remainder of the D041 data as well (base repair time, depot repair times, and order and ship times). It is believed, however, that trends in the data will emerge and therefore be useful for analysis against the dependent variable. One of the main reasons MDS's were chosen over MD's for analysis was to mitigate this aggregation problem as much as possible.

Summary. This section discussed data needs, acquisition, and preparation. First, independent variables were selected from a list of potential TNMCS-causing variables using four criteria. Using these criteria, four independent variables (serviceable inventory levels, order and ship time, base repair cycle and depot repair cycle) were selected. Next, data acquisition was discussed in order to provide an understanding of the data sources and their validity. The data was then prepared for analysis. This included developing variables that would assess the impacts of inventory reduction and Agile Logistics. A total of five independent variables are used in the analysis. They are *serviceable inventory, serviceable inventory/TAI, serviceable inventory/OST, serviceable inventory/DRC, and serviceable inventory/DRC*. Finally, data limitations were stated. The results from this section are contained in Appendix D: MDS Variables.

Statistical Tests and Methods

Introduction. Following the data acquisition, and in concert with data preparation, statistical tests and specific methodologies were examined. As stated at the beginning of this chapter, regression analysis was the obvious choice due to the necessity of being able to correlate the independent variables with TNMCS rates and hours to assess whether they explain significant variability of the dependent variable.

This section discusses the tool of regression analysis along with assumptions, potential pitfalls, and strategies for avoiding the pitfalls. Data analysis was accomplished using JMP® statistical software and Microsoft Excel's data analysis tool. Next, Theil's *U*-statistic is defined and discussed as a method used to provide a measurement of the output (predictions) from the models developed in this study against the USAF-predicted TNMCS rates and TNMCS hours.

Regression Analysis. Regression analysis is a statistical methodology that exploits the relation among two or more quantitative variables (Neter et al., 1996:3). Regression analysis is widely used in business and natural, biological, and social sciences, and gives insight into performance, phenomenon, and behavior (Neter et al., 1996:3). Neter et al. (1996: 9) state, "regression analysis serves three major purposes: (1) description, (2) control, and (3) prediction." It allows the modeler to fit data to an equation of a line, provides an estimate of the mean of the dependent variable, and predicts future values of the dependent variable based on changes in the independent variable.

For this research, independent variables were collected in order to describe the dependent variable (TNMCS). If a strong relation is found, the model developed could

serve as a prediction tool. Ultimately, the model may provide enough understanding of the relationships to propose new steps to control TNMCS rates. This process, however, requires time and a strong understanding of the logical relationships between the dependent variables and the independent or predictor variables (Neter et al., 1996:9).

The approach of this research is to create a General Linear Model (GLM) for each MDS using TNMCS as the dependent variable and the independent variables identified earlier. As a basis, the GLM is used in order to hypothesize this relationship. The GLM is given as follows: $y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + ... + \beta_k x_k + \varepsilon$

Where:

Y is the dependent variable

 $x_1, x_2 \dots x_k$ are the independent variables

 $E(y) = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + ... + \beta_k x_k$ is the deterministic portion of the model

 ε (eplison) = Random error component

 β_i determines the contribution of the independent variable x_i .

Model Development. The process of developing a model, estimating the unknown parameters, and using the model is usually accomplished via five steps (McClave et al., 1998:433). The steps are (McClave et al., 1998:501):

<u>Step 1</u>. Hypothesize the deterministic component of the model. This component relates the mean, E(y), to the independent variables. This involves the choice of the independent variables to be included in the model.

<u>Step 2</u>. Use the sample data to estimate the unknown model parameters (β_0 , β_1 , β_2 ,) in the model.

<u>Step 3</u>. Specify the probability distribution of the random error term, ε , and estimate the standard deviation of this distribution, σ .

<u>Step 4</u>. Statistically evaluate the usefulness of the model.

<u>Step 5</u>. When satisfied that the model is useful, use it for predictions, estimation, and other purposes.

Regression Assumptions. McClave et al. (1998:444) provide four key assumptions for regression analysis. They are as follows:

Assumption 1. The mean of the probability distribution of ε is 0. That is, the average of the values of ε over an infinitely long series of experiments is 0 for each setting of the independent variable *x*.

Assumption 2. The variance of the probability distribution of ε is constant for all settings of the independent variable *x*.

Assumption 3. The probability distribution of ε is normal.

Assumption 4. The values of ε associated with any two observed values of y are independent. That is, the value of ε associated with one value of y has no effect on the values of ε associated with other y values.

For the purpose of this research, Assumptions 1 and 2 are assumed to be upheld throughout this research and will not be verified. Verification of assumptions 3 and 4 will take place in Chapter IV. For Assumption 3, the Shapiro-Wilk test statistic is employed in order to test the residuals for normality. In order to verify Assumption 4, the

Durbin-Watson test is used to assess the residuals for independence. Although it is prudent to check regression assumptions, it is unlikely that assumptions are ever satisfied exactly in practical applications (McClave et al., 1998:540). In fact, violations of these assumptions are expected in many instances. Experience has shown that least squares regression analysis produces reliable statistical tests as long as departures from these assumptions are not too great (McClave et al., 1998:540).

For this study, all Shapiro-Wilk test statistics over .781 indicate normality (Conover, 1980:468). The Durbin-Watson *d* statistic ranges between 0 and 4. If d<2, then residuals are positively autocorrelated, and if d>2, then residuals are negatively autocorrelated. Residuals are uncorrelated when $d \approx 2$ ((McClave et al., 1998:780). For this research, when Durbin-Watson test statistics are below 1.5 the p-value will be checked to confirm the existence of dependent residuals. Violations of the regression assumptions are reported in Chapter IV.

Potential Problems with Regression. There are five possible problems this study may have to contend with. These problems are *micronumerosity, parameter estimability, multicollinearity, extrapolation, and autocorrelation.* The first problem, *micronumerosity*, will certainly be faced, and appears in the literature to be more of a heuristic used by regression modelers (Gujarati, 1995:326). The data in this study are limited to ten data points per model. That is, when the dependent variable is regressed against one independent variable only ten data points are derived because one point per year is observed (1990 – 1999). Most modelers like to have at least ten data points per independent variable; however, it is a necessity to have one more observation than the number of parameters to be estimated (Gujarati, 1995:319). Still, in the case of the latter

example, this phenomenon results in *near micronumerosity* (Gujarati; 1995:326). Unlike the other problems, this one can not be dealt with directly and is considered a limitation. However, steps can be taken to deal with this problem. For example, the number of parameters can be reduced if necessary.

Parameter estimability is when the data points, after regression, concentrate at a single x value. In this instance, a straight line can not be fitted to the data. Likewise, if a quadratic model is necessary, the number of levels of observed x values must be one more than the order of the polynomial in x. Figure 4 illustrates this problem. As seen in (a), a line can not be fit to the data set provided. In (b), at least three x values would be necessary in order to fit a curvilinear line. If this problem should occur during the analysis, different independent variables will be assessed.

The third problem is *multicollinearity*. As McClave et al. (1998:551) express, "Often, two or more of the independent variables used in the model for E(y) contribute redundant information. That is, the independent variables are correlated with each other."




Figure 4. Illustration of Parameter Estimability

Although all independent variables contribute information, some of the information is overlapping. This ends in confusing results (McClave et al., 1998:552). McClave et al. (1998:552) advise that one way of deciding which independent variable to use is byconducting a stepwise regression. However, as Makridakis et al. (1998) notes, multicollinearity not a concern unless there is a need to understand the individual regression coefficients, or it is necessary to understand the contribution of one independent variable to *Y*, without the influence of the other independent variables. Despite the presence of multicollinearity in a regression model, it does not affect the ability of the model to predict (Makridakis et al., 1998:288).

One of the temptations in using regression equations, especially in the case of this study, is *extrapolation*. Extrapolation is trying to predict the dependent variable when values of new independent variables are outside the region in which the original model was used (McClave et al., 1998:552). This, of course, will not create a problem in this study since it will include the full range of independent variables, but care should be used when applying the models that are developed.

The final problem that can occur, particularly in a time series study such as this one, is *autocorrelation*. Autocorrelation is defined as "the correlation between time series residuals at differing points in time" (McClave et al., 1998: 779). What occurs in this instance is that the values of both the dependent and independent variables are observed sequentially over a period of time, and these observations tend to be correlated over time. This often triggers the prediction errors of the regression model to be correlated (McClave et al., 1998:553). When this happens, the assumption of the independent errors is violated and the model may be deemed invalid.

A major cause of autocorrelation among time series data is the omission of one or several key independent variables from the model (Neter et al., 1996:507). Neter et al. (1996:507) recommend that the researcher first search for missing key independent variables. In order to ensure autocorrelation is not occurring in the data set for this research, a Durbin-Watson test is performed. If strong evidence of autocorrelation is established, doubt is cast on the data set and any inferences drawn from them (McClave, et al, 1998: 782); however, this does not make tests based on the data invalid. If the timeseries data consists of a small number of data points (fewer than 100), then small departures outside the parameters of the correlogram do not adversely affect the results as much as they would for a much larger number of data points (McClave et al., 1998:540). If severe autocorrelation problems are experienced with any of the models produced during this research it will be noted in the analysis.

Theil's *U*-Statistic. This statistic allows a relative comparison of formal forecasting methods against each other and with naïve approaches (Makridakis et al., 1998:48). By squaring the errors involved in forecasting, this method ensures that large errors in forecasting are given more weight than small errors. It is mathematically defined as:

$$\sqrt{\frac{\sum_{i=1}^{n-1} (FPE_{i+1} - APE_{i+1})^2}{\sum_{i=1}^{n-1} (APE_{i+1})^2}}$$

where $\text{FPE}_{t+1} = \frac{F_{t+1} - Y_t}{Y_t}$ (forecast relative change)

and APE_{t+1} =
$$\frac{Y_{t+1} - Y_t}{Y_t}$$
 (actual relative change)

Y is the observation and F is the forecast

Rather than trying to compare R-square from regression models, this technique offers a viable approach to check the performance of USAF predictions and this study's predictions during the past ten years. This test will be for each TNMCS predictions in this study where the null hypothesis is rejected and value is added.

For each MDS, a Theil's *U*-statistic will be used to assess the USAF-predicted TNMCS rates and hours against the predicted rates from this study. The following explanation is provided on the results of the Theil's *U*-statistic (Makridakis et al., 1998:48):

U=1: the naïve method is as good as the forecasting technique being evaluated.

U < 1: the forecasting technique being used is better than the naïve method. The smaller the U-statistic, the better the forecasting technique is relative to the naïve method.

U>1: there is no point in using a formal forecasting method, since using a naïve method will produce better results.

A naïve forecast is defined as one where forecasts are obtained with minimal amounts of effort and data manipulation and based solely on the most recent information available, i.e., use the most recent observation as a means of predicting or forecasting.

Summary. This section covered the statistical methods employed in this study. First, regression was established as the statistical tool of choice for this study. Next, regression analysis was defined and its uses were articulated. Regression is a powerful tool that can help managers describe, control and predict performance. The steps for constructing a useful regression model were then covered, as were the model assumptions. Finally, problems that can occur when using regression were discussed. Five problems were identified, and then a strategy for dealing with each problem was developed.

After models are developed using regression, there needs to be a way of evaluating the USAF-predictions versus those produced by the models in this research. In order to accomplish this, Theil's *U*-statistic, a statistic employed in forecasting models, will be used to assess the predictions against each other and the naïve forecast.

Chapter Summary

This chapter outlined the methodology for this study. To begin with, data for the study was discussed. Data needs were ascertained and a selection process of independent variables took place that rendered four source variables. Next, data acquisition was covered. Data will come from two main sources, MERLIN and the D041. Data preparation followed and was conducted in order to prepare the data for analysis. It was decided that ACC data would supplement data that MERLIN did not have. Also, it was determined that the A-10/OA-10 will be analyzed as one airframe. To facilitate this, one dependent variable (TNMCS rates) was analyzed for both aircraft in order to determine if any significant differences existed; there was not (see Appendix C). The data section

ended with a discussion on the assumptions and limitations associated with the data. MDS data inputs for the models are in Appendix D.

Following the data section, statistical methodology was discussed. First, the uses of regression were laid out, as were the steps and assumptions used in regression modeling. Next, the problems associated with regression were identified and their remedies articulated. Finally, the Theil's *U*-statistic was covered. This statistic will be used as means to compare predictions of the USAF models versus those in this study.

Overview of Next Chapter

Chapter IV provides the analysis and results based on the methodology developed in this chapter. Hypotheses are discussed first and regression models are then constructed for each MDS. Afterwards, results of this analysis are presented.

IV. Analysis and Results

Introduction

This chapter reports the analysis and the results for this study. First, the approach of the analysis is outlined and hypotheses are developed. Next, the results for each hypothesis are presented. Theil's *U*-statistics are then provided as a comparison between USAF predictions and the predictions from those hypotheses that are rejected. Particulars of the tests for each MDS are then discussed. As a result of this initial testing, additional analysis is performed to further substantiate the findings.

Analysis Approach

Due to some of the problems with multiple regression as outlined in Chapter III, in particular micronumerosity and multicollinearity, simple linear regression was performed to maintain the integrity of the analysis. Using this approach, a series of tests were accomplished on each MDS vice one model with five independent variables.

The following independent variables were regressed against the TNMCS rates and hours:

- a) Serviceable Inventory
- b) Serviceable Inventory/Total Active Inventory (total aircraft per year)
- c) Serviceable Inventory/Order and Ship Time
- d) Serviceable Inventory/Base Repair Cycle
- e) Serviceable Inventory/Depot Repair Cycle

Hypotheses

Hypotheses and rationale for these hypotheses are discussed below. Results are likely to vary between MDS; however, general logical explanations are given as a basis for the tests. The following statistical hypothesis is used for each variable.

First Order Model

$$H_{a}: \beta_{1} = 0$$
$$H_{a}: \beta_{1} \neq 0$$

Serviceable Inventory. Based upon the literature review, it is obvious that quite substantial inventory reductions have occurred in each MDS during the time frame in question. Additionally, past research indicates that lower inventories might lead to reduced service levels and/or readiness if not offset by decreased repair and transportation times. As the literature review indicated, transportation times have been aided by WWX; however, the repair time improvements are less clear. Although ratios in the following hypotheses are used to account for transportation and repair actions, the effects of aggregation and averages used in the D041 are unknown. As such, the following hypothesis is stated:

Hypothesis 1

 H_o : From 1990 through 1999, serviceable inventory levels were not related or were positively related to TNMCS rates/hours.

 H_a : From 1990 through 1999, lower serviceable inventory levels were negatively related to TNMCS rates/hours.

Serviceable Inventory/Total Active Inventory. As mentioned in Chapter III, this variable was developed in order to control for the effects that a change in aircraft fleet may have on serviceable inventories. The intent is to have a ratio that reports a *serviceable inventory per aircraft*. Although serviceable inventory itself may be a good predictor variable, this one has been added in order to determine if a relationship exists between serviceable inventory per aircraft and TNMCS rates/hours. Logically, it could be assumed (excluding transportation and repair times) that a lower serviceable inventory per aircraft would be highly related to increased TNMCS rates/hours. Therefore, hypothesis two is as follows:

Hypothesis 2

 H_o : From 1990 through 1999, serviceable inventory levels-to-total active inventory ratios were not related or were positively related to TNMCS rates/hours.

 H_a : From 1990 through 1999, serviceable inventory levels-to-total active inventory ratios were negatively related to TNMCS rates/hours.

Serviceable Inventory/Order and Ship Time, Serviceable Inventory/Base Repair Cycle, and Serviceable Inventory/Depot Repair Cycle. As discussed in Chapter III, these ratios were created in order to determine the relationship between serviceable inventory and other logistics variables (transportation and repair). As these ratios increase in value, TNMCS rates should decrease (the higher the ratio, presumably the lower TNMCS rates are). As such, hypotheses three, four, and five are as follows:

Hypothesis 3

 H_o : From 1990 through 1999, serviceable inventory levels-to-order and ship time ratios were not related or were positively related to TNMCS rates/hours.

 H_a : From 1990 through 1999, serviceable inventory levels-to-order and ship time ratios were negatively related to TNMCS rates/hours.

Hypothesis 4

 H_o : From 1990 through 1999, serviceable inventory levels-to-base repair cycle time ratios were not related or were positively related to TNMCS rates/hours. H_a : From 1990 through 1999, serviceable inventory levels-to-base repair cycle time ratios were negatively related to TNMCS rates/hours.

Hypothesis 5

 H_o : From 1990 through 1999, serviceable inventory levels-to-depot repair cycle time ratios were not related or were positively related to TNMCS rates/hours. H_a : From 1990 through 1999, serviceable inventory levels-to-depot repair cycle time ratios were negatively related to TNMCS rates/hours.

Testing of hypotheses are reported in Tables 4 through 8, and specifics are discussed in each MDS section. The null hypotheses will not be rejected unless p-values for the F-statistic for the model are at significance level where $\alpha \leq .05$.

Results

Introduction. Results from the regression analysis are provided in Tables 4 through 8 by hypothesis. Theil's *U* comparisons are presented in Table 9. The independent variables performing the best were (in order) serviceable inventory,

serviceable inventory/total active inventory, and serviceable inventory/base repair cycle. Hypothesis 3, using serviceable inventory/order and ship time as an independent variable, was not rejected in any instance. Hypothesis 5, using serviceable inventory/depot repair cycle as an independent variable, had the null hypothesis rejected twice. Following the results, specifics for each MDS are discussed. Appendix E contains the results of the statistical analysis performed for each MDS. Appendix F contains verification of regression assumptions for all 34 regressions that had a Theil's *U*-statistic computed. With the exception of one case (A/OA-10 TNMCS hours regressed against serviceable inventory/total active inventory), all assumptions were met.

Hypothesis 1 (Table 4). In this test, 14 of the 20 null hypotheses were rejected,

MDS/Dep. Var.	Adj. R-square	F-statistic	p-value	Reject Null?	
A/OA-10/Rate	.93	106.63	<.0001	Yes	
A/OA-10/Hours	.79	27.31	.0020	Yes	
F-15A/Rate	.56	12.61	.0075	Yes	
F-15A/Hours	.22	3.21	.1162	No	
F-15B/Rate	.61	15.19	.0046	Yes	
F-15B/Hours	.27	3.92	.0881	No	
F-15C/Rate	.60	14.35	.0053	Yes	
F-15C/Hours	.58	12.11	.0103	Yes	
F-15D/Rate	.34	5.57	.0459	Yes	
F-15D/Hours	.53	10.05	.0157	Yes	
F-15E/Rate	.53	10.08	.0156	Yes	
F-15E/Hours	.57	11.40	.0118	Yes	
F-16A/Rate	.01	1.05	.3356	No	
F-16A/Hours	.60	12.77	.0091	No*	
F-16B/Rate	.00	.02	.8975	No	
F-16B/Hours	.50	8.91	.0204	No*	
F-16C/Rate	.74	23.80	.0018	Yes	
F-16C/Hours	.63	12.98	.0113	Yes	
F-16D/Rate	.70	20.00	.0029	Yes	
F-16D/Hours	.65	14.11	.0010	Yes	

Table 4. Results of Simple Linear Regression on TNMCS Rates and TNMCS Hours, Using Serviceable Inventory as an Independent Variable

*Opposite from hypothesized.

indicating that a decrease in serviceable inventory leads to higher TNMCS rates.

Serviceable inventory was the variable most strongly related to TNMCS of the five

tested. As indicated there is strong evidence, across the MDS's that lower inventory

levels are associated with higher TNMCS rates/hours.

Hypothesis 2 (Table 5). Serviceable inventory/total active inventory was the

second best performing variable. For this variable, 12 of the 20 regressions performed

were rejected, suggesting that as serviceable inventory to TAI decreases, TNMCS rates

MDS/Dep. Var.	Adj. R-square	F-statistic	p-value	Reject Null?
A/OA-10/Rate	.08	1.65	.2398	No
A/OA-10/Hours ^R	.74	. 21.00	.0038	Yes
F-15A/Rate	.31	5.07	.0545	No
F-15A/Hours	.48	8.47	.0227	Yes
F-15B/Rate	.09	1.87	.2085	No
F-15B/Hours	.00	.07	.8028	No
F-15C/Rate	.56	12.33	.0080	Yes
F-15C/Hours	.55	10.62	.0140	Yes
F-15D/Rate	.32	5.27	.0507	Yes
F-15D/Hours	.36	5.52	.0511	Yes
F-15E/Rate	.53	10.16	.0153	Yes
F-15E/Hours	.81	35.64	.0006	Yes
F-16A/Rate	.41	7.35	.0261	No*
F-16A/Hours	.12	2.09	.1913	No
F-16B/Rate	.03	1.24	.2980	No
F-16B/Hours	.00	.41	.5421	No
F-16C/Rate	.91	81.51	<.0001	Yes
F-16C/Hours	.81	30.02	.0015	Yes
F-16D/Rate	.77	28.08	.0011	Yes
F-16D/Hours	.75	21.69	.0035	Yes

Table 5. Results of Simple Linear Regression on TNMCS Rates and TNMCS Hours, Using Serviceable Inventory/Total Active Inventory as an Independent Variable

^R Regression assumption of independence violated (see Appendix F).

* Opposite from hypothesized.

tend to increase. The trend for this variable was that the older aircraft (A/OA-10, F-15A, F-15B, F-16A, and F-16B) were not affected as much as the newer aircraft were, although on the average the ratio increased for the older aircraft throughout the 1990's. It was believed that (in the case of the older aircraft) as this ratio increased, TNMCS rates/hours would decrease. They did not. In the case of the newer aircraft the total active inventory remained static or increased throughout the decade, while their serviceable inventory levels decreased. This, in turn, lowered their ratios substantially, which supported the alternate hypothesis.

Hypothesis 3 (Table 6). The relationship between serviceable inventory/order and ship time and TNMCS was the weakest of all the variables. In fact, in no cases could

MDS/Dep. Var.	Adj. R-square	F-statistic	p-value	Reject Null?
A/OA-10/Rate	.53	7.94	.0259	No*
A/OA-10/Hours	.32	4.35	.0822	No
F-15A/Rate	.13	2.31	.1672	No
F-15A/Hours	.01	1.11	.3280	No
F-15B/Rate	.02	1.18	.3083	No
F-15B/Hours	.00	.08	.7895	No
F-15C/Rate	.18	3.02	.1203	No
F-15C/Hours	.06	1.56	.2524	No
F-15D/Rate	.00	.00	.9741	No
F-15D/Hours	.00	.00	.9857	No
F-15E/Rate	.05	1.38	.2707	No
F-15E/Hours	.00	.39	.5500	No
F-16A/Rate	.39	6.86	.0307	No*
F-16A/Hours	.11	1.95	.2054	No
F-16B/Rate	.56	13.25	.0066	No*
F-16B/Hours	.00	1.00	.3514	No
F-16C/Rate	.12	2.08	.1957	No
F-16C/Hours	.00	.97	.3630	No
F-16D/Rate	.18	2.73	.1427	No
F-16D/Hours	.00	.89	.3820	No

Table 6. Results of Simple Linear Regression on TNMCS Rates and TNMCS Hours, Using Serviceable Inventory/Order and Ship Time as an Independent Variable

*Opposite from hypothesized

the null hypothesis be rejected. Are these results surprising? Considering the RCDL example from Chapter II, it appears that as order and ship time is reduced, *ceteris paribus*, service levels will increase. In this instance, it is surprising that this ratio has increased for the most part for all MDS's throughout the 1990's yet TNMCS rates/hours have also increased. The increase in this ratio indicates that transportation time has kept pace or stayed ahead of inventory reductions. However, this is one piece of the logistics puzzle. As reported by WWX (1999), it is evident that transportation times have decreased, but from this analysis it appears that transportation is not a constraint to TNMCS rates/hours, or it has not decreased enough to make up for inventory reductions.

Hypothesis 4 (Table 7). Of the five variables examined, serviceable

MDS/Dep. Var.	Adj. R-square	F-statistic	p-value	Reject Null?
A/OA-10/Rate	.63	14.84	.0063	Yes
A/OA-10/Hours	.50	8.09	.0294	Yes
F-15A/Rate	.17	2.91	.1266	No
F-15A/Hours	.14	2.30	.1728	No
F-15B/Rate	.42	7.46	.0258	Yes
F-15B/Hours	.13	2.25	.1776	No
F-15C/Rate	.24	3.88	.0845	No
F-15C/Hours	.32	4.77	.0652	No
F-15D/Rate	.27	4.25	.0731	No
F-15D/Hours	.43	7.13	.0320	Yes
F-15E/Rate	.20	2.98	.1282	No
F-15E/Hours	.19	2.88	.1336	No
F-16A/Rate	.00	.30	.5965	No
F-16A/Hours	.57	11.45	.0117	No*
F-16B/Rate	.00	.09	.7773	No
F-16B/Hours	.48	8.35	.0233	No*
F-16C/Rate	.32	4.74	.0658	No
F-16C/Hours	.51	8.16	.0289	Yes
F-16D/Rate	.35	5.36	.0537	Yes
F-16D/Hours	.52	8.62	.0261	Yes

Table 7. Results of Simple Linear Regression on TNMCS Rates and TNMCS Hours, Using Serviceable Inventory/Base Repair Cycle as an Independent Variable

*Opposite from hypothesized.

inventory/base repair cycle performed third best with the null hypothesis rejected in 7 out of 20 cases. No clear trends emerged from the analysis. This contrasts with Hypothesis 2, where there was a distinction between older and newer aircraft. Curiously, all of the null hypotheses rejected here were also rejected for Hypothesis 2. As more parts migrate from repair at the base level to the depot level as a result of 2LM, this variable should be monitored closely or perhaps changed. This is because in the aggregate level of measurement used (total average of BRC per year), the BRC average will fall as the average BRC days for each NIIN are zeroed out when they are repaired at the depot. As a result, the BRC aggregate average will decrease, but not necessarily as a result of better repair practices. To increase the validity of this measurement in the future, those NIINs converted to depot repair should be removed from the calculations for this variable.

Hypothesis 5 (Table 8). The null hypothesis was rejected in only two instances for the serviceable inventory/depot repair cycle variable. Since only two rejections were witnessed, no clear trend emerged. Additionally, the two rejections were also rejected in Hypothesis 1 for the same MDS/dependent variable combination. This trend, as also seen with the serviceable inventory/base repair cycle variable, may indicate that serviceable inventory levels rather repair times are actually driving this ratio. This ratio should also be tested further in order to check its validity for future studies. A variable that may be more representative of repair time is a total depot repair time per year variable as opposed to an average. However, gathering this information by NIIN would be very time intensive.

MDS/Dep. Var.	Adj. R-square	F-statistic	p-value	Reject Null?
A/OA-10/Rate	.55	10.74	.0135	Yes
A/OA-10/Hours	.32	4.35	.0822	No
F-15A/Rate	.33	5.33	.0497	Yes
F-15A/Hours	.11	1.99	.2016	No
F-15B/Rate	.20	3.18	.1123	No
F-15B/Hours	.03	1.21	.3086	No
F-15C/Rate	.15	2.53	.1504	No
F-15C/Hours	.15	2.46	.1610	No
F-15D/Rate	.09	1.92	.2034	No
F-15D/Hours	.23	3.42	.1069	No
F-15E/Rate	.00	.67	.4413	No
F-15E/Hours	.11	2.03	.1971	No
F-16A/Rate	.00	.19	.6717	No
F-16A/Hours	.62	13.85	.0074	No*
F-16B/Rate	.00	.14	.7206	No
F-16B/Hours	.48	8.31	.0236	No*
F-16C/Rate	.26	3.77	.0932	No
F-16C/Hours	.37	5.15	.0637	No
F-16D/Rate	.26	3.88	.0896	No
F-16D/Hours	.39	5.39	.0594	No

Table 8. Results of Simple Linear Regression on TNMCS Rates and TNMCS Hours, Using Serviceable Inventory/Depot Repair Cycle as an Independent Variable

*Opposite from hypothesized.

Theil's U-Statistic. To provide a relative measure of the predictions produced by serviceable inventory, serviceable inventory/total active inventory, serviceable inventory/base repair cycle, and serviceable inventory/depot repair cycle, Theil's U-Statistic was employed to compare these predictions to the USAF predictions. As seen in Table 9, variables analyzed in this study produced either better predictions for both TNMCS rates and hours or one or the other for every MDS except F-16A and the F-16B. Again, this is indicative of a strong relationship between serviceable inventory levels and TNMCS rates/hours.

MDS	USAF- Pred Rates	USAF- Pred Hours	Serv Inv Rates	Serv Inv Hours	Serv Inv/ TAI Rates	Serv Inv/ TAI Hours	Serv Inv/ BRC Rates	Serv Inv/ BRC Hours	Serv Inv/ DRC Rate**
A-10 ^A	1.62	.68	.62	.33	*	.30 ^K	1.03	.47	1.47
F-15A ^A	1.40	.68	.44	*	*	.97	*	*	.48
F-15B ^B	1.04	.53	.85	*	*	*	1.00	*	*
F-15C ^A	1.44	1.33	1.07	1.12	1.10	1.16	*	*	*
F-15D ^A	1.87	2.08	.78	.75	.79	.78	*	.81	*
F-15E ^B	.76	.22	.72	.50	.68	.38	*	*	*
F-16A	.86	.15	*	*	*	*	*	*	*
F-16B	.84	.85	*	*	*	*	*	*	*
F-16C ^A	1.96	.71	.88	.38	.57	.30	*	.50	*
F-16D ^A	1.19	1.32	.50	.26	.53	.29	.63	.38	*

Table 9. Comparison of USAF Predictions and Predictions of Variables Analyzed Using Theil's U-Statistic

^A TNMCS Rates and Hours Predictions from Serv Inv, Serv Inv/TAI, or Serv Inv/BRC as good or better than USAF predictions.

^B Either TNMCS Rates or Hours Predictions from Serv Inv, Serv Inv/TAI, or Serv Inv/BRC as good or better than USAF predictions.

^R Regression assumption of independence violated (see Appendix F).

* Null hypothesis was not rejected.

** Null hypotheses for Serv Inv/DRC Hours were not rejected.

A/OA-10. As shown in Appendix A, the A-10 is characterized by increasing TNMCS rates. The USAF-predicted rates in MERLIN have not been able to account for this rise, especially during the past three years. A sharp decline in serviceable inventory has been prevalent over the past ten years; however, as seen in the A-10 variables (Appendix D), 1991 data appears to be an outlier or in error. In fact, it is the largest increase in inventory in one year and its following year (1992) is the biggest decrease in inventory among all MDS's; therefore, it has been removed from the analysis. As such, TNMCS hours are evaluated from 1992 to 1999 since TNMCS hours were available beginning in 1991. For TNMCS rates, 1990 is still included when computing Theil's *U*statistic. The analysis for the A/OA-10 revealed that serviceable inventory alone is closely related to TNMCS rates over the past 10 years and is significant as a predictor variable. Serviceable inventory was also a strong predictor variable for TNMCS hours; however, it was not as powerful as it was for TNMCS rates. As expected, there was also a downward trend when serviceable inventory/total active inventory was regressed against TNMCS rates; however, this was not significant. For TNMCS hours, serviceable inventory/total active inventory was regressed against TNMCS rates; however, this was not significant. For TNMCS hours, serviceable inventory/total active inventory was a significant variable. Serviceable inventory/order and ship time proved to be insignificant for both TNMCS rates and hours; in both instances it displayed an upward trend. That is, as the ratio got larger, TNMCS rates were rising. This indicates that average order and ship times are decreasing at a faster rate than inventory; however, there appears to be little or no impact on TNMCS rates.

Serviceable inventory/base repair cycle followed the expected trend; as ratios increased, TNMCS decreased. Regressed against both dependent variables, this variable was significant in both instances. The serviceable inventory/depot repair cycle variable showed the same trend; however, while it was significant for TNMCS rates it was not significant for TNMCS hours. These downward trends indicate that average depot and base repair times are not decreasing as fast as inventory levels, substantiating Larvick's (1998) findings.

F-15A. The F-15A TNMCS rates indicate a steady climb from 1990 through the first half of 1999 (Appendix D). During this same time period, reductions have cut serviceable inventory levels to less than half of what they were at the beginning of the decade. Not surprisingly, the relationship between declining inventory levels and rising

TNMCS rates was found to be significant. However, TNMCS hours and serviceable inventory did not display this same relationship; there was an upward trend.

The total active inventory of F-15A's during this time has declined to almost a third of what it was in 1990. Since total active inventory levels fell faster than serviceable inventory levels, the ratio of serviceable inventory-to-total active inventory increased throughout the decade. Regressed against TNMCS rates, this created an effect opposite from that hypothesized. That is, as the ratio increased, so too did TNMCS rates. This is interesting because when the variable was regressed against TNMCS hours a significant relationship was found.

No significant relationships were found with the serviceable inventory/order and ship time ratio. Serviceable inventory-to-base repair time ratio showed an increase throughout the time frame, but was not significant. However, lower serviceable inventory-to-depot repair time ratios were significant to higher TNMCS rates.

F-15B. The F-15B TNMCS rates appear fairly stationary from 1990 to 1996; however, they rose dramatically in 1997 through the first half of 1999 (Appendix D). The USAF prediction model did not account for this increase. In fact, USAF-predicted TNMCS rates decreased during this same time period. Like its single-seat counterpart, the F-15A, the F-15B TNMCS rates were significantly related to serviceable inventory levels. This is not too surprising given that they share many of the same reparable parts. Interestingly, for TNMCS hours, trends were opposite when it came to differences between the F-15A and F-15B for serviceable inventory. Although neither was significant, an upward trend of TNMCS hours occurred as serviceable inventory rose for

the F-15A, while the F-15B's TNMCS hours indicated a decrease as serviceable inventory levels fell.

The serviceable inventory/total active inventory ratio experienced the same problem as the F-15A for TNMCS—total active inventory levels fell faster than serviceable inventory. As stated in Chapter III, it was believed that decreasing aircraft fleets would be the benefactors of a parts "surplus;" however, this does not appear to be the case for the F-15A or F-15B. Unlike the F-15A, however, there was no identifiable relationship between serviceable inventory/total active inventory and TNMCS hours. Also like the F-15A, the serviceable inventory-to-order and ship time ratio proved the least significant of the tests performed for both TNMCS rates and hours. For the inventory-to-repair ratios, outcomes were the opposite of the F-15A for TNMCS rates. The serviceable inventory-to-base repair was to be significant, whereas serviceable inventory-to-depot repair ratio was not. Neither of the repair ratios were significant when regressed against TNMCS hours. These results also correspond to the F-15A.

F-15C. The F-15C has not witnessed dramatic increases in TNMCS rates over the past ten years as the three previous aircraft have; however, there has been an increase. During the decade, serviceable inventory levels decreased markedly (52%), but the TAI decreased by only 10% (Appendix D). As a result of this, serviceable inventory and serviceable inventory-to-total active inventory variables were significantly related to TNMCS rates and TNMCS hours.

Serviceable inventory-to-order and ship time had the same trend as some of the previous analysis; it was increasing as TNMCS rates increased. Also, while there

appears to be decreasing trends with both the inventory-to-repair ratios, neither one was significant.

F-15D. For nine of the ten years, the F-15D did not experience double digit TNMCS rates. Like the F-15C, the F-15D has witnessed quite significant reductions in inventory, but a rather small decline in its TAI. With rather steady TNMCS rates, the model fit was not as strong as the F-15C (see R-square adj. in Tables 3 and 4), but nonetheless serviceable inventory and serviceable inventory/total active inventory variables were found to be significant variables in explaining TNMCS rates and hours. These results parallel the F-15C. Again, not surprising, because like the F-15A and B models, the C and D models share a great deal of inventory.

The other three variables were all insignificant at $\alpha \leq .05$, for TNMCS rates. However, the serviceable inventory/base repair variable was significant when regressed against TNMCS hours, while the other two variables (serviceable inventory/order and ship time and serviceable inventory/depot repair cycle) were not. Most of these results compared to that of the F-15C.

F-15E. The F-15E is an interesting aircraft to analyze for two reasons. First, it is the newest of the fighter aircraft in this study, coming into the Air Force's inventory in 1988. Second, similar to the A-10 and unlike the F-15A-D and F-16A-D, the USAF prediction model is built particularly for the F-15E. That is, there is no aggregation of models when predicting TNMCS rates so there should be a more accurate prediction.

Being relatively new when this study started analysis (1990), the F-15E also presented some problems. For example, the actual TNMCS rates were extraordinarily high in 1989 and 1990 due to parts not yet being available in the field (ACC, 1999).

From 1991 to the present, the F-15E started exhibiting more realistic trends. For this reason, it was decided to exclude 1990 data from analysis in order to give a clearer picture of what was occurring. In 1991, possessed hours (and therefore TNMCS hours) were approximately half of what they were in 1992. As discussed in Chapter III, this is one of the problems associated with using TNMCS hours versus TNMCS rates. However, it was decided to leave in 1991 data to determine if the prediction models built from serviceable inventory and serviceable inventory/total active inventory regressions could register close to that of the USAF's. As seen in Table 8, these models performed exceedingly well.

Unlike the other F-15 models, the F-15E's TAI has increased during the 1990's, which makes sense, given it is a new aircraft. However, it also has witnessed a decline in serviceable inventory over the past decade. Additionally, TNMCS rates have slowly increased since 1991. As a result, the serviceable inventory and serviceable inventory/total active inventory null hypotheses were rejected for TNMCS rates and hours. Although average aggregate order and ship times, base repair cycle times, and depot repair times decreased significantly over the decade, no clear trends evolved when they were placed into a ratio with serviceable inventory. As a result, all were insignificant.

F-16A and F-16B. The F-16A and B are combined because prediction models were not developed for either one since all null hypotheses were unable to be rejected. Both the F-16A and B are characterized by significantly increased TNMCS rates during 1997 and 1998, but initial results from 1999 indicates this trend may be changing as both have experience a decreased in TNMCS rates. Although inventory rates have decreased

over time, TNMCS rates have fluctuated during the decade. Additionally, TAI was cut substantially from 1994 to 1995, and therefore, dramatically raised the inventory-to-aircraft ratio. These factors led to all variables being insignificant. The variables that registered as significant with p-values <.05, were opposite from those hypothesized, and thus were not rejected.

F-16C. Although the specific cause is unknown, possibly a modification or welldeserved downtime following the DESERT STORM, 1993 possessed hours, and therefore TNMCS hours, were extremely low in 1993. In fact, they increased more than sevenfold in 1994 from those in 1993. Therefore, 1993 was viewed as an outlier and removed from the statistical analysis.

For the F-16C there is a noticeable increase in TNMCS rates in 1994 and 1997 (Appendix D). Additionally, the TAI increased during the 1990's, while the serviceable inventory decreased. As was the case with the F-15C, D, and E models, this combination of factors led to the rejection of the null hypotheses for serviceable inventory and serviceable inventory-to-total active inventory for both TNMCS rates and hours. With the exception of serviceable inventory/base repair cycle regressed against TNMCS hours, the other variables analyzed were insignificant.

F-16D. As was the case with the F-16C, 1993 data were removed from the analysis of the F-16D for the same reasons. The F-16D, like the F-16C, has witnessed marked increases in TNMCS rates in 1994 and 1997. Additionally, serviceable inventory has decreased by about 50% and TAI has increased 18% since the beginning of the decade. This led to a fairly strong correlation between TNMCS rates and serviceable inventory/total active inventory variables. The same trend with

serviceable inventory/order and ship time appearing in previous analysis also occurred in this instance. That is, the relationship between this variable and the dependent variable was not strong. Of the inventory-to-repair ratios, serviceable inventory/base repair cycle was found to be significant with both TNMCS rates and hours. More than anything, this relationship seems driven by the strong correlation between TNMCS rates and hours and serviceable inventory. Generally, the results were close to those seen with the F-16C. The association between A and B models as well as C and D models has been a recurrent theme throughout the analysis and will be discussed in Chapter V.

Supplemental Analysis (Table 10). The rejection rate of Hypothesis 1 and the results of the Theil's *U* tests indicate the variable of serviceable inventory is a promising one as a possible predictor of TNMCS hours. As such, it was decided to conduct further analysis in order to substantiate serviceable inventory's use as a predictor variable for TNMCS. This supplemental analysis is conducted to further substantiate this variable's validity and is based only on TNMCS hours. The analysis is based on January 1991 through January 1999. As was the case with the initial analysis, the A/OA-10 has 1991 data deleted from its analysis, while the F-16C and F-16D have 1993 data deleted from their analyses.

In addition to the assumptions outlined in Chapter III, two more assumptions are necessary to conduct this analysis. The first assumption is that serviceable inventory levels increase or decrease linearly from one year to another. For example, the serviceable inventory level for the F-16C is 372,191 in 1990 and in 1991 it is 420,336. Therefore, January 1990 begins with a serviceable inventory level of 372,191 and January 1991 begins with a serviceable level of 420,336. In order to derive the monthly

value 372,191 is subtracted from 420,336 and divided by 12. This number is then added (or subtracted) to (from) the preceding month, depending on whether the serviceable inventory increases or decreases from one year to the next. In this instance, the serviceable inventory level for February 1990 is 376,203.

The second assumption is based on the fact that MERLIN does not contain information for January 1991; its data begins with February 1991. Accordingly, February 1991 data is used for January 1991 in the case of flying hours, possessed hours, sorties, and TNMCS hours.

MDS	Current USAF Prediction (computed by MD)	USAF Prediction Variables w/out Serv Inv (computed by MDS)	Predictions using Serv Inv with other Variables (computed by MDS)
A/OA-10	1.79	1.77	.67
F-15A	1.85	.87	.82
F-15B	1.29	1.10	.89
F-15C	1.30	1.04	.75
F-15D	1.60	.79	.75
F-15E	.98	.98	.89
F-16A	.49	.35	.30
F-16B	1.11	1.05	.91
F-16C	2.58	1.52	1.08
F-16D	1.87	1.64	1.02

 Table 10. Comparison of USAF Predictions and Multiple Regression Predictions

 (with and without Serviceable Inventory) Using Theil's U-Statistic

In order to check the validity of serviceable inventory, three measurements are made. First, Theil's *U*-statistic is computed for current USAF predictions in MERLIN. This Theil's *U*-statistic is based on monthly calculation vice an annual calculation, as it was in the original analysis. Next, a multiple regression is performed for each MDS using all the variables the Air Force uses to compute its TNMCS hours (flying hours, possessed hours, and sorties). The objective of this regression is to disaggreagate the

MDS's and provide an additional measurement. Theil's *U*-statistic is then computed for these results. Finally, a multiple regression is conducted for each MDS using the aforementioned variables and adding in serviceable inventory. Supporting analysis is contained in Appendix G.

These results indicate two key findings. First, disaggregating by MDS is generally better than using an MD prediction for any particular MDS. Second, there is very little difference between A/OA-10 and the F-15E MD and MDS Theil's *U*-statistic. This is because their predictions are already disaggregated. The subtle changes in their Theil's *U*-statistic are a result of feeding new information into the regression equation.

Only in one instance (F-16A) was the current USAF prediction better than the MDS breakout. In *all* instances, using serviceable inventory in the multiple regression equation provided the best Theil's *U*-statistic, despite only slightly improved r-square statistics in some instances. This result substantiates and verifies initial results. Additionally, only two (F-16C and F-16D) are not as good as a naïve forecast; however, with 1991 removed the F-16D does go below the naïve forecast (.96).

Results Summary. This section covered the statistical tests and analyses for each MDS. Regression analysis was performed on both TNMCS rates and hours for each of the five independent variables examined in this study. The results of the regression showed that serviceable inventory and serviceable inventory/total active inventory were highly related with TNMCS rates and hours for most of the MDS's. Next, Theil's *U*-statistic was then employed to ascertain the effectiveness of the variables analyzed in this study against USAF TNMCS predictions. The particulars of each MDS test were then discussed. In a few instances (A-10, F-15E, F-16C, F-16D), one of the years included in

the study was determined an outlier for one of a couple reasons and removed. Finally, supplemental analysis was provided was conducted. The results of these tests further substantiated serviceable inventory as a viable predictor of TNMCS rates.

Chapter Summary

This chapter described the analysis and results of this study. First, the general approach to the analysis was discussed. Due to problems outlined in Chapter III, i.e., micronumerosity and multicollinearity, an approach was developed that would deal with these obstacles in a direct manner. Next, hypotheses were developed for each of the five variables. These hypotheses were then tested for each MDS using regression analysis. Serviceable inventory and serviceable inventory/total active inventory variables proved to be the best predictor variables of actual TNMCS rates and hours. After hypotheses were rejected, models were then created using the appropriate regression equation. These results were then used to derive predicted TNMCS rates and hours for each year. These predictions were then compared to USAF-predicted TNMCS rates and hours using Theil's U-statistic to determine their effectiveness in forecasting TNMCS rates/hours. Except in two instances, where the null hypotheses could not be rejected (the F-16A and B), the models developed in this study either had similar performance or outperformed the current USAF predictions from 1990 to the first half of 1999. Finally, supplemental analysis was performed in order to confirm these results. The analysis illustrated that when serviceable inventory is added to the three variables the USAF uses in its regression equation, Theil's U-statistics are better for each MDS.

Overview of Next Chapter

Chapter V concludes this research effort. First, the research questions presented in Chapter I are answered. Next, managerial recommendations are made. Finally, research limitations are examined and future recommendations are suggested.

V. Conclusions and Recommendations

Introduction

This chapter discusses the conclusions drawn from the research. Each of the research questions is addressed and managerial implications are discussed. Limitations of the study are then presented. Finally, future research areas are suggested.

Summary of Findings

This section answers the research questions presented in Chapter I. As indicated in Chapter I, answers to Research Questions 1 and 2 are obtained from the literature review, while Research Question 3 is addressed in the analysis completed in Chapter IV.

Research Question #1: How have the variables (inventory, transportation and repair) been affected in the past ten years? As the literature review indicated, although the pipeline has seen new business practices (primarily as a result of Agile Logistics) the basic USAF reparable pipeline has remained essentially unchanged since its inception. Therefore the general flow of assets, save the ones going from 3LM to 2LM, is basically the same as it was ten years ago. However, WWX has greatly increased the rapidity with which parts are delivered from the depots to the bases. Also, the bases have less flexibility in their repair in that they can do only minor maintenance when they may have the resources to accomplish more. At the depot level, the environment has gone from a continuous flow production to more of a job shop process.

It is obvious from the literature review as well as the data collected that serviceable inventory levels have plummeted during the 1990's. This drop may be okay

for an aircraft whose total active inventory is declining, but it appears unlikely from this research that this approach works well for aircraft whose total active inventory have remained constant or is increasing (e.g., for the F-15E, F-16C, and F16D). Unfortunately, the USAF--in its zeal to reduce inventory levels—has not appeared to leave *any* of the fighter aircraft untouched during this period.

If there is any success story during this time, it is probably the implementation of rapid transportation. As indicated in the literature review, WWX has already contributed to cost savings. However, this research shows that increasing the ratios of serviceable inventory-to-order and ship time appears to have little or no impact on TNMCS rates. Also, as seen in the literature review, the question has been raised about whether cost could be avoided by not using premium transportation for non-mission critical items. Although premium transportation in theory should help to deliver parts faster and reduce inventory levels (RCDL example), the effects are still unclear.

Finally, repair appears to be a major constraint. From the literature review, a couple of interesting points were revealed regarding depot repair. First, there is a question of whether the change to Agile Logistics is being embraced by the work force. Second, although people may want to make the change, it appears as though adequate resources, i.e., buffer inventory, are not being provided to support this new environment. A positive note here is that it appears as though information systems such as EXPRESS and RBL are doing a good job in helping identify the parts that need to be repaired and getting them where they need to be.

At the base level (other than the example provided by Vanderman (1998)), it is unclear as to what effect Agile Logistics is creating other than reducing the amount of

repair at a particular base. It would seem that since 2LM-driven base repairs are less extensive now than they were at the beginning of the decade, average base repair times would decrease. However, during the literature review it was noted that although average base repair was 4 days in 1990, it increased to 5.6 days from 1998 to 1999.

In summary, the transition to Agile Logistics has not yet yielded the results it has promised. It must be understood that positive results from a change of this magnitude will not occur quickly. However, the USAF, as reported by the GAO (1999b), has been overly optimistic in its results, which may have led to poor decisions regarding other factors of the logistics chain, e.g., inventory levels.

Research Question #2: What other independent variables exist that could contribute to TNMCS? As illustrated in Figure 3 (in Chapter II), there are many other variables that can contribute to higher TNMCS rates besides the variables analyzed in this study. It is important to note these for two reasons. First, over time they can become significant drivers, e.g., aging aircraft and non-availability of skilled workers. Second, if prediction equations developed from one set of variables cannot account for the variability in TNMCS rates, then other variables need to be considered.

For this research, it was important to be able to identify possible confounds to the study if the desired results were not achieved, in order to explain why the hypotheses were not rejected. In the case of the F-16 A and F-16B, it appears that the variables the Air Force are currently using work well as indicated by their Theil's *U*-statistic registering less than 1 for both aircraft. However, there still may be other variables that have contributed to the F-16A's and F-16B's shaky TNMCS performance over the last couple of years. For example, both these models currently reside with Air National

Guard units. It could be the intention of management that parts do not get fixed as fast for an ANG unit as they do for an active duty unit, or that DMSMS is taking its toll on these older aircraft. Finding the root causes of TNMCS can be challenging for researchers and may be impossible for management, given time constraints.

What is clear from the RCDL example in Chapter II is that repair, transportation, and inventory play a major role in reducing the TNMCS rates or hours. However, it appears from this research that one may not totally compensate for the other. Although average order and ship times are declining at a phenomenal rate, they could not offset declining inventory levels. This may necessitate transportation times to become even faster. Obviously, this will not be without its costs.

Of the variables discussed in this research, the one that should concern management the most is the availability of skilled workers at the depots. As the GAO, reported, AFMC management has not risen to the challenge of creating a multi-skilled workforce that is needed in a flexible-manufacturing environment (1999b). If the people are not adequately trained to perform their jobs, how can they be expected to embrace the new culture of Agile Logistics? This research identified two major shifts in TNMCS rates. The first shift took place in 1994 and the other in 1997. An initial two-level maintenance conversion for some parts also took place in 1994 and other parts followed to the depot in 1997. A coincidence perhaps, but an unlikely one. Without a flexible workforce, the Air Force is likely to find TNMCS rates increasing in the future.

Research Question #3: How strong is the relationship of each variable to TNMCS rates? The relationship of the variables examined in this study to TNMCS rates were mixed. Serviceable inventory and serviceable inventory/total active inventory

were the strongest, while serviceable inventory/order and ship time ran counter to alternate hypothesis in all cases. The following list indicates the percentage of significance for the twenty regressions performed per independent variable:

70% of the serviceable inventory regressions
60% of the serviceable inventory/total active inventory regressions
40% of the serviceable inventory/base repair cycle regressions
10% of the serviceable inventory/depot repair cycle regressions
0% of the serviceable inventory/order and ship time regressions

Interestingly, serviceable inventory and serviceable inventory/total active inventory were all significant when regressed against TNMCS rates and hours for the newer aircraft (F-15C, F-15D, F-15E, F-16C, and F-16D). This research suggests that when the total active inventory is static or increasing, inventory reduction should be considered carefully. Performing these reductions in an era of complex changes to key processes only seems to have exacerbated problems for the Air Force. It is only after the results of these actions can be ascertained should inventory reductions, either reactive or proactive, occur.

Managerial Recommendations

This study proposes five recommendations for management. They are not necessarily cost free, but are observations that may help improve readiness or at least help better predict effects to readiness.

Disaggregate Predicted TNMCS Hours. This research indicates that there are significant differences between A/B aircraft models and C/D aircraft models when it

comes to predicting TNMCS rates and hours. Forty percent of the USAF-predicted TNMCS hours and seventy percent of the USAF-predicted TNMCS rates were higher than the naïve forecast method. However, when separate predictors were used, e.g., A-10 and F-15E, 75% of the USAF-predicted hours and rates were better than a naïve forecast. Each MDS does not have to be separated; however, those using the same components, e.g., C and D models, should be separated for purposes of predicting TNMCS rates, especially for the fighter aircraft contained in this research.

Being able to more accurately predict supply shortfalls will allow for a better defense of budgets for spare parts and repair facilities. It should also help with initial program objective memorandum submittals. Additionally, it will help the operational commands better understand how they develop their TNMCS goals. As of the date of this research, ACC has a TNMCS goal of 7%, while the actual TNMCS rate is 15.5% for the F-16C. ACC is no doubt considering the USAF-predicted F-16 TNMCS rate which is currently 9.4%. Finally, a better understanding of what causes TNMCS to rise may help improve the implementation of Agile Logistics support policies.

Carefully Consider Inventory Reductions for Parts that Remain in Use Over 5 Years. One of the criteria for selecting inventory items for this research was that the item had to be in the inventory throughout the period studied (1990-1999). As indicated by the results of this study, the reductions of these parts are highly related to TNMCS rates and hours, especially for the newer aircraft. The database is in place to allow planners to check these statistics. This is perhaps one that should be used when computing spare parts requirements. **Consider Adding Logistics Chain Variables to TNMCS Predictions.** This study indicates that adding logistics chain variables to a TNMCS prediction equation may add great utility to the equation. Because one logistics variable was able to predict TNMCS rates as good or better than the USAF predictions in 8 of the 10 aircraft studied, it makes sense that a logistics chain variable(s) would help improve predictions. While serviceable inventory and serviceable inventory/total active inventory appear to be good candidates, others may be developed as well. Another key variable that could have an affect on predictions might be the number of multi-skilled workers at the depots.

Scrutinize Expedited Transportation. The KMPG study (F-16, 1998) expressed concern that the Air Force might be wasting money on expedited transportation when there was not a need for it. This study either highlights that problem, or illustrates that transportation needs to become even more expeditious. It is obvious that order and ship times have been reduced using expedited transportation, but what exactly is the Air Force getting as a result? Can it be shown that without the expedited transportation system that TNMCS rates or hours would be doubled? Obviously, those are difficult questions to answer due to the sheer magnitude of the Air Force's operation. However, they are valid questions. As TNMCS rates continue to rise and average transportation times continue to decrease, it is becoming apparent that transportation may not be the constraint in the logistics chain. It is, however, the easiest of the processes to improve.

Add Inventory Buffers until Agile Logistics Has Proven Itself. As Larvick (1998) stated, "Even in the commercial world, changes to Just-in-Time or other customer-oriented manufacturing environments take a great deal of time to successfully implement—some companies plan this to take six years or longer." While the Air Force

might be effective in making wide-sweeping organizational changes, it is open for debate how well it can make "grass root" changes to its processes, e.g., changing from a continuous flow process to a job shop process. It could be argued that they take much longer than their industry counterparts to implement process changes to manufacturing. For example, a company has a great incentive to make wholehearted changes to its processes—in response to continual evaluation from stockholders. However, if the Air Force is having difficulty training its people (as the GAO reports) for a change such as this, how does the Air Force expect to convert operations more effectively? It can not; therefore, during these periods of change, additional inventory should be added to hedge against the risk of problems during process implementation.

Limitations of Research

There are four major limitations that were annotated throughout this research. The first limitation is the small data set examined. While inferences and conclusions can be drawn from a regression employing small data sets, it is more convincing argument if the data set is large. Once this limitation was known, it was countered by performing simple linear regression versus multiple regression. Still, with 10 data points (and in some cases only 8) results should be given careful consideration and substantiated if possible.

The second limitation deals with the fact that only inventory items that entered into the Air Force's inventory before 1990 and remained through 1999 were considered. While it was explained early on that this was necessary in order to maintain consistency throughout the analysis, it is still a limitation. This is because the number of "problem

parts" included in the analysis are unknown. It is possible, although not probable, that items responsible for TNMCS rates during 1999 were not included within the inventory evaluated in this study.

The third limitation to this research is that the data used was not necessarily representative of the fleet evaluated. This refers to 1990 TNMCS data since this data was unavailable in MERLIN. As a result, ACC TNMCS rates had to be used. While this is seen as acceptable from an Air Staff perspective, it does bring into question the validity of results for 1990 in particular. Also, in order to evaluate 1999, TNMCS hours and possessed hours were doubled since data was only available through June. While this should not have caused a problem, the first half of the year could have been affected due to funding or increased flying due to operations in Bosnia.

The final limitation is that this research examined aggregate levels of inventory and aggregated average order and ship times, base repair times, and depot repair times. While it was believed that trends would emerge despite aggregation, the how's and why's can not be answered in discrete terms. For example, if the question "what part inventories should not be reduced any further?" was raised, this research can not point to any particular answer. All that can be stated is that in the aggregate, more inventory is needed. It can not state which parts or items are the key drivers.

Recommendations for Future Research

Throughout this research it became evident that two major research projects can be undertaken. While there are others, e.g., disaggregating current USAF prediction equations, these two in particular would help further this area of research.

Recommendation 1: Using USAF TNMCS prediction equations, add logistics chain variables to determine if predictive capabilities improve. As indicated in the managerial recommendations, it would behoove the Air Force to add a logistics chain variable(s) to its regression equation. While it is rather easy to collect data by month for possessed hours, flying hours, and number of sorties, it is more difficult to gather this type of data for the logistics variables. For example, the D041 only produces data on a quarterly basis. Even then, as indicated by Morgan (1999), this data may not be totally accurate. Data can be obtained from such sources as Logistics Management Institute, Synergy Corporation, and Dynamics Research Corporation. This data includes average monthly depot and base repair times and order and ship times. Using this data, it would be possible to add in a logistics chain variable to the USAF prediction equation.

Recommendation 2: Analyze three level maintenance (3LM) versus two level maintenance (2LM) on the same reparables over the same time horizon.

Over 180 common reparable parts can be found on http://www.afmcmil.wpafb.af.mil/HQ-AFMC/LG/agile/ (Agile, 1999). These common parts are both repaired at the base level and at the depot level (i.e., items are 3LM for some aircraft and 2LM for others). The conversion date for a majority of the parts (76%) is in FY94. Using this data and other sources, such as Reparable/Serviceable Item Pipeline Analysis Tool (RIPDAT) [found at http://leanlog.synergyinc.com/ripdat/], it would be possible to compare and contrast MICAP and TNMCS rates as well as other logistics variables (repair time for like maintenance actions) for these parts. A portion of this study should be devoted to a cost analysis, e.g., how much it costs the depot versus the base to perform the same maintenance action on the item.


Chapter Summary

This chapter answered the three research questions posed in Chapter I. In general, it was found that there have been significant reductions in serviceable inventory. This research indicates these reductions are strongly related to increase TNMCS rates and hours. Next, five managerial recommendations were proposed. One of the recommendations calls for the Air Force to investigate adding a logistic variable(s) to their current TNMCS prediction equation. Limitations of this study, a total of four, were then presented. The largest limitation of this study is a small data set. Therefore, researchers and managers alike were advised to use caution when using these results. Finally, two recommendations for future research were provided.

Thesis Summary

The Air Force faced a very austere environment during the 1990's. It was continually scrutinized by Congress to better manage inventory and make better use of its dwindling resources. In response, the Air Force embarked on a series of changes that would lean infrastructure and improve their logistics responsiveness. Although cost savings seem to have been attained, there is great concern about how these changes will affect a 21st Century Air Force. A more agile force essentially means fewer people and less infrastructure. Given this environment, the Air Force needs to proceed cautiously with rapid change and ensure safety mechanisms are in place before embarking on organization-transforming initiatives. One of these safety mechanisms is inventory.


JUL-09-1999 07:03 FROM DYNAMICS RESEARCH TO 99376567988 P.12/21 Renova A-10 Results 4/9/1997 9:41 AM Multiple Regression Analysis Dependent variable: TNMCS_HRS Standard т Estimate Brror Statistic Parameter P-Value 738.98 CONSTANT 400.394 1.84563 0.0673 2.71019 FLYING_HOD 0.670338 4.04302 0.0001 POSS HRS 0.0808412 0.0103305 7 82548 0.0000 SORTIES -5.46947 1.23956 -4.41242 0.0000 Analysis of Variance Sum of Squares Df Mean Square F-Ratio Source P-Value Model 2.7608529 3 9.20283E8 228.66 0.0000 Residual 5.111428 127 4.0247356 Total (Corr.) 3.27199E9 130 R-squared = 84.3783 percent R-squared (adjusted for d.f.) = 84.0093 percent Standard Error of Est. = 2006.17 Mean absolute error = 1529.58 TNMCS Durbin-Watson statistic = 0,996476 The StatAdvisor The output shows the results of fitting a multiple linear regression model to describe the relationship between TRMCS independent variables. The equation of the fitted model is MA THACS HRS and 3 TNMCS RRS = 738.98 + 2.71019*FLYING_HOU + 0.0808412*POSS_HRS -\$.46947*SORTIES Since the P value in the ANOVA table 13 less than 0.01, there is a statistically significant relationship between the variables at the 99% confidence lovel. The R-Squared statistic indicates that the model as fitted explains 84.37834 of the variability in TNMCS HRS. The adjusted R-squared statistic, which is more suitable for comparing models with different numbers of independent variables, is 84.00938. The standard error of the estimate shows the standard deviation of the residuals to be 2006.17. This value can be used to construct prediction limits for new observations by selecting the Reports option from the text manu. The mean absolute error (MAE) of 1529.58 is the average value of the residuals. The Durbin-Watson (DW) statistic tests the residuals to determine if there is any significant correlation based on the order in which they occur in your data file. Since the DW value is less than 1.4, there may be some indication of serial correlation. Plot the residuals versus row order to see if there is any pattern which can be seen. . 1 can be seen. In determining whether the model can be simplified, notice that the highest P-walue on the independent variables is 0.0001, belonging to FLYING HOU. Since the P-value is less than 0.01, the highest order term is statistically significant at the 99% confidence level. Consequently, you probably don't want to remove any variables from the model. 131



JUL-09-1999 07:0	1 FROM	DYNAMICS	RESEARC	н	-	го	9937	65675			1
·									Aut		(
										•	
F15 A-D Results 4/8/1997 3:48 PM	5										
1,07200											
Multiple Regressi	on Analys	is									
northan Hariahl	TNMCS	HOUR				*******					
Dependent Vallabi		stimate				T tistic	P-Val				
Parameter	E	stimate	Err	0T							
CONSTANT		101.149 .364535 .211585 4.13984	169	. 63	-0.	596292 978637	0.5	12			
FLYING HRS	-0.	.364535	0.00660	739	3	2.0224	0.0	000			
POSS HRS Sorties	-	4.13984	0.689	225	-6	.00652	0.0				
			- 6 12 1 -								
****************		Analysis Squares				Palatio	 P-Va	lue			
Source	Sum of	Squares	DI NA								
Model Residual	1.	53305E10	3 258	5.1101	5259 7366	1647.60	0.0	000			
Residual											
Total (Corr.)			201								
R-squared = 95.0 R-squared (adjus	392 perce	ent	9815 per	cent							
Chandred TTTOT D	T ESL.	T/0T'TD	Jozo Poo								
Mean absolute er Durbin-Watson st	ror = 124	/4./5						•	F	15	ا له
purbin-watson st									1	-15 1	'nΡ
MLDIU-MECSON 3C									1	-15 1 TAIA	"P
The StatAdvisor									1	-15 1 TNA	nc:
The StatAdvisor The output sh	iows the	results of					an d 3		T	TNA	nc?
The StatAdvisor The output sh	iows the	results of					and 3		T.	TNA	nc:
The StatAdvisor The output al regression model	tows the to desc lables.	results of the the re The equation	on of the	fitte	d mode	1 15		_	T	TNA	nc:
The StatAdvisor The output al regression model independent vari TNMCS HOUR = -14 4.13954*SORTIES	nows the 1 to desc 1 ables. 01.149 -	results of ribe the re The equation 0.364535*F	on of the	fitte ; + 0.2	11585*	POSS_RRS -			י כ כ	TNA	
The StatAdvisor The output sh regression model independent var: THMCS HOUR = -11 4.13984*SORTIES	nows the T to desc lables. 01.149 -	results of the the results of the re	LYING_HRS	fitte	11585* 0.01.	1 is POSS_RRS -	•			TNA	
The StatAdvisor The output al regression model independent vari TRNCS HOOR = -14 4.13984 * SORTIES Sinte the P-val statistically s	nows the to desc laties. 01.149 - ue in the ignifican	results of the the results of the re	LYING_HRS	fitte	11585* 0.01.	1 is POSS_RRS -	•			TNA	
The StatAdvisor The output sh regression model theependent vari TNMCS HOUR = -14 4.13984*SORTIES Since the P-val statistically s 99% confidence	tows the to desc lables. 01.149 - ue in the ignifican level.	results of ribe the re The equation 0.364535°F ANOVA tab at relation	LYING_HRS	fitte 3 + 0.2 sr than sen th	0.01, 2 vari	1 is POSS_RRS - there is tables at t	a			TRA	
The StatAdvisor The output al regression model tridependent vari- TRRCS_HOUR = -10 4.13984*SORTIES Since the P-val- statistically s 993 confidence The R-Squa	nows the r to desc lations. 01.149 - ue in the ignifican level. red stati	results of The fibe the results The equation 0.364535°F ANOVA table relation istic indic	LYING HRS	fitte + 0.2 s: than t the m	0.01, g vari	1 is POSS_RRS - there is tables at t as fitted he adjusted	a			TNA	
The StatAdvisor The output sh regression model ittoependent vari TNMCS HOUR = -11 4.13984*SORTIES Sinte the P-vall statistically s 993 confidence The R-Squa explains 95.039 R-squared stati	to desc to desc lables. 01.149 - ue in the ignifican level. red stati 2% of the stic, whi	results of The equation 0.364535*F ANOVA table to relation istic indice variabili tch is more	LYING_HRS	fitte fitte	d mode 11585* 0.01, g vari codel (R. T) compar: _9815	1 is POSS_RRS - there is abjusted the adjusted ing models . The st:	a the with andard			TNA	
The StatAdvisor The output al regression model independent vari- TRRCS_HOUR = -1 4.13984*SORTIES Since the P-val- statistically s 993 confidence The R-Squa explains 95.039 R-squared stati different number	nows the r to desc institutions. 01.149 - ue in the ignifican level. red stati 2% of the stic, whi stic, whi	results of ribe the re The equation 0.364535°F ANOVA tab it relation istic indice variabili tch is more dependent v	LYING HRS LYING HRS le is les ship betw ates that ty in TNI suitable ariables	t the E sfor c section t the E MCS_HOU e for c sis 94	odel (R. Theorem	1 is POSS_RRS - there is thore is tho tho tho tho tho tho tho tho	a the with andard als to			TNA	
The StatAdvisor The output sh regression model independent vari TRMCS HOUR = -11 4.13984*SORTIES Sints the P-valu statistically s 992 confidence The R-Squa explains 95.039 R-Squared stati different number error of the ess be 1761.13. Th	nows the reo desc lables. 01.149 - ue in the ignifican level. red stati 2% of the stic, whi was of ins timate stati	results of the results o, 364535*Fi ANOVA tab istic indic to is more istic indic to is more to be use can be use	tes that ship bet ates that ship bet atiables andard d d to con	t the m se than se than seen th MCS_HOU e for c , is 94 eviatic struct	o.ol, gvari codel 4 R. Th compar: .9815 predic from f	l is POSS_RRS - there is tables at the s fitted he adjusted ing models the residuation limit.	a the with andard als to ts for enu.			TNA	
The StatAdvisor The output al regression model independent vary THMCS HOUR = -10 4.13984 * SORTIES Since the P-val statistically s 992 confidence The R-Squa explains 95.039 R-squared stati different number error of the es- be 1761.13. Th new observation The mean absolu	nows the red desc lations. 01.149 - ue in the ignifican level. red stati 2% of the stic, whi trimate sh is by selu- is by selu- it error	results of ribe the re The equation 0.364535°F ANOVA table relation istic indice variabilit is more to some the st can be use (MAE) of 1	LYING HRS LYING HRS le is les ship bett stes that ty in This suitables andard d d to con Reports .274.75 i	t the m sc than t the m sc than t the m sc than t the m s for c struct option s the s	o.ol, vodel 4 codel 4 R. Th compar- spredi- from verage verage	l is POSS_RRS - there is tables at the s fitted s fitted the adjusted ing models the residus the text me e value of residuals	a with andard als to ts for enu. the to			TNA	np nc
The StatAdvisor The output sh regression model independent vari TRMCS HOUR = -11 4.13984*SORTIES Sints the P-val statistically s 992 confidence The R-Squa explains 95.039 R-Squared stati different numbe error of the es be 1761.13. Th new observation The mean absolu	nows the reo desc lables. 01.149 - ue in the ignifican level. red stati 2% of the stic, whi is of ind timate stati is value is by sell to error c Durbin-U	results of the results about the results a ANOVA tab a Stic Indic to relation to the sector to be sector a can be use esting the watson (DW)	Automatic and a set of the set of	s fitte fitte fitte s fite s for c, is for s for s for for s for for s for for s for for for for for for for for	d mode 11585* 0.01, g vari- codel 4 R. The compar: 19815' predi- from torage	l is POSS_RRS - there is there is the adjusted ing models the residuu- tion limit the text me e value of residuals d on the o	a the with andard als to ts for enu. the to rder			TNA	
The StatAdvisor The output a) regression model independent vary THMCS HOUR = -10 4.13984 SORTIES Since the P-val statistically s 992 confidence The R-Squa explains 95.039 R-squared stati different number error of the es- be 1761.13. The new observation The mean absolu- residuals. The determine if the in which they of	nows the red descent lables. 01.149 - ue in the ignifican level. red stati 2% of the stic, while timate shi timate shi timat	results of ribe the re The equation 0.364535°F ANOVA table relation istic indice variabilit istic indice variabilit istic indice variabilit istic indice variabilit istic and of J Watson (DW) watson (DW) watson (DW)	Automatical and a set of the set	t the m section of the section of th	d mode 11585* 0.01, g vari compari- compari- predi- from typerag- t	l is POSS_RRS - there is tables at the s fitted s fitted the adjusted ing models the residus the text me e value of residuals d on the o alue is le	a the with andard als to ts for enu. the to rder ss lot			TNA	
The StatAdvisor The output al regression model independent vari TRNCS HOOR = -14 4.13984*SORTIES Sinte the P-vall statistically s 992 confidence The R-Squared stati different numbe error of the es be 1761.13. Th new observation The mean absolu- residuals. The determine if th in which they of than 1.4, there	nows the red descent lables. 01.149 - ue in the ignifican level. red stati 2% of the stic, while timate shi timate shi timat	results of ribe the re The equation 0.364535°F ANOVA table relation istic indice variabilit istic indice variabilit istic indice variabilit istic indice variabilit istic and of J Watson (DW) watson (DW) watson (DW)	Automatical and a set of the set	t the m section of the section of th	d mode 11585* 0.01, g vari compari- compari- predi- from typerag- t	l is POSS_RRS - there is tables at the s fitted s fitted the adjusted ing models the residus the text me e value of residuals d on the o alue is le	a the with andard als to ts for enu. the to rder ss lot			TNA	
The StatAdvisor The output a) regression model independent vary THMCS HOUR = -10 4.13984 SORTIES Since the P-valy statistically s 992 confidence The R-Squa explains 95.039 R-squared stati different number error of the es- be 1761.13. The new observation The mean absolu- residuals. The determine if the in which they of then 1.4, there the residuals sen.	nows the To desc latios. 01.149 - ue in the ignifican level. red stati 2% of the stic, while trimate shi trimate shi	results of ribe the re The equation 0.364535°FI ANOVA table relation istic indice to raiabilit istic indice to raiabilit istic indice to raiabilit istic indice to raiabilit istic indice to raiabilit istic indice (MAE) of J Watson (DW) wardata is some indice w order to	Automatical and a set of the set	t the m t for	odel (vari odel (R. T) omof (predi from (from (verag) s the base base corres	l is POSS_RRS - there is tables at the s fitted s fitted the adjusted ing models the residus the text me e value of residuals d on the o alue is le lation. P pattern wh	a with andard als to ts for enu. the to rder ss lot ich			TNA	
The StatAdvisor The output al regression model independent vari TRNCS HOOR = -14 4.13984*SORTIES Sinte the P-vall statistically s 992 confidence The R-Squared stati different number error of the est be 1761.13. Th new observation The mean absolu- residuals. The determine if th in which they of than 1.4, there than 1.4, there the seen. In determine	nows the r to desc lations. 01.149 - ue in the ignifican level. red stati 2% of the stic, whi timate sh is by self the error e Durbin- erve is an occur in : s may be: is persus ro ing wheth	results of ribe the results The equation a ANOVA table istic indice to relation istic indice to relation istic indice to relation istic indice to relation istic indice to relation to relation (MAE) of 1 watson (DM) may signific your data is some indice w order to mer the mod	Action of the CYING HRS le is less ship bet- ates that ty in TN: ariables andard di to con Reports 274.75 i statist cant corr rile. Si ation of el can be con be	t the m second the second term t the mean the second term term eviation struct option s the second to term to term the second there is	odel (0.01, vari odel (R. T) ogel (1.9815) from	l is POSS_RRS - there is there is there is the adjusted ing models the residu the residu the residu the text m e value of residuals d on the o alue is le lation. P pattern wh notice th	a with andard als to ts for enu. the to rder ss lot ich at the se to			TNA	
The StatAdvisor The output al regression model tridependent vari- tridependent vari- tridependent vari- tridependent vari- tridependent vari- tridependent vari- tridependent vari- statistically s 992 confidence The R-Squa explains 95.039 R-squared stati different number error of the ess- be 1761.13. The new observation The mean absolu- residuals. The determine if the in which they of than 1.4, there the residuals of can be seen. In determin- highest P-valu- ELYING_HRS. S	nows the r to desc r to desc r to desc not the ignifican level. red stati 2% of the stic, whi rs of ind time the stor, whi here is an occur in the error the err	results of The equation 0.364535*F ANOVA tab istic indice variabili to is more istic indice to a be use ecting the (MAE) of J watson (DW) ny signific your data 3 worder to lindependen P-value is value istic	Attention of the CYING HRS le is less ship betw ates that ty in TN suitables andard d d to con Reports 274.75 i statist statist statist statist statist tion of see if t el can bet t variables	t the s se than ween the MCS MOD eviation struct struct station station nse the has the s station stat	o.ol, ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, ol, ol, ol, ol, ol, ol, ol, ol, ol,	l is POSS_RRS - there is there is there is the adjusted ing models the residu ction limit the text may e value of residuals d on the o alue is le lation. P pattern wh notice th , belongin 0.10, that	a the with andard als to ts for enu. the to to rder ss lot ich at the ig to			TNA	
The StatAdvisor The output al regression model tridependent vari- tridependent vari- tridependent vari- tridependent vari- tridependent vari- tridependent vari- tridependent vari- statistically s 992 confidence The R-Squa explains 95.039 R-squared stati different number error of the ess- be 1761.13. The new observation The mean absolu- residuals. The determine if the in which they of than 1.4, there the residuals of can be seen. In determin- highest P-valu- ELYING_HRS. S	nows the r to desc r to desc r to desc not the ignifican level. red stati 2% of the stic, whi rs of ind time the stor, whi here is an occur in the error the err	results of The equation 0.364535*F ANOVA tab istic indice variabili to is more istic indice to a be use ecting the (MAE) of J watson (DW) ny signific your data 3 worder to lindependen P-value is value istic	Attention of the CYING HRS le is less ship betw ates that ty in TN suitables andard d d to con Reports 274.75 i statist statist statist statist statist tion of see if t el can bet t variables	t the s se than ween the MCS MOD eviation struct option struct station nse the struct station sthe s station sthe s station serial here i: simpl estation	o.ol, ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, ol, ol, ol, ol, ol, ol, ol, ol, ol,	l is POSS_RRS - there is there is there is the adjusted ing models the residu ction limit the text may e value of residuals d on the o alue is le lation. P pattern wh notice th , belongin 0.10, that	a the with andard als to ts for enu. the to to rder ss lot ich at the ig to			TNA	
The StatAdvisor The output al regression model independent vary THMCS HOUR = -11 4.13984*SORTIES Since the P-value statistically so 992 confidence The R-Squared stati- different number error of the es- be 1761.13. The new observation The mean absolu- residuals. The determine if the in which they of than 1.4, there the residuals P-value an be seen. In determine highest P-value	nows the r to desc r to desc r to desc not the ignifican level. red stati 2% of the stic, whi rs of ind time the stor, whi here is an occur in the error the err	results of The equation 0.364535*F ANOVA tab istic indice variabili to is more istic indice to a be use ecting the (MAE) of J watson (DW) ny signific your data 3 worder to lindependen P-value is value istic	Attention of the CYING HRS le is less ship betw ates that ty in TN suitables andard d d to con Reports 274.75 i statist statist statist statist statist tion of see if t el can bet t variables	t the s se than ween the MCS MOD eviation struct option struct station nse the struct station sthe s station sthe s station serial here i: simpl estation	o.ol, ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, ol, ol, ol, ol, ol, ol, ol, ol, ol,	l is POSS_RRS - there is there is there is the adjusted ing models the residu ction limit the text may e value of residuals d on the o alue is le lation. P pattern wh notice th , belongin 0.10, that	a the with andard als to ts for enu. the to to rder ss lot ich at the ig to			TNA	
The StatAdvisor The output sh regression model independent vari TIMCS HOUR = -11 4.13984*SORTIPS Sints the P-valu statistically s 992 confidence The R-Squa explains 95.039 R-squared stati different number error of the ess be 1761.13. Th new observation The mean absolut residuals. The determine if the in which they can be seen. In determine highest P-valu FLYING HRS. S is not statist level. Conseq	nows the r to desc r to desc r to desc not the ignifican level. red stati 2% of the stic, whi rs of ind time the stor, whi here is an occur in the error the err	results of The equation 0.364535*F ANOVA tab istic indice variabili to is more istic indice to a be use ecting the (MAE) of J watson (DW) ny signific your data 3 worder to lindependen P-value is value istic	Attention of the CYING HRS le is less ship betw ates that ty in TN suitables andard d d to con Reports 274.75 i statist statist statist statist statist tion of see if t el can bet t variables	t the s se than ween the MCS MOD eviation struct option struct station nse the struct station sthe s station sthe s station serial here i: simpl estation	o.ol, ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, ol, ol, ol, ol, ol, ol, ol, ol, ol,	l is POSS_RRS - there is there is there is the adjusted ing models the residu ction limit the text may e value of residuals d on the o alue is le lation. P pattern wh notice th , belongin 0.10, that	a the with andard als to ts for enu. the to to rder ss lot ich at the ig to			TNA	
The StatAdvisor The output sh regression model independent vari TIMCS HOUR = -11 4.13984*SORTIPS Sints the P-valu statistically s 992 confidence The R-Squa explains 95.039 R-squared stati different number error of the ess be 1761.13. Th new observation The mean absolut residuals. The determine if the in which they can be seen. In determine highest P-valu FLYING HRS. S is not statist level. Conseq	nows the r to desc r to desc r to desc not the ignifican level. red stati 2% of the stic, whi rs of ind time the stor, whi here is an occur in the error the err	results of The equation 0.364535*F ANOVA tab istic indice variabili to is more istic indice to a be use ecting the (MAE) of J watson (DW) ny signific your data 3 worder to lindependen P-value is value istic	Attention of the CYING HRS le is less ship betw ates that ty in TN suitables andard d d to con Reports 274.75 i statist statist statist statist statist tion of see if t el can bet t variables	t the s se than ween the MCS MOD eviation struct option struct station nse the struct station sthe s station sthe s station serial here i: simpl estation	o.ol, ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, ol, ol, ol, ol, ol, ol, ol, ol, ol,	l is POSS_RRS - there is there is there is the adjusted ing models the residu ction limit the text may e value of residuals d on the o alue is le lation. P pattern wh notice th , belongin 0.10, that	a the with andard als to ts for enu. the to to rder ss lot ich at the ig to			TNA	
The StatAdvisor The output sh regression model independent vari TIMCS HOUR = -11 4.13984*SORTIPS Sints the P-valu statistically s 992 confidence The R-Squa explains 95.039 R-squared stati different number error of the ess be 1761.13. Th new observation The mean absolut residuals. The determine if the in which they can be seen. In determine highest P-valu FLYING HRS. S is not statist level. Conseq	nows the r to desc r to desc r to desc not the ignifican level. red stati 2% of the stic, whi rs of ind time the stor, whi here is an occur in the error the err	results of The equation 0.364535*F ANOVA tab istic indice variabili to is more istic indice to a be use esting the (MAE) of J watson (DW) my signific your data 3 worder to lindependen P-value is	Attention of the CYING HRS le is less ship betw ates that ty in TN suitables andard d d to con Reports 274.75 i statist statist statist statist statist tion of see if t el can bet t variables	t the s se than ween the MCS MOD eviation struct option struct station nse the struct station sthe s station sthe s station serial here i: simpl estation	o.ol, ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, o.ol, ol, ol, ol, ol, ol, ol, ol, ol, ol,	l is POSS_RRS - there is there is there is the adjusted ing models the residu ction limit the text may e value of residuals d on the o alue is le lation. P pattern wh notice th , belongin 0.10, that	a the with andard als to ts for enu. the to to rder ss lot ich at the ig to			TNA	


.





.


Model Residual Total (Corr.) R-squared = 89.208 R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat	Estimate -3573.79 1.0864 0.135368 -1.86296 Analysis Sum of Squares 8.1058228 9.8056127 9.0863828 4 percent d for d.f.) = 88. Est. = 1400.4	841.56 0.453335 0.0160339 1.07152 c of Variance Df Mean Squ 3 2.7019 50 1.9611 53 561 percent	T Statistic -4.24562 2.39547 8.44264 -1.73862 are F-Ratio 4E8 137.78 2E6	P-Value 0.0000	
Dependent variable Parameter CONSTANT FLYING HRS POSS HRS SORTIES Source Model Residual Total (Corr.) R-squared = 89.20B R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat Source for the statAdvisor The StatAdvisor	Estimate -3573.79 1.0864 0.135368 -1.86296 Analysis Sum of Squares 8.1058228 9.8056127 9.0863828 4 percent d for d.f.) = 88. Est. = 1400.4	Standard Error 841.56 0.453335 0.0160339 1.07152 c of Variance Df Mean Squ 3 2.7019 50 1.9611 53 561 percent	T Statistic -4.24562 2.39547 8.44264 -1.73862 are F-Ratio 4E8 137.78 2E6	0.0001 0.0203 0.0000 0.0883 	(50-th
Parameter Parameter CONSTANT FLYING HRS POSS HRS SORTIES Source Model Residual Total (Corr.) R-squared = 89.208 R-squared = 89.208 R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat StatAdvisor The StatAdvisor	E: TNMCS_HRS Estimate -3573.79 1.0864 0.135368 -1.86296 Analysis Sum of Squares 8.1058228 9.8056187 9.0863828 4.056187 9.0863828 4.05828 9.8056187 9.0863828 4.05828 9.8056187 9.805	Standard Error 841.56 0.453335 0.0160339 1.07152 c of Variance Df Mean Squ 3 2.7019 50 1.9611 53 561 percent	T Statistic -4.24562 2.39547 8.44264 -1.73862 are F-Ratio 4E8 137.78 2E6	0.0001 0.0203 0.0000 0.0883 	(504)
CONSTANT FLYING HRS POSS HRS SORTIES Source Model Residual Total (Corr.) R-squared - 89.208 R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat StatAdvisor The StatAdvisor	-3573.79 1.0864 0.135368 -1.86296 Analysis Sum of Squares 8.1058228 9.8056187 9.0863828 4 percent 4 for d.f.) = 88. Est. = 1400.4	Error 841.56 0.453335 0.0160339 1.07152 e of Variance Df Nean Squ 3 2.7019 50 1.9611 53 561 percent	Statistic -4.24562 2.39547 8.44264 -1.73862 are F-Ratio 4E8 137.78 2E6	0.0001 0.0203 0.0000 0.0883 	<u>(5</u> 0,40
CONSTANT FLYING HRS POSS HRS SORTIES Source Hodel Residual Total (Corr.) R-squared = 89.208 R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat G NM(S_H425 = -) The StatAdvisor	-3573.79 1.0864 0.135368 -1.86296 Analysis Sum of Squares 8.1058228 9.8056187 9.0863828 4 percent 4 for d.f.) = 88. Est. = 1400.4	841.56 0.453335 0.0160339 1.07152 c of Variance Df Mean Squ 3 2.7019 50 1.9611 53 561 percent	-4.24662 2.39547 8.44264 -1.73862 are F-Ratio 4E8 137.78 2E6	0.0001 0.0203 0.0000 0.0883 	(seede
FLYING HRS POSS_HRS SORTIES Source Model Residual Total (Corr.) R-squared = 89.208 R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat GNM(S_H425 = `` The StatAdvisor	1.0864 0.135368 -1.86296 Analysis Sum of Squares 8.1058228 9.8056127 9.0863828 4 percent d for d.f.) = 88. Est. = 1400.4	0.0160339 1.07152 of Variance Df Mean Squ 3 2.7019 50 1.9611 53 561 percent	B.44264 -1.73862 are F-Ratio 4E8 137.78 2E6	0.0203 0.0000 0.0883 	<u>(5</u> 004)
SORTIES Source Model Residual Total (Corr.) R-squared = 89.208 R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat The StatAdvisor The StatAdvisor	-1.86296 Analysis Sum of Squares 8.1058228 9.8056127 9.0863828 4 percent d for d.f.) = 88. Est. = 1400.4	0.0160339 1.07152 of Variance Df Mean Squ 3 2.7019 50 1.9611 53 561 percent	B.44264 -1.73862 are F-Ratio 4E8 137.78 2E6	0.0000 0.0883 P-Value 0.0000	<u>(5</u> 004)
Source Model Residual Total (Corr.) R-squared = 89.208 R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat FNMKS_HASS = T The StatAdvisor	Analysis Sum of Squares 8.1058228 9.8056127 9.0863828 4 percent d for d.f.) = 88. Est. = 1400.4	of Variance Df Nean Squ 3 2.7019 50 1.9611 53 561 percent	are F-Ratio 4E8 137.78 2E6	P-Value 0.0000	(sert
Model Residual Total (Corr.) R-squared = 89.20B R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat The StatAdvisor	Sum of Squares 8.1058228 9.8056127 9.0863828 4 percent d for d.f.) = 88. Est. = 1400.4	Df Mean Squ 3 2.7019 50 1.9611 53 561 percent	Are F-Ratio 4E8 137.78 2E6	P-Value 0.0000	(sod
Model Residual Total (Corr.) R-squared = 89.208 R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat	Sum of Squares 8.1058228 9.80561E7 9.0863828 4 percent 4 for d.f.) = 88. Est. = 1400.4	Df Nean Squ 3 2.7019 50 1.9611 53 561 percent	Are F-Ratio 4E8 137.78 2E6	P-Value 0.0000	<u>(</u> 50+
Residual Total (Corr.) R-squared = 89.208 R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat FINMCS_HASS = The StatAdvisor	9.08638E8 4 percent d for d.f.) = 88. Est. = 1400.4	53 561 percent			(sert
Total (Corr.) R-squared = 89.208 R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat F TN MCS_HAS = " The StatAdvisor	9.08638E8 4 percent d for d.f.) = 88. Est. = 1400.4	53 561 percent			<u>(</u> 5.1
R-squared (adjuste Standard Error of Mean absolute erro Durbin-Watson stat	4 percent d for d.f.) = 88. Est. = 1400.4	561 percent	5+ 0.135368 (poss	1.86296	(sort
regression model t independent variab	les. The equatio	<u>fitting a multi</u> lationship berm n of the fitted	nodel linear model 15	•	TN Df
Since the <u>P-value</u> statistically sign 99% confidence lev The <u>R-Squared</u>	ificant relations	hip between the	variables at the		
Are available to the second se	of the variabilit C, which is more. of independent va- wate shows the star alue can be used by selecting the R- error (MAE) of 10 rbin-Watson (DW) is any significan r in your data fi. y be some indicat	y in TNMCS ERS. suitable for cor riables, is 88.1 ndard deviation to construct pr eports option for 54.67 is the av- statistic tests nt correlation H le. Since the H ion of serial co	The adjusted mparing models with of the standary of the residuals adjust number of the text menu. prage value of the the residuals to based on the order m value is less prelation. Plot	rd to or	
In determining this highest P-value on SORTIES. Since the statistically sign: the confidence level decide to remove So	e P-value is less ificant at the 90 el at which you w	variables is 0.0 than 0.10, then Confidence lev ish to work, you	1883, belonging to term is Mel. Depending or	,	



JUL-09-1999 07:00 FROM DYNAMICS RESEARCH то 99376567988 P. 06/21 ULILICES ţ Removes (1) F16 A-D Results 4/8/1997 2:44 PM : Multiple Regression Analysis · · Dependent variable: TNRCS_HRS Standard Parameter Estimate Error Statistic **P-Value** CONSTANT -832.911 373.966 -2.22724 0.0268 FLYING HRS -0.364756 0.328773 -1.10944 0.2683 0.117839 0.0058537 POSS HES 20.1306 0.0000 SORTIES -0.51937 0.642954 -0.807787 0.4200 Analysis of Variance Df Mean Square Source Sum of Squares F-Ratio P-Value Model 1.37646E11 2 4.5882E10 2484.97 0.0000 Residual 4.76366E9 Z58 1.8463927 Total (Corr.) 1.4241211 261 R-squared = 96.655 percent R-squared (adjusted for d.f.) = 96.6161 percent Standard Error of Est. = 4296.95 Mean absolute error = 3019.24 Durbin-Watson statistic = 0.62385 F-16AD The StatAdvisor TNMCS The output shows the results of fitting a multiple linear regression model to describe the relationship between FAMACS HRS and 3 independent variable. The equation of the fitted model is TNNCS_HES = -832.911 - 0.364756*FLYING_HES + 0.117839*POSS_HES -0.51937 SORTIES Since the <u>P-value</u> in the ANOVA table is less than 0.01, there is a statistically significant relationship between the variables at the 99% confidence level. The R-Squared statistic indicates that the model as fitted explains 96.655% of the variability in TNMCS MRS. The adjusted R-squared statistic, which is more suitable for comparing models with different numbers of independent variables, is 96.6161%. The standard error of the estimate shows the standard deviation of the residuals to be 4296.95. This value can be used to construct prediction limits for new observations by selecting the Reports option from the text manu. The mean absolute error (MAE) of 3019.24 is the average value of the residuals. The Durbin-Watson (DW) statistic texts the residuals to determine if there is any significant correlation based on the order in which they occur in your data file. Since the DW value is less than 1.4, there may be some indication of serial correlation. Plot the residuals versus row order to see if there is any pattern which can be seen. can be seen.

In determining whether the model can be simplified, notice that the highest P-value on the independent variables is 0.4200, belonging to SORTIES. Since the P-value is greater or equal to 0.10, that term is not statistically significant at the 90% or higher confidence level. Consequently, you should consider removing SORTIES from the model.

au.



Appendix A: Predicted TNMCS Equations and Charts

Appendix B: Data Collection from the D041 (Using SAS)

```
data mds;
 infile 'e:\d041work\hutson\f015.txt' missover;
 input niin $ 5-13 mds $ 16-20;
 if mds eq 'F015D';
proc sort;
 by niin;
data mds;
 set mds;
 by niin;
 if first.niin;
run;
data mar99;
 infile 'd:\d041.mar99\ddb\ddb01' lrecl=690;
 input niin $ 9-17 brc99 52-54 drc99 55-57 ost99 75-76 bpd99 397-399 rit99 401-403 stom99 405-407
sflow99 409-411
    stin99 413-415;
proc sort;
 by niin;
data mar98:
 infile 'd:\d041.mar98\ddb\ddb01' lrecl=690;
 input niin $ 9-17 brc98 52-54 drc98 55-57 ost98 75-76 bpd98 397-399 rit98 401-403 stom98 405-407
sflow98 409-411
    stin98 413-415;
proc sort;
 by niin;
data mar97;
 infile 'd:\d041 data\mar97\ddb01' lrecl=690;
 input niin $ 9-17 brc97 52-54 drc97 55-57 ost97 75-76 bpd97 397-399 rit97 401-403 stom97 405-407
sflow97 409-411
    stin97 413-415;
proc sort;
 by niin;
data mar96;
 infile 'd:\d041 data\mar96\ddb01' lrecl=690;
 input niin $ 9-17 brc96 52-54 drc96 55-57 ost96 75-76 bpd96 397-399 rit96 401-403 stom96 405-407
sflow96 409-411
    stin96 413-415;
proc sort;
by niin;
data mar95;
```

```
infile 'd:\d041 data\mar95\ddb01' lrecl=690;
input niin $ 9-17 brc95 52-54 drc95 55-57 ost95 75-76 bpd95 397-399 rit95 401-403 stom95 405-407
sflow95 409-411
    stin95 413-415;
proc sort;
 by niin;
data mar94;
 infile 'd:\d041 data\mar94\ddb01' lrecl=690;
 input niin $ 9-17 brc94 52-54 drc94 55-57 ost94 75-76 bpd94 397-399 rit94 401-403 stom94 405-407
sflow94 409-411
    stin94 413-415;
proc sort;
 by niin;
data mar93;
 infile 'd:\d041 data\mar93\ddb01' lrecl=690;
 input niin $ 9-17 brc93 52-54 drc93 55-57 ost93 75-76 bpd93 397-399 rit93 401-403 stom93 405-407
sflow93 409-411
    stin93 413-415;
proc sort;
 by niin;
data mar92;
 infile 'd:\d041 data\mar92\ddb01' lrecl=690;
 input niin $ 9-17 brc92 52-54 drc92 55-57 ost92 75-76 bpd92 397-399 rit92 401-403 stom92 405-407
sflow92 409-411
    stin92 413-415;
proc sort;
 by niin;
data mar91;
 infile 'd:\d041 data\mar91\ddb01' lrecl=690;
 input niin $ 9-17 brc91 52-54 drc91 55-57 ost91 75-76 bpd91 397-399 rit91 401-403 stom91 405-407
sflow91 409-411
    stin91 413-415;
proc sort;
 by niin;
data mar90;
 infile 'd:\d041 data\mar90\ddb01' lrecl=690;
 input niin $ 9-17 brc90 52-54 drc90 55-57 ost90 75-76 bpd90 397-399 rit90 401-403 stom90 405-407
sflow90 409-411
     stin90 413-415;
proc sort;
 by niin;
```

data mergebrc; merge mds(in=a) mar98(in=b) mar97(in=c) mar96(in=d) mar95(in=e) mar94(in=f) mar93(in=g) mar92(in=h) mar91(in=i) mar90(in=j) mar99(in=k);by niin; if a and b and c and d and e and f and g and h and i and j and k; keep niin brc90 brc91 brc92 brc93 brc94 brc95 brc96 brc97 brc98 brc99; data null; set mergebrc: file 'e:\d041work\hutson\brc.dat'; put niin \$9. (brc90 brc91 brc92 brc93 brc94 brc95 brc96 brc97 brc98 brc99) (3.); data mergeost; merge mds(in=a) mar98(in=b) mar97(in=c) mar96(in=d) mar95(in=e) mar94(in=f) mar93(in=g) mar92(in=h) mar91(in=i) mar90(in=j) mar99(in=k);by niin: if a and b and c and d and e and f and g and h and i and j and k; keep niin ost90 ost91 ost92 ost93 ost94 ost95 ost96 ost97 ost98 ost99; data null; set mergeost: file 'e:\d041work\hutson\ost.dat'; put niin \$9. (ost90 ost91 ost92 ost93 ost94 ost95 ost96 ost97 ost98 ost99) (3.); run; data mergedrc; merge mds(in=a) mar98(in=b) mar97(in=c) mar96(in=d) mar95(in=e) mar94(in=f) mar93(in=g) mar92(in=h) mar91(in=i) mar90(in=j) mar99(in=k); by niin: if a and b and c and d and e and f and g and h and i and j and k; keep niin drc90 drc91 drc92 drc93 drc94 drc95 drc96 drc97 drc98 drc99 bpd90 bpd91 bpd92 bpd93 bpd94 bpd95 bpd96 bpd97 bpd98 bpd99 rit90 rit91 rit92 rit93 rit94 rit95 rit96 rit97 rit98 rit99 stom90 stom91 stom92 stom93 stom94 stom95 stom96 stom97 stom98 stom99 sflow90 sflow91 sflow92 sflow93 sflow94 sflow95 sflow96 sflow97 sflow98 sflow99 stin90 stin91 stin92 stin93 stin94 stin95 stin96 stin97 stin98 stin99; proc print; var niin drc90 drc91 drc92 drc93 drc94 drc95 drc96 drc97 drc98 drc99 bpd90 bpd91 bpd92 bpd93 bpd94 bpd95 bpd96 bpd97 bpd98 bpd99 rit90 rit91 rit92 rit93 rit94 rit95 rit96 rit97 rit98 rit99 stom90 stom91 stom92 stom93 stom94 stom95 stom96 stom97 stom98 stom99 sflow90 sflow91 sflow92 sflow93 sflow94 sflow95 sflow96 sflow97 sflow98 sflow99 stin90 stin91 stin92 stin93 stin94 stin95 stin96 stin97 stin98 stin99: sum drc90 drc91 drc92 drc93 drc94 drc95 drc96 drc97 drc98 drc99 bpd90 bpd91 bpd92 bpd93 bpd94 bpd95 bpd96 bpd97 bpd98 bpd99 rit90 rit91 rit92 rit93 rit94 rit95 rit96 rit97 rit98 rit99 stom90 stom91 stom92 stom93 stom94 stom95 stom96 stom97 stom98 stom99 sflow90 sflow91 sflow92 sflow93 sflow94 sflow95 sflow96 sflow97 sflow98 sflow99 stin90 stin91 stin92 stin93 stin94 stin95 stin96 stin97 stin98 stin99;

quit;

```
data null_;
 set mergedrc;
 file 'e:\d041work\hutson\drc.dat';
 put niin $9. (drc90 drc91 drc92 drc93 drc94 drc95 drc96 drc97 drc98 drc99) (3.);
run;
data nsn;
 set mergeost;
 keep niin;
proc sort;
 by niin;
data nsn;
 set nsn;
 by niin;
 if first.niin;
data mar99;
 infile 'd:\d041.mar99\ddb\ddb42';
 input type $ 1-2 nsn $ 5-19 serbd 20-25 serc 26-31 seri 32-37 unserb 38-43 unsercs 44-49
     unserca 50-55 unseri 56-61 unserd 62-67 toc 68-73 unsero 74-79 unserwd 80-85
     unserdi 86-91 dotm 92-97 serwb 98-103 serwd 104-109 sero 110-115 niin $ 9-17 alc $ 3-4;
 if serc eq. then delete;
 uns99 = unserb + unsercs + unserca + unseri + unserd + unsero + unserwd + unserdi + toc;
 ser99 = serbd + serc + seri + serwb + serwd + sero;
proc sort;
 by niin;
data mar98;
 infile 'd:\d041.mar98\ddb\ddb42';
 input type $ 1-2 nsn $ 5-19 serbd 20-25 serc 26-31 seri 32-37 unserb 38-43 unsercs 44-49
     unserca 50-55 unseri 56-61 unserd 62-67 toc 68-73 unsero 74-79 unserwd 80-85
     unserdi 86-91 dotm 92-97 serwb 98-103 serwd 104-109 sero 110-115 niin $ 9-17 alc $ 3-4;
 if serc eq. then delete;
 uns98 = unserb + unsercs + unserca + unseri + unserd + unsero + unserwd + unserdi + toc;
 ser98 = serbd + serc + seri + serwb + serwd + sero;
proc sort;
 by niin;
data mar97;
 infile 'd:\d041 data\mar97\ddb42';
 input type $ 1-2 nsn $ 5-19 serbd 20-25 serc 26-31 seri 32-37 unserb 38-43 unsercs 44-49
     unserca 50-55 unseri 56-61 unserd 62-67 toc 68-73 unsero 74-79 unserwd 80-85
     unserdi 86-91 dotm 92-97 serwb 98-103 serwd 104-109 sero 110-115 niin $ 9-17 alc $ 3-4;
 if serc eq. then delete;
 uns97 = unserb + unsercs + unserca + unseri + unserd + unsero + unserwd + unserdi + toc;
 ser97 = serbd + serc + seri + serwb + serwd + sero;
proc sort;
```

```
by niin;
```

É,

data mar96;

```
infile 'd:\d041 data\mar96\ddb42';
 input type $ 1-2 nsn $ 5-19 serbd 20-25 serc 26-31 seri 32-37 unserb 38-43 unsercs 44-49
    unserca 50-55 unseri 56-61 unserd 62-67 toc 68-73 unsero 74-79 unserwd 80-85
    unserdi 86-91 dotm 92-97 serwb 98-103 serwd 104-109 sero 110-115 niin $ 9-17 alc $ 3-4;
 if serc eq. then delete;
 uns96 = unserb + unsercs + unserca + unseri + unserd + unserd + unserd + toc;
 ser96 = serbd + serc + seri + serwb + serwd + sero;
proc sort;
 by niin;
data mar95:
 infile 'd:\d041 data\mar95\ddb42';
 input type $ 1-2 nsn $ 5-19 serbd 20-25 serc 26-31 seri 32-37 unserb 38-43 unsercs 44-49
    unserca 50-55 unseri 56-61 unserd 62-67 toc 68-73 unsero 74-79 unserwd 80-85
    unserdi 86-91 dotm 92-97 serwb 98-103 serwd 104-109 sero 110-115 niin $ 9-17 alc $ 3-4;
 if serc eq. then delete;
 uns95 = unserb + unsercs + unserca + unseri + unserd + unsero + unserwd + unserdi + toc;
 ser95 = serbd + serc + seri + serwb + serwd + sero;
proc sort;
 by niin;
data mar94:
 infile 'd:\d041 data\mar94\ddb42';
 input type $ 1-2 nsn $ 5-19 serbd 20-25 serc 26-31 seri 32-37 unserb 38-43 unsercs 44-49
    unserca 50-55 unseri 56-61 unserd 62-67 toc 68-73 unsero 74-79 unserwd 80-85
    unserdi 86-91 dotm 92-97 serwb 98-103 serwd 104-109 sero 110-115 niin $ 9-17 alc $ 3-4;
 if serc eq. then delete;
 uns94 = unserb + unsercs + unserca + unseri + unserd + unsero + unserwd + unserdi + toc;
 ser94 = serbd + serc + seri + serwb + serwd + sero;
proc sort;
 by niin;
data mar93;
 infile 'd:\d041 data\mar93\ddb42';
 input type $ 1-2 nsn $ 5-19 serbd 20-25 serc 26-31 seri 32-37 unserb 38-43 unsercs 44-49
    unserca 50-55 unseri 56-61 unserd 62-67 toc 68-73 unsero 74-79 unserwd 80-85
    unserdi 86-91 dotm 92-97 serwb 98-103 serwd 104-109 sero 110-115 niin $ 9-17 alc $ 3-4;
 if serc eq . then delete:
 uns93 = unserb + unsercs + unserca + unseri + unserd + unsero + unserwd + unserdi + toc;
 ser93 = serbd + serc + seri + serwb + serwd + sero;
proc sort;
 by niin;
data mar92;
 infile 'd:\d041 data\mar92\ddb42';
 input type $ 1-2 nsn $ 5-19 serbd 20-25 serc 26-31 seri 32-37 unserb 38-43 unsercs 44-49
    unserca 50-55 unseri 56-61 unserd 62-67 toc 68-73 unsero 74-79 unserwd 80-85
```


```
unserdi 86-91 dotm 92-97 serwb 98-103 serwd 104-109 sero 110-115 niin $ 9-17 alc $ 3-4;
 if serc eq. then delete:
 uns92 = unserb + unsercs + unserca + unseri + unserd + unsero + unserwd + unserdi + toc;
 ser92 = serbd + serc + seri + serwb + serwd + sero;
proc sort;
 by niin;
data mar91;
 infile 'd:\d041 data\mar91\ddb42';
 input type $ 1-2 nsn $ 5-19 serbd 20-25 serc 26-31 seri 32-37 unserb 38-43 unsercs 44-49
    unserca 50-55 unseri 56-61 unserd 62-67 toc 68-73 unsero 74-79 unserwd 80-85
    unserdi 86-91 dotm 92-97 serwb 98-103 serwd 104-109 sero 110-115 niin $ 9-17 alc $ 3-4;
 if serc eq. then delete:
 uns91 = unserb + unsercs + unserca + unseri + unserd + unsero + unserwd + unserdi + toc;
 ser91 = serbd + serc + seri + serwb + serwd + sero:
proc sort;
 by niin;
data mar90:
 infile 'd:\d041 data\mar90\ddb42';
 input type $ 1-2 nsn $ 5-19 serbd 20-25 serc 26-31 seri 32-37 unserb 38-43 unsercs 44-49
    unserca 50-55 unseri 56-61 unserd 62-67 toc 68-73 unsero 74-79 unserwd 80-85
     unserdi 86-91 dotm 92-97 serwb 98-103 serwd 104-109 sero 110-115 niin $ 9-17 alc $ 3-4;
 if serc eq. then delete;
 uns90 = unserb + unsercs + unserca + unseri + unserd + unserd + unserdi + toc;
 ser90 = serbd + serc + seri + serwb + serwd + sero;
proc sort;
 by niin;
data mergeser;
 merge nsn(in=a) mar98(in=b) mar97(in=c) mar96(in=d) mar95(in=e) mar94(in=f) mar93(in=g)
    mar92(in=h) mar91(in=i) mar90(in=j) mar99(in=k);
 by niin;
 if a;
 keep niin ser90 ser91 ser92 ser93 ser94 ser95 ser96 ser97 ser98 ser99;
data null;
 set mergeser;
 file 'e:\d041work\hutson\ser.dat';
 put niin $9. (ser90 ser91 ser92 ser93 ser94 ser95 ser96 ser97 ser98 ser99) (7.);
data mergeuns;
 merge nsn(in=a) mar98(in=b) mar97(in=c) mar96(in=d) mar95(in=e) mar94(in=f) mar93(in=g)
     mar92(in=h) mar91(in=i) mar90(in=j) mar99(in=k);
 by niin;
 if a:
 keep niin uns90 uns91 uns92 uns93 uns94 uns95 uns96 uns97 uns98 uns99;
data _null_;
 set mergeuns;
 file 'e:\d041work\hutson\uns.dat';
```

put niin \$9. (uns90 uns91 uns92 uns93 uns94 uns95 uns96 uns97 uns98 uns99) (7.); run;

Appendix C: Data Preparation

A-10 A-10 Moments 17.5 Mean 15.0 Std Dev Std Error Mean 12.5 Upper 95% Mean Lower 95% Mean 10.0 Ν Sum Weights 7.5 Test for Normality Shapiro-Wilk W Test 5.0 W 0.909706 2.5 . O/A-10 **OA-10 Moments** 20.0 Mean 17.5 Std Dev Std Error Mean 15.0 Upper 95% Mean Lower 95% Mean 12.5 Ν Sum Weights 10.0 **Test for Normality**

Decision Criteria for A-10/OA-10 TNMCS Rates:



0.49777

10.52742

Prob<W

8.50199

34

34

0.019

Shapiro-Wilk W Test 7.5 W 0.920186 5.0 . $\overline{H_0}$: (TNMCS for A-10) – (TNMCS for OA-10) = 0

H_a: (TNMCS for A-10) – (TNMCS for OA-10) $\neq 0$

Rejection region $|z| > z_{.10/2}$. JMP statistical software yielded the following results:

Test Mean=value		2	z Test
Hypothesized Value	9.26176	Test Statistic	0.4252
Actual Estimate	9.51471	Prob > z	0.6707
Using Std Dev of	3.46882		

It is concluded at $\alpha = .05$ that no significant difference exists between the A-10 and OA-10.

Appendix D: MDS Variables

	A/OA-10 Variables						
A/OA-10	TNMCS Rate	USAF Predicted TNMCS Rate	TNMCS Hrs	USAF Predicted TNMCS Hrs	Possessed Hrs		
1990	4.2	5	N/A	N/A	N/A		
1991	6.3	7.5	254888	286192	3815896		
1992	5.4	7	237615	300327	4290384		
1993	7.3	6.9	231711	218369	3164765		
1994	6.7	7.8	111590	118153	1514785		
1995	9	7.8	265192	232684	2983131		
1996	9.6	7.7	281809	234458	3044913		
1997	12	7.2	355568	212183	2946989		
1998	15.3	7.1	421090	206481	2908178		
1999	15.1	7.2	445009	211975	2944103		
		Raw Data for Ind					
A/OA-10	SERV INV	TAI	OST	BRC	DRC		
1990	165831	635	44517	8433	132343		
1991	287119	633	37833	7255	126404		
1992	145000	499	38522	6893	123034		
1993	128020	408	37294	7116	121806		
1994	140533	369	36772	6996	121073		
1995	132288	401	35176	6939	118001		
1996	118909	385	24693	7081	114071		
1997	116597	365	23876	6033	103013		
1998	89852	360	19344	5800	88884		
1999	84988	361	19202	5762	82361		
			ent variables				
A/OA-10	SERV INV	SERV/TAI	SERV/OST	SERV/BRC	SERV/DRC		
1990	165831	261	3.725	19.665	1.253		
1991	287119	454	7.589	39.575	2.271		
1992	145000	291	3.764	21.036	1.179		
1993	128020	314	3.433	17.99	1.051		
1994	140533	381	3.822	20.088	1.161		
1995	132288	330	3.761	19.064	1.121		
1996	118909	309	4.815	16.793	1.042		
1997	116597	319	4.883	19.327	1.132		
1998	89852	250	4.645	15.492	1.011		
1999	84988	235	4.426	14.75	1.032		

Note: 1991 data was excluded from the analysis (see Chapter IV, A/OA-10).

	F-15A Variables					
F-15A	TNMCS Rate	USAF Predicted TNMCS Rate	TNMCS Hrs	USAF Predicted TNMCS Hrs	Possessed Hrs	
1990	7.4	9.2	N/A	N/A	N/A	
1991	12	9.7	184820	148844	1534473	
1992	14.1	10.2	238775	172561	1691778	
1993	12.7	10.2	168338	135663	1330026	
1994	13.2	10.6	143257	114883	1083798	
1995	14.5	10.6	128250	93634	883338	
1996	16.5	10.5	135309	86106	820061	
1997	17.3	11.1	138473	88640	798555	
1998	16.2	11	125268	85102	773652	
1999	16.6	10.7	130893	84466	789404	
			r Independent Va			
F-15A	SERV INV	TAI	OST	BRC	DRC	
1990	277695	305		9371	111646	
1991	304920	298			105596	
1992	237134	227	42619		103864	
1993	227082	199	• · · · · · ·	7720	102614	
1994	268110	132		7478	103966	
1995	210107	80		8460	106741	
1996	177743	90		7519	98173	
1997	192517	84			85465	
1998	146634	78			70492	
1999	126191	84		6199	72818	
			endent Variables		00000000	
F-15A 1990	SERV INV 277695	SERV/TAI 910	SERV/OST 5.870	SERV/BRC 29.633	SERV/DRC 2.487	
1990	304920	1023	1		2.487	
1991	237134	1023			2.000	
1992	237134	1045	5.545		2.203	
1993	268110	2031	6.701	35.853		
1994	208110	2031			2.579	
1995	177743	2626			1.968	
1996	177743	2292	1			
		-	ş	1		
1998	146634	1880				
1999	126191	1502	6.396	20.357	1.733	

.

	F-15B Variables						
F-15B	TNMCS Rate	USAF Predicted TNMCS Rate	TNMCS Hrs	USAF Predicted TNMCS Hrs	Possessed Hrs		
1990	7.4	9.2	N/A	N/A	N/A		
1991	8.1	9.7	8984	10696	110268		
1992	9.9	10.2	23846	24636	241528		
1993	7.3	10.2	14975	20801	203929		
1994	9.7	10.6	16821	18409	173669		
1995	11.6	10.6	15670	14373	135599		
1996	9	10.5	9711	11361	108201		
1997	16.1	11.1	19162	13172	118664		
1998	21.9	11	26968	13552	123203		
1999	20.9	10.7	25667	13166	123051		
			or Independent V				
F-15B	SERV INV	TAI	OST	BRC	DRC		
1990	326319	50	50364	9346	124815		
1991	339492	51	44313	1	119280		
1992	267065	43	45832	7715	118306		
1993	248462	43	44194	7655	116147		
1994	303149	20	43018		115126		
1995	235053	16	40399		117211		
1996	203338	17	1		109347		
1997	213690	13	25709		97348		
1998	165959	12	22021	. 6594	80402		
1999	143245	16	21527	6379	79975		
			pendent Variable				
F-15B	SERV INV	SERV/TAI 6526	SERV/OST	SERV/BRC 34,915	SERV/DRC 2.614		
1990	326319		6.479				
1991	339492	6657	7.661	42.100	2.846		
1992	267065	6211	5.827	34.616	2.257		
1993	248462	5778	5.622	32.457	2.139		
1994	303149	15157	7.047		2.633		
1995	235053	14691	5.818	28.090	2.005		
1996	203338	11961	7.347	26.875	1.860		
1997	213690	16438	8.312	31.187	2.195		
1998	165959	13830	7.536		2.064		
1999	143245	8953	6.654	22.456	1.791		

.

	F-15C Variables					
F-15C	TNMCS Rate	USAF Predicted TNMCS Rate	TNMCS Hrs	USAF Predicted TNMCS Hrs	Possessed Hrs	
1990	7.4	9.2	N/A	N/A	N/A	
1991	7.3	9.7	175664	234025	2412630	
1992	7.6	10.2	194241	260718	2556057	
1993	7.6	10.2	197184	263831	2586582	
1994	10.2	10.6	262958	274034	2585226	
1995	10.3	10.6	269887	278671	2628975	
1996	9.8	10.5	252606	271747	2588071	
1997	10.8	11.1	283811	292497	2635111	
1998	13.7	11	347643	280150	2546816	
1999	12.6	10.7	330414	281414	2630035	
			Independent Var			
F-15C	SERV INV	TAI	OST	BRC	DRC	
1990	274713	384	47118	8753	113449	
1991	304608	383	40987	7308	107035	
1992	239043	362	41782	7120	105702	
1993	231383	359	40381	7045	103233	
1994	278465	359	39535	6770	104326	
1995	219110	357	37280	8075	105323	
1996	181527	351	25106	7781	98981	
1997	197370	350	22854	6485	84944	
1998	153858	344	19862	5872	71301	
1999	133211	347	19558	5706	71915	
			ndent Variables	······		
F-15C	SERV INV	SERV/TAI	SERV/OST	SERV/BRC	SERV/DRC	
1990	274713	715	5.830	31.385	2.421	
1991	304608	795	7.432	41.681	2.846	
1992	239043	660	5.721	33.573	2.261	
1993	231383	645	5.730	32.844	2.241	
1994	278465	776	7.044	41.132	2.669	
1995	219110	614	5.877	27.134	2.080	
1996	181527	517	7.230	23.330	1.834	
1997	197370	564	8.636	30.435	2.324	
1998	153858	447	7.746	26.202	2.158	
1999	133211	384	6.811	23.346	1.852	

	F-15D Variables					
F-15D	TNMCS Rate	USAF Predicted TNMCS Rate	TNMCS Hrs	USAF Predicted TNMCS Hrs	Possessed Hrs	
1990	7.4	9.2	N/A	N/A	N/A	
1991	7.1	9.7	22812	31203	321681	
1992	6.8	10.2	26016	39239	384699	
1993	7.6	10.2	28486	38298	375470	
1994	7.4	10.6	28505	40626	383266	
1995	9	10.6	33613	39404	371736	
1996	6.9	10.5	28131	42519	404946	
1997	7.6	11.1	30143	43966	396092.1	
1998	8.5	11	32939	42682	388016	
1999	12.5	10.7	47440	40653	379935	
		Raw Data fo	r Independent Varia			
F-15D	SERV INV	TAI	OST	BRC	DRC	
1990	283756	60		9020	i (
1991	309260	65			129981	
1992	244344	46				
1993	236289	46			1	
1994	282743	46	1	1		
1995	223091	51				
1996	185359	51			118411	
1997	201034	52				
1998	157722	52	21918	6387		
1999	136609			6168	82690	
			pendent Variables			
F-15D	SERV INV	SERV/TAI	SERV/OST	SERV/BRC	SERV/DRC	
1990	283756	4729				
1991	309260					
1992	244344	5312		1		
1993	236289	· · · · · · · · · · · · · · · · · · ·				
1994	282743					
1995	223091	4374				
1996	185359	1		1		
1997	201034					
1998	157722			l		
1999	136609	2679	6.372	2 22.148	1.652	

-

	F-15E Variables						
F-15E	TNMCS Rate	USAF Predicted TNMCS Rate	TNMCS Hrs	USAF Predicted TNMCS Hrs	Possessed Hrs		
1990	17.3	17.9		N/A	N/A		
1991	8.1	8.4	50095	51690	615360		
1992	9.9	10.1	125105	127668	1264036		
1993	9.2	10.8	137800	161630	1496578		
1994	12	11.1	186267	172550	1554502		
1995	10.4	10.9	163583	171554	1573890		
1996	10.4	10.8	163385	170431	1578062		
1997	11.5	10.9	177080	167512	1536812		
1998	12.8	10.7	195297	162642	1520021		
1999	13.3	11	196275	162241	1474916		
······		Raw Data for	r Independent V				
F-15E	SERV INV	TAI	OST	BRC	DRC		
1990	187804	98	43986		111202		
1991	225554	129	36722	7612	104392		
1992	156749	168	36951	7160	101204		
1993	164316	195	36168		98516		
1994	168964	194	35759		99135		
1995	189084	194		6533	98827		
1996	131780	195			91897		
1997	154502	198	1	5885	80976		
1998	125131	196			71744		
1999	114563	206			68210		
	,		endent Variable				
F-15E	SERV INV	SERV/TAI	SERV/OST	SERV/BRC	SERV/DRC		
1990	187804	1916			1.689		
1991	225554	1748			2.161		
1992	156749	933			1.549		
1993	164316	843			1.668		
1994	168964	871	4.725		1.704		
1995	189084	975	5.500		1.913		
1996	131780	676			1.434		
1997	154502	780		J	1.908		
1998	125131	638			1.744		
1999	114563	556	6.318	20.313	1.680		

Note: 1990 data was excluded from the analysis (see Chapter IV, F-15E).

	F-16A Variables					
F-16A	TNMCS Rate	USAF Predicted TNMCS Rate	TNMCS Hrs	USAF Predicted TNMCS Hrs	Possessed Hrs	
1990	6	7.9	N/A	N/A	N/A	
1991	12.3	9.3	451442	342681	3684741	
1992	12.6	9.5	557287	418706	4407433	
1993	11.5	9	52266	40811	453454	
1994	10	9.6	292351	281471	2931991	
1995	12.9	9.5	213950	157286	1655640	
1996	12.7	9.5	157050	117428	1236079	
1997	16.5	9.5	171216	98732	1039284	
1998	15	9.5	127846	80819	850729	
1999	12.4	9.4	97014	73527	782206	
	i		or Independent Va			
F-16A	SERV INV	TAI	OST	BRC	DRC	
1990	324648	579	60775	9834	175344	
1991	423820	621	51976	8705	164521	
1992	376211	640	52192	7890	161261	
1993	299562	631	50518	8047	158015	
1994	288814	494	49818	8889	160123	
1995	277630	211	48164	10299	163811	
1996	224483	129	33869	10671	157636	
1997	251210	130	32229	8879	142318	
1998	186166	132	26472	7173	125231	
1999	162815	113	26256	7378	113405	
			endent Variable			
F-16A	SERV INV	SERV/TAI	SERV/OST	SERV/BRC	SERV/DRC	
1990	324648	561	5.342	33.013	1.851	
1991	423820	682	8.154	48.687	2.576	
1992	376211	588	7.208	47.682	2.333	
1993	299562	475	5.930	37.227	1.896	
1994	288814	585	5.797	32.491	1.804	
1995	277630	1316	5.764	26.957	1.695	
1996	224483	1740	6.628	21.037	1.424	
1997	251210	1932	7.795	28.293	1.765	
1998	186166	1410	7.033	25.954	1.487	
1999	162815	1441	6.201	22.068	1.436	

		F-16	B Variables		
F-16B	TNMCS Rate	USAF Predicted TNMCS Rate	TNMCS Hrs	USAF Predicted TNMCS Hrs	Possessed Hrs
1990	6.0		N/A	N/A	N/A
1991	14.7	9.3	51419	32433	348745
1992	13.6	9.5	85603	59936	630909
1993	14	9	41188	27523	305807
1994	10.6	9.6	54055	48943	509828
1995	12.6	9.5	45142	34077	358704
1996	11.1	9.5	34437	29475	310266
1997	19.7	9.5	51889	25032	263494
1998	16.7	9.5	34060	19399	204200
1999	10.7	9.4	20417	17926	190705
		Raw Data for	Independent Va		· · · · ·
F-16B	SERV INV	TAI	OST	BRC	DRC
1990	305988	98	52283	8839	141603
1991	410045	116	44847	7857	132213
1992	363372	84	44763	7162	129361
1993	288044	84	43212	7313	127409
1994	277338	75	42581	8092	129887
1995	267024	47	41151	9598	134386
1996	213929	43	28888	9937	130449
1997	241687	45	27286	8200	116684
1998	178042	42	22695	6367	104584
1999	155093	30	22666		96756
			endent Variable		
F-16B	SERV INV	SERV/TAI	SERV/OST	SERV/BRC	SERV/DRC
1990	305988	3122	5.853		2.161
1991	410045	3535	9.143		3.101
1992	363372	4326	8.118		2.809
1993	288044	3429	6.666		2.261
1994	277338	3698	6.513	1	2.135
1995	267024	5681	6.489		1.987
1996	213929	4975	7.405	•	1.640
1997	241687	5371	8.858		2.071
1998	178042	4239	7.845		1.702
1999	155093	5170	6.843	23.463	1.603

		F-16C Variables					
F-16C	TNMCS Rate	USAF Predicted TNMCS Rate	TNMCS Hrs	USAF Predicted TNMCS Hrs	Possessed Hrs		
1990	6.0	7.9	N/A	N/A	N/A		
1991	6	9.3	308509	478020	5139995		
1992	7.8	9.5	591567	721585	7595631		
1993	5.5	9.0	64468	105698	1174426		
1994	10	9.6	796258	799123	8324198		
1995	10	9.5	851346	812834	8556149		
1996	11.2	9.5	975356	828549	8721569		
1997	13.6	9.5	1185684	829376	8730273		
1998	13.8	9.5	1192408	821382	8646129		
1999	15.5	9.4	1131677	794877	8456136		
	L		or Independent \				
F-16C	SERV INV	TAI	OST	BRC	DRC		
1990	372191	714	82709	14796	259772		
1991	420336	903	69842	12360	249587		
1992	440951	1053	70685	11415	243362		
1993	354453	1174	69211	11688	235841		
1994	369255	1062	68414	12271	233948		
1995	355868	1084	66238	12371	240219		
1996	294307	1088	46259	13098	221234		
1997	325108	1094	44344	11533	204326		
1998	257490	1094	36235	10346	181884		
1999	191966	1095	35592	10191	158997		
			pendent Variable				
F-16C 1990	SERV INV 372191	SERV/TAI 521	SERV/OST	SERV/BRC	SERV/DRC		
	420336		4.500	25.155	1.433		
1991		465	6.018	34.008	1.684		
1992 1993	440951 354453	419	6.238	38.629	1.812		
	354453	302 348	5.121	30.326	1.503		
1994 1995			5.397	30.092	1.578		
1995	355868 294307	328 271	5.373 6.362	28.766 22.470	1.481 1.330		
1996	294307 325108	271 297	7.331				
1997		297	7.331	28.189	1.591		
	257490			24.888	1.416		
1999	191966	175	5.394	18.837	1.207		

Note: 1993 data was excluded from the analysis (see Chapter IV, F-16C).

	F-16D Variables						
F-16D	TNMCS Rate	USAF Predicted TNMCS Rate	TNMCS Hrs	USAF Predicted TNMCS Hrs	Possessed Hrs		
1990	6.0	7.9	N/A	N/A	N/A		
1991	6.5	9.3	21524	30694	330040		
1992	4.9	9.5	61667	120421	1267589		
1993	5.7	9.0	34386	53997	599967		
1994	8.6	9.6	120326	134278	1398732		
1995	8.8	9.5	123061	133067	1400708		
1996	9.7	9.5	136473	133385	1404050		
1997	13.6	9.5	189190	132056	1390062		
1998	14	9.5	192185	130634	1375096		
1999	13.6	9.4	181762	125987	1340284		
	Raw Data for Independent Variables						
F-16D	SERV INV	TAI	OST	BRC	DRC		
1990	364338	152	76084	13992	232725		
1991	413547	170	64423	11708	223921		
1992	434380	177	64880	10858	218086		
1993	348057	183	63463	11123	211303		
1994	363275	188	62671	11663	209456		
1995	350762	198	60662	11878	216834		
1996	289172	185	42376	12546	199821		
1997	320368	185	40499	11040	184095		
1998	254528	186		9734	165118		
1999	189275	180		9613	145125		
Independent Variables							
F-16D	SERV INV	SERV/TAI	SERV/OST	SERV/BRC	SERV/DRC		
1990	364338	2397	4.789	26.039	1.566		
1991	413547	2433	6.419	35.322	1.847		
1992	434380	2454	6.695	40.006	1.992		
1993	348057	1902	5.484	31.292	1.647		
1994	363275	1932	5.797	31.148	1.734		
1995	350762	1772	5.782	29.530	1.618		
1996	289172	1563	6.824	23.049	1.447		
1997	320368	1732	7.911	29.019	1.740		
1998	254528	1368		26.148	1.541		
1999	189275	1052	5.791	19.689	1.304		

Note: 1993 data was excluded from the analysis (see Chapter IV, F-16D).

Appendix E: Statistical Results

Simple linear regression was performed for the two dependent variables using the five independent variables. In total, 100 regressions were performed. Theil's U-statistic was calculated in each instance where the null was rejected. The below example is intended to help the reader interpret the spreadsheet.

Regression S	tatistics					
R Square	0.938394655				[<u> </u>
Adjusted R Square	0.929593891	4			Regression information	
Standard Error	1.065503872				Information	
Observations	9			\sim		
ANOVA						
	df	SS	MS	F	Significance F	
Regression	1	121.0529105	121.0529105	106.6265042	1.73093E-05	
Residual	7	7.947089514	1.135298502			
Total	8	129				
			¥		•	
	Coefficients	Standard Error	t Stat	P-value	•	
Intercept	28.21674894	1.856556278	15.19843448	1.2848E-06		
SERV INV	-0.000150934	1.46169E-05	-10.32601105	1.73093E-05		
RESIDUAL OUTPUT	ordered by year.	e are the predictio Column 3 contain liction for that part	is actual TNMCS	he regression equ rates/hours of eac	ations. They are h MDS. Column	4 is
L			iculai yeai.			
Predicted TNMCS Rate (1)	Residuals	Actual TNMCS	USAF Pred TNMCS Rate	Denominator (5)	Serv Inv Num (6)	USAF-Num (7)
		Actual	USAF Pred		(6)	
Rate (1)	Residuals	Actual TNMCS Rate(3)	USAF Pred TNMCS Rate (4)	(5)	(6)	(7) 0.145124717
Rate (1)	Residuals 1.012798393	Actual TNMCS Rate(3) 4.2	USAF Pred TNMCS Rate (4) 5	(5) 0.081632653	(6) 0.049168751 0.08715284	(7) 0.145124717 0.005486968
Rate (1) 3.187201607 6.331309165	Residuals 1.012798393 -0.931309165	Actual TNMCS Rate(3) 4.2 5.4	USAF Pred TNMCS Rate (4) 5 7	(5) 0.081632653 0.123799726	(6) 0.049168751 0.08715284 0.001751728	(7) 0.145124717 0.005486968 0.022705949
Rate (1) 3.187201607 6.331309165 8.894169629	Residuals 1.012798393 -0.931309165 -1.594169629	Actual TNMCS Rate(3) 4.2 5.4 7.3	USAF Pred TNMCS Rate (4) 5 7 6.9	(5) 0.081632653 0.123799726 0.006755489	(6) 0.049168751 0.08715284 0.001751728 0.012531198	(7) 0.145124717 0.005486968 0.022705949 0.032078414
Rate (1) 3.187201607 6.331309165 8.894169629 7.005531644	Residuals 1.012798393 -0.931309165 -1.594169629 -0.305531644	Actual TNMCS Rate(3) 4.2 5.4 7.3 6.7	USAF Pred TNMCS Rate (4) 5 7 6.9 7.8	(5) 0.081632653 0.123799726 0.006755489 0.117843618	(6) 0.049168751 0.08715284 0.001751728 0.012531198	(7) 0.145124717 0.005486968 0.022705949 0.032078414 0.044567901
Rate (1) 3.187201607 6.331309165 8.894169629 7.005531644 8.249983029	Residuals 1.012798393 -0.931309165 -1.594169629 -0.305531644 0.750016971	Actual TNMCS Rate(3) 4.2 5.4 7.3 6.7 9	USAF Pred TNMCS Rate (4) 5 7 6.9 7.8 7.8	(5) 0.081632653 0.123799726 0.006755489 0.117843618 0.004444444	(6) 0.049168751 0.08715284 0.001751728 0.012531198 0.005530896	(7)
Rate (1) 3.187201607 6.331309165 8.894169629 7.005531644 8.249983029 10.26932992	Residuals 1.012798393 -0.931309165 -1.594169629 -0.305531644 0.750016971 -0.669329917	Actual TNMCS Rate(3) 4.2 5.4 7.3 6.7 9 9.6	USAF Pred TNMCS Rate (4) 5 7 6.9 7.8 7.8 7.8 7.7	(5) 0.081632653 0.123799726 0.006755489 0.117843618 0.00444444 0.0625	 (6) 0.049168751 0.08715284 0.001751728 0.012531198 0.005530896 0.020715321 0.002888873 	(7) 0.145124717 0.005486968 0.022705949 0.032078414 0.044567901 0.25
Rate (1) 3.187201607 6.331309165 8.894169629 7.005531644 8.249983029 10.26932992 10.61828948	Residuals 1.012798393 -0.931309165 -1.594169629 -0.305531644 0.750016971 -0.669329917 1.381710519	Actual TNMCS Rate(3) 4.2 5.4 7.3 6.7 9 9.6 12	USAF Pred TNMCS Rate (4) 5 7 6.9 7.8 7.8 7.8 7.7 7.2	(5) 0.081632653 0.123799726 0.006755489 0.117843618 0.00444444 0.0625 0.075625	 (6) 0.049168751 0.08715284 0.001751728 0.012531198 0.005530896 0.020715321 0.002888873 0.000357196 	(7) 0.145124717 0.005486968 0.022705949 0.032078414 0.044567901 0.25 0.466944444
Rate (1) 3.187201607 6.331309165 8.894169629 7.005531644 8.249983029 10.26932992 10.61828948 14.65502111 15.38916442	Residuals 1.012798393 -0.931309165 -1.594169629 -0.305531644 0.750016971 -0.669329917 1.381710519 0.644978887	Actual TNMCS Rate(3) 4.2 5.4 7.3 6.7 9 9.6 12 15.3 15.1 Column 5 is t Column 6 is t is the numera these columns	USAF Pred TNMCS Rate (4) 5 7 6.9 7.8 7.8 7.8 7.7 7.2 7.1	(5) 0.081632653 0.123799726 0.006755489 0.117843618 0.00444444 0.0625 0.075625 0.000170874 0.472771804 the denominator of the predictions of redictions. The bor m of the preceding	(6) 0.049168751 0.08715284 0.001751728 0.012531198 0.005530896 0.020715321 0.002888873 0.000357196 0.180096802 of Theil's U (Chaj f each regression ottom number of or g numbers. Theil	(7) 0.145124717 0.005486968 0.022705949 0.032078414 0.044567901 0.25 0.466944444 0.266606861 1.233515254 pter 3). Column 7 each of 's U for the

A/OA-10 TNMCS Rate By Serviceable Inventory (Key for Statistical Results)

Appendix E: Statistical Results

A/OA-10 TNMCS Rate By Serviceable Inventory

Regression S	Statistics				
R Square	0.938394655				
Adjusted R Square	0.929593891				
Standard Error	1.065503872				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	121.0529105	121.0529105	106.6265042	1.73093E-05
Residual	7	7.947089514	1.135298502		
Total	8	129			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	28.21674894	1.856556278	15.19843448	1.2848E-06	
SERV INV	-0.000150934	1.46169E-05	-10.32601105	1.73093E-05	

RESIDUAL OUTPUT

USAF-Num	Serv Inv Num	Denominator	USAF Pred TNMCS Rate	Actual TNMCS Rate	Residuals	Predicted TNMCS Rate
0.145124717	0.049168751	0.081632653	5	4.2	1.012798393	3.187201607
0.005486968	0.08715284	0.123799726	7	5.4	-0.931309165	6.331309165
0.022705949	0.001751728	0.006755489	6.9	7.3	-1.594169629	8.894169629
0.032078414	0.012531198	0.117843618	7.8	6.7	-0.305531644	7.005531644
0.044567901	0.005530896	0.004444444	7.8	9	0.750016971	8.249983029
0.25	0.020715321	0.0625	7.7	9.6	-0.669329917	10.26932992
0.466944444	0.002888873	0.075625	7.2	12	1.381710519	10.61828948
0.266606861	0.000357196	0.000170874	7.1	15.3	0.644978887	14.65502111
1.233515254	0.180096802	0.472771804	7.2	15.1	-0.289164416	15.38916442

	Theil's U
USAF Pred	1.615275026
Serv Inv Pred	0.617201846

A/OA-10 TNMCS Hours By Serviceable Inventory

Regression	Statistics				
R Square	0.819890989				
Adjusted R Square Standard Error	0.78987282				
	50231.69424				
Observations					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	68917192101	68917192101	27.31315829	0.001964386
Residual	6	15139338636	2523223106		
Total	7	84056530737		· ··· ·· · · · · ·	
	Coefficients	Standard Error	t Stat	P-value	
Intercept	831214.0015	104372.3165	7.963931712	0.000208629	
SERV INV	-4.497162074	0.860503376	-5.22619922	0.001964386	

Predicted TNMCS Hrs	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv-Num	USAF-Num
179125.5008	58489.49921	237615	300327	0.000617369	0.010012472	0.003152784
255487.3128	-23776.3128	231711	218369	0.268747588	0.143006592	0.000802253
199214.3238	-87624.32377	111590	118153	1.894711914	0.067065984	0.08486526
236293.4251	28898.57493	265192	232684	0.00392645	0.003052479	0.031881811
296460.9564	-14651.65645	281809	234458	0.068504175	0.029875856	0.258879347
306858.3952	48709.70484	355568	212183	0.033956331	0.00028908	0.364290844
427134.9948	-6045.494821	421090	206481	0.00322673	9.02338E-05	0.306260157
449009.1911	-3999.991147	445009	211975	2.273690557	0.253392695	1.050132456

	Theil's U
USAF Pred	0.679604681
Serv Inv Pred	0.333834615

A/OA-10 TNMCS Rates By Serviceable Inventory/TAI

Regression Statistics					
R Square	0.190783196				
	0.075180795				
	3.861697771				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	24.61103226	24.61103226	1.650339395	0.239788197
Residual	7	104.3889677	14.91270968		
Total	8	129			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	20.97326005	9.100342981	2.304666988	0.05461423	
SERV/TAI	-0.038720944	0.030141115	-1.28465536	0.239788197	

Observation	Predicted TNMCS Rate	Residuals
1	10.86709356	-6.66709356
2	9.705465228	-4.305465228
3	8.814883507	-1.514883507
4	6.220580232	0.479419768
5	8.195348396	0.804651604
6	9.008488229	0.591511771
7	8.621278785	3.378721215
8	11.29302395	4.006976052
9	11.87383811	3.226161886

A/OA-10 TNMCS Hours By Serviceable Inventory/TAI

Regression	Statistics				
R Square	0.777747113				
Adjusted R Square	0.740704965				
Standard Error	55799.95018				
Observations	8				
ANOVA	df	SS	MS	F	Significance F
Regression	1	65374724096	65374724096		-
Residual	6	18681806641	3113634440	20.00027 772	0.000,01010
Total	7	84056530737			
				<u></u>	
	Coefficients	Standard Error	t Stat	P-value	

	Coefficients	Standard Error	t Stat	P-value
Intercept	931834.2959	140655.516	6.624939588	0.000570032
SERV/TAI	-2101.7251	458.674702	-4.582169216	0.003761919

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv/TAI Num	USAF-Num
320232.292	-82617.292	237615	300327	0.000617369	0.028596117	0.003152784
271892.615	-40181.615	231711	218369	0.268747588	0.00707291	0.000802253
131077.033	-19487.033	111590	118153	1.894711914	0.058227074	0.08486526
238265.013	26926.987	265192	232684	0.00392645	4.98236E-06	0.031881811
282401.24	-591.94009	281809	234458	0.068504175	0.111697806	0.258879347
261383.989	94184.1109	355568	212183	0.033956331	0.001706042	0.364290844
406403.021	14686.479	421090	206481	0.00322673	0.000282719	0.306260157
437928.897	7080.30252	445009	211975	2.273690557	0.20758765	1.050132456

	Theil's U
USAF Pred	0.679604681
Serv Inv/TAI Pred	0.302158682

A/OA-10 TNMCS Rates By Serviceable Inventory/OST

Regressio	n Statistics				
R Square Adjusted R Square Standard Error Observations	0.531369144				
	0.464421879				
	2.938740751				
	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	68.54661959	68.54661959	7.937129965	0.025873658
Residual	7	60.45338041	8.636197202		
Total	8	129			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-12.7211552	7.912792133	-1.60766958	0.151942882	
SERV/OST	5.341267286	1.89588751	2.817291246	0.025873658	

RESIDUAL OUTPUT

÷

Observation	Predicted TNMCS Rate	Residuals
1	7.175065438	-2.975065438
2	7.383374862	-1.983374862
3	5.615415391	1.684584609
4	7.693168365	-0.993168365
5	7.367351061	1.632648939
6	12.99704678	-3.39704678
7	13.36025296	-1.360252956
8	12.08903134	3.210968659
9	10.91929381	4.180706194

A/OA-10 TNMCS Hours By Serviceable Inventory/OST

Regression	Statistics				
R Square	0.420044764				
Adjusted R Square0.323385558Standard Error90137.88058					
Observations	8				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	35307505641	35307505641	4.34562606	0.082208124
Residual	6	48749025097	8124837516		
Total	7	84056530737			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-236666.8391	256406.5898	-0.923013872	0.391606392	
SERV/OST	126469.308	60667.9005	2.084616526	0.082208124	

Observation	Predicted TNMCS Hrs	Residuals
1	239363.6361	-1748.636066
2	197502.2951	34208.70487
3	246698.8559	-135108.8559
4	238984.2281	26207.77186
5	372282.8787	-90473.57874
6	380882.7917	-25314.69168
7	350783.0964	70306.40362
8	323086.3179	121922.8821

A/OA-10 TNMCS Rates By Serviceable Inventory/BRC

Regression	Statistics				
R Square	0.679479018				
Adjusted R Square0.633690306Standard Error2.430379355					
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	87.65279334	87.65279334	14.8394439	0.006274538
Residual	7	41.34720666	5.906743808		
Total	8	129			
<u></u>	Coefficients	Standard Error	t Stat	P-value	
Intercept	37.47746841	7.333568186	5.110400212	0.001383416	
SERV/BRC	-1.53891304	0.399489406	-3.852199877	0.006274538	

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv/BRC Num	USAF-Num
7.214743484	-3.014743484	4.2	5	0.081632653	0.004936946	0.145124717
5.104893707	0.295106293	5.4	7	0.123799726	0.213037433	0.005486968
9.792422825	-2.492422825	7.3	6.9	0.006755489	0.000348189	0.022705949
6.563783268	0.136216732	6.7	7.8	0.117843618	0.016490001	0.032078414
8.139630221	0.860369779	9	7.8	0.004444444	0.051101201	0.044567901
11.63450173	-2.034501733	9.6	7.7	0.0625	0.197386191	0.25
7.734896091	4.265103909	12	7.2	0.075625	0.019213943	0.466944444
13.6366276	1.663372402	15.3	7.1	0.000170874	0.000441546	0.266606861
14.77850107	0.321498927	15.1	7.2	0.472771804	0.50295545	1.233515254

	Theil's U			
USAF Pred	1.615275026			
Serv Inv/BRC Pred	1.031428139			

Regression	Statistics				
R Square	0.574272403				
Adjusted R Square	0.503317804				
Standard Error	77228.21681				
Observations	8				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	48271345909	48271345909	8.09351906	0.029377032
Residual	6	35785184828	5964197471		
Total	7	84056530737			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	967152.5901	238292.0177	4.058686478	0.006660381	
SERV/BRC	-37274.36433	13102.11928	-2.844911081	0.029377032	

A/OA-10 TNMCS Hours By Serviceable Inventory/BRC

Predicted TNMCS Hrs	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv/BRC- Num	USAF-Num
183049.062	54565.93802	237615	300327	0.000617369	0.074544812	0.003152784
296586.7757	-64875.77574	231711	218369	0.268747588	0.212427057	0.000802253
218385.1594	-106795.1594	111590	118153	1.894711914	0.005991905	0.08486526
256554.1084	8637.891558	265192	232684	0.00392645	0.050162287	0.031881811
341204.1898	-59394.88984	281809	234458	0.068504175	0.149102199	0.258879347
246750.9506	108817.1494	355568	212183	0.033956331	0.007794257	0.364290844
389698.1378	31391.36216	421090	206481	0.00322673	0.004312716	0.306260157
417355.7162	27653.48382	445009	211975	2.273690557	0.504335233	1.050132456

	Theil's U
USAF Pred	0.679604681
Serv Inv/BRC Pred	0.470970793

A/OA-10 TNMCS Rates By Serviceable Inventory/DRC

Regressio	n Statistics				
R Square	0.605392506				
Adjusted R Square	0.549020007				
Standard Error	2.696674321				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	78.09563326	78.09563326	10.73914613	0.013541762
Residual	7	50.90436674	7.272052391		
Total	8	129			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	52.21810004	13.09687955	3.987064235	0.005276146	
SERV/DRC	-38.60578044	11.78060137	-3.277063644	0.013541762	

RESIDUAL OUTPUT

.

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv/DRC Num	USAF-Num
3.845057147	0.354942853	4.2	5	0.081632653	0.09608301	0.145124717
6.7018849	-1.3018849	5.4	7	0.123799726	0.646959498	0.005486968
11.6434248	-4.343424797	7.3	6.9	0.006755489	0.009110806	0.022705949
7.396788948	-0.696788948	6.7	7.8	0.117843618	7.74921E-05	0.032078414
8.941020166	0.058979834	9	7.8	0.004444444	0.070571506	0.04456790
11.99087682	-2.390876821	9.6	7.7	0.0625	0.131681548	0.2
8.516356581	3.483643419	12	7.2	0.075625	0.030986091	0.46694444
13.18765601	2.112343985	15.3	7.1	0.000170874	0.031676214	0.26660686
12.37693463	2.723065375	15.1	7.2	0.472771804	1.017146165	1.233515254

	Theil's U	······
USAF Pred		1.615275026
Serv Inv/DRC Pred		1.466783106

Regression	o Statistics	•			
R Square	0.4200553				
Adjusted R Square	0.32339785				
Standard Error	90137.06187				
Observations	8				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	35308391204	35308391204	4.345813999	0.082202999
Residual	6	48748139533	8124689922		
Total	7	84056530737			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	1495452.302	577354.7041	2.590179471	0.041201983	
SERV/DRC	-1101390.115	528330.408	-2.084661603	0.082202999	

A/OA-10 TNMCS Hours By Serviceable Inventory/DRC

Observation	Predicted TNMCS Hrs	Residuals
1	196913.3561	40701.64388
2	337891.2909	-106180.2909
3	216738.3782	-105148.3782
4	260793.9828	4398.017195
5	347803.8019	-65994.50191
6	248678.6915	106889.4085
7	381946.8955	39142.60451
	358817.7031	86191.49693

F-15A TNMCS Rates By Serviceable Inventory

Regression	Statistics				
R Square	0.611929836				
Adjusted R Square	0.563421066				
Standard Error	1.955925403				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	48.25984654	48.25984654	12.61482883	0.007490445
Residual	8	30.60515346	3.825644182	`	
Total	9	78.865			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	22.75782398	2.528525761	9.000431924	1.85246E-05	
SERV INV	-4.01628E-05	1.13079E-05	-3.551736031	0.007490445	

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv-Num	USAF-Num
11.60482193	-4.204821927	7.4	9.2	0.38641344	0.04046674	0.092822776
10.51139035	1.488609646	12	9.7	0.030625	0.00520966	0.108350694
13.23386428	0.86613572	14.1	10.2	0.009858659	0.004421594	0.031857608
13.6375805	-0.937580503	12.7	10.2	0.001550003	0.009080707	0.043539587
11.98978213	1.210217866	13.2	10.6	0.009699265	0.000187309	0.089168596
14.31934362	0.180656376	14.5	10.6	0.01902497	0.003690171	0.173132514
15.6191717	0.880828297	16.5	10.5	0.002350781	0.018997078	0.14233471
15.02580685	2.274193148	17.3	11.1	0.004042902	0.001493601	0.091800827
16.8685955	-0.668595498	16.2	11.0	0.000609663	0.004524166	0.131742112
17.68964313	-1.089643125	16.6	10.7	0.464174683	0.088071028	0.904749426

T	heil's U
USAF Pred	1.3961222
Serv Inv Pred	0.4355879

F-15A TNMCS Hours By Serviceable Inventory

Regression	Statistics	•			
R Square	0.314478971				
Adjusted R Square	0.216547396				
Standard Error	32917.71914				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	3479592126	3479592126	3.21121119	0.116239676
Residual	7	7585033635	1083576234		
Totai	8	11064625761			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	77681.12374	44423.15125	1.748663063	0.123834332	
SERV INV	0.367243774	0.204936827	1.791985265	0.116239676	

Observation	Predicted TNMCS Hrs	Residuals
1	189661.0954	-4841.095424
2	164767.1089	74007.89107
3	161075.5745	7262.425487
4	176142.8521	-32885.85209
5	154841.6114	-26591.61144
6	142956.1339	-7647.633928
7	148381.7935	-9909.193451
8	131531.5474	-6263.74735
9	124023.9829	6868.817129

F-15A TNMCS Rates By Serviceable Inventory/TAI

Regression	n Statistics				
R Square	0.387531055				
Adjusted R Square	0.310972437				
Standard Error	2.457192588				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	30.56263668	30.56263668	5.06188676	0.054578911
Residual	8	48.30236332	6.037795416		
Total	9	78.865			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	9.0170294	2.368121442	3.80767187	0.005179768	
SERV/TAI	0.003064042	0.001361879	2.24986372	0.054578911	

RESIDUAL OUTPUT

Observation	Predicted TNMCS Rate	Residuals
1	11.80676454	-4.40676454
2	12.15222325	-0.152223254
3	12.21786023	1.882139766
4	12.51345576	0.186544236
5	15.24051707	-2.040517072
6	17.06423851	-2.564238512
7	15.06827457	1.431725434
8	16.03941304	1.260586964
9	14.77719317	1.42280683
10	13.62005985	2.979940148

.

F-15A TNMCS Hours By Serviceable Inventory/TAI

Regression	Statistics				
R Square	0.547583265				
Adjusted R Square	0.482952303				
Standard Error	26741.67923				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	6058803906	6058803906	8.47246038	0.022636366
Residual	7	5005821856	715117407.9		
Total	8	11064625761			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	237099.0611	29639.41466	7.999451535	9.11891E-05	
SERV/TAI	-47.72727958	16.39690601	-2.91074911	0.022636366	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv/TAI Num	USAF-Num
188263.4836	-3443.483614	184820	148844	0.085224696	0.077747844	0.128350347
187241.0844	51533.91563	238775	172561	0.087020985	0.003586052	0.018726764
182636.7189	-14298.71888	168338	135663	0.022198589	0.000338808	0.028411189
140158.448	3098.551992	143257	114883	0.010973775	0.013264088	0.058388373
111751.117	16498.88303	128250	93634	0.003029075	0.003449921	0.147181235
142841.3961	-7532.896051	135309	86106	0.000546827	0.006321646	0.135638521
127714.3863	10758.2137	138473	88640	0.009093602	0.025489267	0.084137626
147375.4468	-22107.64682	125268	85102	0.002016351	0.075880634	0.137358246
165399.619	-34506.81899	130893	84466	0.220103902	0.206078259	0.738192301

	Theil's U		
USAF Pred	1.831348029		
Serv Inv/TAI Pred	0.967614166		

F-15A TNMCS Rates By Serviceable Inventory/OST

Regressio	n Statistics				
R Square	0.223915655	•			
Adjusted R Square	0.126905112				
Standard Error	2.765996472				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	17.65910813	17.65910813	2.308157936	0.167181057
Residual	8	61.20589187	7.650736484		
Total	9	78.865			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	4.389158168	6.418778933	0.683799553	0.513417014	
SERV/OST	1.470384673	0.967828053	1.5192623	0.167181057	

Observation	Predicted TNMCS Rate	Residuals
1	13.02040665	-5.620406646
2	15.16601788	-3.166017877
3	12.57044349	1.529556512
4	12.54195739	0.158042606
5	14.24182324	-1.041823235
6	12.59272471	1.907275288
7	14.7114688	1.788531199
8	16.68923838	0.610761616
9	15.17281257	1.027187429
10	13.79310689	2.806893108

F-15A TNMCS Hours By Serviceable Inventory/OST

Regressio	on Statistics				
R Square	0.136385102				
Adjusted R Square	0.013011545				
Standard Error	36947.01931				
Observations	servations 9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	1509050109	1509050109	1.105464616	0.328006096
Residual	7	9555575652	1365082236		
Total	8	11064625761			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	248357.3297	89811.87615	2.765306108	0.027881984	
SERV/OST	-14069.78885	13381.81917	-1.051410774	0.328006096	

Observation	Predicted TNMCS Hrs	Residuals
1	145235.9198	39584.08024
2	170072.4025	68702.59746
3	170344.9797	-2006.979727
4	154079.3358	-10822.33584
5	169859.1984	-41609.19838
6	149585.4003	-14276.9003
7	130660.5564	7812.043613
8	145170.9028	-19903.10282
9	158373.0042	-27480.20425

F-15A TNMCS Rates By Serviceable Inventory/BRC

Regression S	tatistics				
R Square	0.266517074				
Adjusted R Square	0.174831708				
Standard Error	2.689008437				
Observations	10				
ANOVA					
· · · · · · · · · · · · · · · · · · ·	df	SS	MS	F	Significance F
Regression	1	21.01886902	21.01886902	2.906866013	0.12659991
Residual	8	57.84613098	7.230766373		
Total	9	78.865			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	21.95520002	4.71393763	4.657507533	0.001628713	
SERV/BRC	-0.278458561	0.16332327	-1.704953376	0.12659991	

Observation	Predicted TNMCS Rate	Residuals
1	13.70351395	-6.303513953
2	11.55495695	0.445043054
3	13.56485791	0.535142094
4	13.76440637	-1.06440637
5	11.97157809	1.228421914
6	15.0395862	-0.539586201
7	15.37266776	1.127332236
8	13.71161909	3.588380914
9	15.53010283	0.669897172
10	16.28671086	0.313289138

F-15A TNMCS Hours By Serviceable Inventory/BRC

Regressio	n Statistics				
R Square	0.247670684				
Adjusted R Square	0.140195067				
Standard Error	34484.45267				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	2740383429	2740383429	2.304436036	0.172796681
Residual	7	8324242332	1189177 47 6		
Total	8	11064625761			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	64709.53535	60462.70837	1.070238782	0.320020416	
SERV/BRC	3189.657407	2101.172509	1.518036902	0.172796681	

Observation	Predicted TNMCS Hrs	Residuals
1	183841.1297	978.8702871
2	160818.3307	77956.6693
3	158532.5643	9805.435742
4	179068.8623	-35811.86234
5	143925.7704	-15675.77042
6	140110.4233	-4801.923286
7	159137.2264	-20664.6264
8	138307.0529	-13039.25292
9	129640.34	1252.460041

F-15A TNMCS Rates By Serviceable Inventory/DRC

Regression	n Statistics				
R Square	0.400046979				
Adjusted R Square	0.325052851				
Standard Error	2.431956389				
Observations 10					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	31.54970496	31.54970496	5.334377382	0.049718017
Residual	8	47.31529504	5.91441188		
Total	9	78.865			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	25.78949573	5.140704102	5.016724405	0.001031078	
SERV/DRC	-5.265671312	2.279879419	-2.309627109	0.049718017	

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv/DRC Num	USAF-Num
12.69229032	-5.29229032	7.4	9.2	0.38641344	0.036600144	0.092822776
10.58429386	1.41570614	12	9.7	0.030625	0.000768514	0.108350694
13.76733501	0.332664991	14.1	· 10.2	0.009858659	0.010382423	0.031857608
14.13670787	-1.436707874	12.7	10.2	0.001550003	0.006073478	0.043539587
12.21025698	0.989743018	13.2	10.6	0.009699265	0.004906856	0.089168596
15.42464621	-0.924646211	14.5	10.6	0.01902497	0.00028327	0.173132514
16.25595579	0.244044206	16.5	10.5	0.002350781	0.041761166	0.142334711
13.92813442	3.371865577	17.3	11.1	0.004042902	0.006215412	0.091800827
14.8361046	1.363895396	16.2	11.0	0.000609663	1.57418E-05	0.131742112
16.66427492	-0.064274924	16.6	10.7	0.464174683	0.107007005	0.904749426

	Theil's U
USAF Pred	1.3961222
Serv Inv/DRC Pred	0.480137226

F-15A TNMCS Hours By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.221043733				
Adjusted R Square	0.109764266				
Standard Error	35089.39518				
Observations 9					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	2445766181	2445766181	1.986383826	0.201562995
Residual	7	8618859580	1231265654		
Total	8	11064625761			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	49304.31895	75774.43992	0.650672166	0.536023188	
SERV/DRC	47944.53297	34017.90057	1.409391296	0.201562995	

Observation	Predicted TNMCS Hrs	Residuals
1	187749.402	-2929.40204
2	158767.4523	80007.5477
3	155404.2706	12933.72942
4	172944.8239	-29687.82388
5	143677.4463	-15427.44633
6	136108.2785	-799.7785332
7	157303.3554	-18830.75545
8	149036.1842	-23768.38424
9	132390.4867	-1497.686661

F-15B TNMCS Rates By Serviceable Inventory

Regression S	Statistics				
R Square	0.655070025				
Adjusted R Square	0.611953778				
Standard Error	3.41819084				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	177.5167711	177.5167711	15.19311334	0.004558554
Residual	8	93.47222895	11.68402862		
Total	9	270.989			
	Coefficients	Standard Error	t Stat	P-value	1
Intercept	28.72545045	4.377760632	6.561676816	0.000176305	
SERV INV	-6.76083E-05	1.73451E-05	-3.897834442	0.004558554	

RESIDUAL OUTPUT

-

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv-Num	USAF-Num
6.663575283	0.736424717	7.4	9.2	0.008948137	0.098887212	0.049443401
5.772971054	2.327028946	8.1	9.7	0.049382716	0.009028235	0.000952599
10.66963791	-0.769637912	9.9	10.2	0.068972554	0.218471754	0.084824111
11.92735525	-4.627355249	7.3	10.2	0.108087821	0.040546525	0.013557891
8.230059759	1.469940241	9.7	10.6	0.03836752	0.016181808	0.01153225
12.83391504	-1.233915038	11.6	10.6	0.050237812	0.265590287	0.01598626
14.9781125	-5.978112498	9	10.5	0.622345679	0.040973348	0.311736111
14.2782313	1.821768697	16.1	11.1	0.129778944	0.074510572	0.461865165
17.50524341	4.394756591	21.9	11.0	0.002085027	0.007206394	0.216076395
19.0408985	1.859101504	20.9	10.7	1.078206211	0.771396135	1.165974184

	Theil's U			
USAF Pred	1.039904728			
Serv Inv Pred	0.845839212			

F-15B TNMCS Hours By Serviceable Inventory

Regressio	on Statistics				
R Square	0.359197461				
Adjusted R Square	0.267654241				
Standard Error	5584.65427				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	122376959.7	122376959.7	3.923801916	0.088070219
Residual	7	218318543.2	31188363.31		
Total	8	340695502.9			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	32676.9026	7650.347908	4.271296285	0.00369477	
SERV INV	-0.062416587	0.031509861	-1.980858883	0.088070219	

Observation	Predicted TNMCS Hrs	Residuals
1	11486.97051	-2502.970514
2	16007.61669	7838.383312
3	17168.75246	-2193.752463
4	13755.37655	3065.623451
5	18005.69648	-2335.696483
6	19985.23855	-10274.73855
7	19339.10204	-177.0020397
8	22318.30817	4649.591828
9	23736.03854	1930.561462

F-15B TNMCS Rates By Serviceable Inventory/TAI

Regressio	n Statistics				
R Square	0.189559146				
Adjusted R Square	0.088254039				
Standard Error	5.239519977				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	51.3684433	51.3684433	1.87117068	0.208527594
Residual	8	219.6205567	27.45256959		
Total	9	270.989			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	6.195562091	4.68496486	1.322435125	0.222577778	•
SERV/TAI	0.000564438	0.000412629	1.367907409	0.208527594	

Observation	Predicted TNMCS Rate	Residuals
1	9.87930089	-2.47930089
2	9.952861809	-1.852861809
3	9.701183329	0.198816671
4	9.456991571	-2.156991571
5	14.75100732	-5.051007323
6	14.48761925	-2.887619248
7	12.94684174	-3.946841738
8	15.47362511	0.626374892
9	14.00169667	7.898303328
10	11.24887231	9.651127687

F-15B TNMCS Hours By Serviceable Inventory/TAI

Regressio	on Statistics				
R Square	0.009519778				
Adjusted R Square Standard Error	-0.131977396				
	6943.158578				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	3243345.646	3243345.646	0.067278928	0.802803448
Residual	7	337452157.2	48207451.04		
Total	8	340695502.9	· · · · · · · · · · · · · · · · · · ·		
	Coefficients	Standard Error	t Stat	P-value	
Intercept	16307.95702	6842.323117	2.383394754	0.048638758	
SERV/TAI	0.150804305	0.581398903	0.25938182	0.802803448	

RESIDUAL OUTPUT

Observation	Predicted TNMCS Hrs	Residuals
1	17311.81693	-8327.816929
2	17244.57451	6601.425494
3	17179.33236	-2204.332355
4	18593.76574	-1772.765741
5	18523.3948	-2853.394797
6	18111.73619	-8401.23619
7	18786.83179	375.2682074
8	18393.568	8574.332002
9	17658.07969	8008.520308

.

F-15B TNMCS Rates By Serviceable Inventory/OST

Regressio	n Statistics				
R Square	0.128901394				
Adjusted R Square	0.020014069				
Standard Error	5.432059233				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	34.93085994	34.93085994	1.183805309	0.308271884
Residual	8	236.0581401	29.50726751		
Total	9	270.989			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-2.708162276	13.80013595	-0.19624171	0.849314324	
SERV/OST	2.18115829	2.004689162	1.088028175	0.308271884	

Observation	Predicted TNMCS Rate	Residuals
1	11.42402326	-4.024023257
2	14.00218887	-5.90218887
3	10.00153922	-0.101539217
4	9.554474081	-2.254474081
5	12.66251871	-2.962518709
6	9.982443919	1.617556081
7	13.31584106	-4.315841065
8	15.42135327	0.678646733
9	13.72991269	8.170087314
10	11.80570493	9.094295071

F-15B TNMCS Hours By Serviceable Inventory/OST

Regressio	n Statistics				
R Square	0.0108769				
Adjusted R Square Standard Error	-0.1304264				
	6938.40031				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	3705710.862	3705710.862	0.076975554	0.789453681
Residual	7	336989792	48141398.86		
Total	8	340695502.9			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	22904.51062	17906.28072	1.27913278	0.24161759	
SERV/OST	-717.1486814	2584.834798	-0.277444687	0.789453681	

Observation	Predicted TNMCS Hrs	Residuals
1	17410.271	-8426.271005
2	18725.65496	5120.345038
3	18872.64667	-3897.646665
4	17850.74463	-1029.744626
5	18731.93335	-3061.933355
6	17635.93708	-7925.437077
7	16943.66027	2218.439732
8	17499.7934	9468.106604
9	18132.45865	7534.141353

F-15B TNMCS Rates By Serviceable Inventory/BRC

Regression S	Statistics				
R Square	0.482278341				
Adjusted R Square	0.417563133				
Standard Error	4.187733199				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	130.6921252	130.6921252	7.452318548	0.025850056
Residual	8	140.2968748	17.53710934		
Total	9	270.989			
<u></u>	Coefficients	Standard Error	t Stat	P-value	
Intercept	31.28596169	7.119379434	4.394478757	0.002303701	
SERV/BRC	-0.600621686	0.220016526	-2.729893505	0.025850056	

Predicted TNMCS Rate	Residuals	Actua/ TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv/BRC Num	USAF-Num
10.31503636	-2.91503636	7.4	9.2	0.008948137	0.080535733	0.049443401
5.999967444	2.100032556	8.1	9.7	0.049382716	0.00538941	0.000952599
10.49464209	-0.594642089	9.9	10.2	0.068972554	0.205813082	0.084824111
11.79129605	-4.491296048	7.3	10.2	0.108087821	0.115645976	0.013557891
7.217506482	2.482493518	9.7	10.6	0.03836752	0.084207318	0.01153225
14.41479423	-2.814794231	11.6	10.6	0.050237812	0.280545098	0.01598626
15.14411494	-6.14411494	9	10.5	0.622345679	0.155177823	0.311736111
12.55466452	3.545335479	16.1	11.1	0.129778944	0.126691557	0.461865165
16.16940505	5.730594951	21.9	11.0	0.002085027	0.020055567	0.216076395
17.79857284	3.101427164	20.9	10.7	1.078206211	1.074061565	1.165974184

	Theil's U
USAF Pred	1.039904728
Serv Inv/BRC Pred	0.998076139

F-15B TNMCS Hours By Serviceable Inventory/BRC

Regressio	on Statistics				
R Square	0.24296692				
Adjusted R Square	0.134819337				
Standard Error 6070.040786					
Observations	ations 9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	82777736.89	82777736.89	2.246623671	0.177583005
Residual	7	257917766	36845395.14		
Total	8	340695502.9		- <u></u>	
	Coefficients	Standard Error	t Stat	P-value	•
Intercept	33239.67068	10381.09918	3.201941347	0.015025242	
SERV/BRC	-485.3131817	323.7851468	-1.498874134	0.177583005	

RESIDUAL OUTPUT

Observation	Predicted TNMCS Hrs	Residuals
1	12808.13017	-3824.130167
2	16439.90854	7406.091457
3	17487.62839	-2512.628385
4	13791.92372	3029.076277
5	19607.46235	-3937.462349
6	20196.76667	-10486.26667
7	18104.44391	1057.656087
8	21025.21961	5942.680387
9	22341.61664	3324.983361

.

F-15B TNMCS Rates By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.284616355				
Adjusted R Square	0.195193399				
Standard Error 4.	4.922665672				
Observations	ations 10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	77.12790145	77.12790145	3.182810869	0.112255702
Residual	8	193.8610986	24.23263732		
Total	9	270.989			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	30.89279385	10.59832013	2.914876459	0.019443277	
SERV/DRC	-8.347335564	4.678885919	-1.784043405	0.112255702	

RESIDUAL OUTPUT

.

2

ø

.

Observation	Predicted TNMCS Rate	Residuals
1	9.069341585	-1.669341585
2	7.134798831	0.965201169
3	12.04944547	-2.149445474
4	13.03614934	-5.736149344
5	8.912646625	0.787353375
6	14.15318522	-2.553185223
7	15.37036965	-6.370369646
8	12.56943706	3.530562943
9	13.66293062	8.237069377
10	15.94169559	4.958304408

.

F-15B TNMCS Hours By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.146882783				
Adjusted R Square	0.025008895				
Standard Error	6443.747791				
Observations 9					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	50042303.7	50042303.7	1.205203063	0.308605417
Residual	7	290653199.2	41521885.6		
Total	8	340695502.9			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	33924.68858	14683.64751	2.310372036	0.054157104	
SERV/DRC	-7251.631552	6605.498778	-1.097817409	0.308605417	

Observation	Predicted TNMCS Hrs	Residuals
1	13285.2612	-4301.261196
2	17554.79204	6291.207959
3	18411.97729	-3436.97729
4	14829.74171	1991.258286
5	19382.38666	-3712.386657
6	20439.79868	-10729.29868
7	18006.52749	1155.572512
8	18956.4848	8011.415201
9	20936.13014	4730.469862

F-15C TNMCS Rates By Serviceable Inventory

	Coefficients	Standard Error	t Stat	P-value	
Total	9	46.101			
Residual	8	16.50088596	2.062610745		
Regression	1	29.60011404	29.60011404	14.35079988	0.005325139
	df	SS	MS	F	Significance F
ANOVA					
Observations	10				
Standard Error	1.436179218				
Adjusted R Square	0.597329847				
R Square	0.642070975				

Predicted TNMCS	Residuals	Actual	USAF Pred	Denominator	Serv Inv-Num	USAF-Num
Rate		TNMCS Rate	TNMCS Rate			
7.992566943	-0.592566943	7.4	9.2	0.000182615	0.001435699	0.109208326
7.019609378	0.280390622	7.3	9.7	0.001688872	0.045285978	0.122021017
9.153476672	-1.553476672	7.6	10.2	0	0.056267443	0.115540359
9.402777724	-1.802777724	7.6	10.2	0.117036011	0.093953946	0.00212084
7.870454992	2.329545008	10.2	10.6	9.61169E-05	0.002381701	0.00064144
9.802212686	0.497787314	10.3	10.6	0.00235649	0.014153667	0.00418931
11.02538259	-1.225382586	9.8	10.5	0.010412328	0.000877133	0.00078743
10.50975901	0.290240987	10.8	11.1	0.072102195	0.026984355	0.06444389
11.92589313	1.774106865	13.7	11.0	0.006446801	2.42434E-08	0.01883105
12.59786687	0.002133129	12.6	10.7	0.210321429	0.241339947	0.43778368

	Theil's U
USAF Pred	1.442739847
Serv Inv Pred	1.071205626

F-15C TNMCS Hours By Serviceable Inventory

Regression S	Statistics				
R Square	0.633621451				
Adjusted R Square	0.581281659				
Standard Error	38742.34001				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	18170612652	18170612652	12.10592207	0.010275186
Residual	7	10506782365	1500968909		
Total	8	28677395017	·····		
	Coefficients	Standard Error	t Stat	P-value	
Intercept	441610.4686	54564.12825	8.093421131	8.46302E-05	

-0.856344076

RESIDUAL OUTPUT

SERV INV

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv-Num	USAF-Num
180761.2123	-5097.21227	175664	234025	0.011183703	0.058993845	0.143210499
236907.4116	-42666.41161	194241	260718	0.000229561	0.056775547	0.117729187
243467.0072	-46283.00723	197184	263831	0.111266689	0.092001588	0.003155143
203148.6154	59809.38455	262958	274034	0.000694334	0.003660767	0.001115954
253976.9181	15910.08192	269887	278671	0.004100095	0.015458176	0.005030418
286160.8975	-33555.29749	252606	271747	0.015260277	0.001971737	0.001182555
272593.8383	11216.76171	283811	292497	0.050585075	0.017727362	0.056553702
309855.0817	37787.71828	347643	280150	0.002456086	6.85346E-05	0.019866922
327536.0179	2877.98214	330414	281414	0.195775821	0.246657557	0.347844381

0.246121391 -3.47935656 0.010275186

	Theil's U
USAF Pred	1.33294727
Serv Inv Pred	1.122451762

F-15C TNMCS Rates By Serviceable Inventory/TAI

Regression S	Statistics				
R Square	0.606412883				
Adjusted R Square	0.557214494				
Standard Error	1.506019574				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	27.95624034	27.95624034	12.32586857	0.007952013
Residual	8	18.14475966	2.268094958		
Total	9	46.101			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	17.69357897	2.317751377	7.633941734	6.10791E-05	
SERV/TAI	-0.01301825	0.003708035	-3.510821637	0.007952013	

RESIDUAL OUTPUT

.

\$

,

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv-Num	USAF-Num
8.380343562	-0.980343562	7.4	9.2	0.000182615	2.90576E-05	0.109208326
7.33988976	-0.03988976	7.3	9.7	0.001688872	0.042059319	0.122021017
9.09711092	-1.49711092	7.6	10.2	0	0.050214037	0.115540359
9.303045147	-1.703045147	7.6	10.2	0.117036011	0.117420516	0.002120845
7.595732539	2.604267461	10.2	10.6	9.61169E-05	0.003419008	0.000641447
9.703582708	0.596417292	10.3	10.6	0.00235649	0.012703667	0.00418931
10.96091859	-1.160918595	9.8	10.5	0.010412328	0.002086047	0.000787432
10.35240206	0.447597943	10.8	11.1	0.072102195	0.028679565	0.064443897
11.87101547	1.828984531	13.7	11.0	0.006446801	4.90606E-05	0.01883105
12.69595924	-0.095959243	12.6	10.7	0.210321429	0.256660276	0.43778368

······	Theil's U
USAF Pred	1.442739847
Serv Inv/TAI Pred	1.104682736

F-15C TNMCS Hours By Serviceable Inventory/TAI

Regression	Statistics				
R Square	0.602693549				
Adjusted R Square	0.545935485				
Standard Error	40344.43498				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	17283680981	17283680981	10.61864169	0.013890731
Residual	7	11393714035	1627673434		
Total	8	28677395017	····		
	Coefficients	Standard Error	t Stat	P-value	
Intercept	458876.8042	63347.4621	7.243807234	0.000170842	
SERV/TAI	-336.0860133	103.137347	-3.258625737	0.013890731	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv-Num	USAF-Num
191580.49	-15916.49001	175664	234025	0.011183703	0.059100162	0.143210499
236945.8405	-42704.84046	194241	260718	0.000229561	0.053858488	0.117729187
242262.3473	-45078.34734	197184	263831	0.111266689	0.107904232	0.003155143
198185.4624	64772.53756	262958	274034	0.000694334	0.0043204	0.001115954
252602.8368	17284.16322	269887	278671	0.004100095	0.014463068	0.005030418
285062.8847	-32457.28473	. 252606	271747	0.015260277	0.003275672	0.001182555
269353.1001	14457.49992	283811	292497	0.050585075	0.018964835	0.056553702
308558.4268	39084.37321	347643	280150	0.002456086	2.57992E-06	0.019866922
329855.6114	558.3886341	330414	281414	0.195775821	0.261889439	0.347844381

	Theil's U
USAF Pred	1.33294727
Serv Inv/TAI Pred	1.156590087

F-15C TNMCS Rates By Serviceable Inventory/OST

Regressio	on Statistics				
R Square	0.2742323				
Adjusted R Square	0.183511338				
Standard Error 2.04507386					
Observations	tions 10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	12.64238327	12.64238327	3.022810745	0.120295813
Residual	8	33.45861673	4.182327091		
Total	9	46.101			·····
	Coefficients	Standard Error	t Stat	P-value	
Intercept	1.668474683	4.681612061	0.356388924	0.730765803	
SERV/OST	1.184504207	0.681288611	1.738623232	0.120295813	

RESIDUAL OUTPUT

.

-

Observation	Predicted TNMCS Rate	Residuals
1	8.574512805	-1.174512805
2	10.47149656	-3.171496556
3	8.445255095	-0.845255095
4	8.455679976	-0.855679976
5	10.01153688	0.188463118
6	8.630296486	1.669703514
7	10.23294115	-0.432941153
8	11.89800104	-1.098001039
9	10.84405863	2.855941373
10	9.736221381	2.863778619

F-15C TNMCS Hours By Serviceable Inventory/OST

Regression Statistics				
R Square	0.181833238			
Adjusted R Square	0.064952272			
Standard Error	57895.09159			
Observations	. 9			

ANOVA

	df	SS	MS	F	Significance F
Regression	1	5214503605	5214503605	1.555713002	0.2524041
Residual	7	23462891412	3351841630		
Total	8	28677395017			

	Coefficients	Standard Error	t Stat	P-value
Intercept	80114.6991	143247.8094	0.559273467	0.593409147
SERV/OST	25605.46933	20529.0097	1.247282246	0.2524041

Observation	Predicted TNMCS Hrs	Residuals	
1	270409.9342	-94745.93421	
2	226608.6009	-32367.6009	
3	226833.9559	-29649.95592	
4	260466.9697	2491.030337	
5	230608.6472	39278.35281	
6	265253.0736	-12647.47363	
7	301246.7321	-17436.13207	
8	278463.6217	69179.17833	
9	254515.4648	75898.53524	

F-15C TNMCS Rates By Serviceable Inventory/BRC

Regression	Statistics				
R Square	0.326334061				
Adjusted R Square Standard Error	0.242125819				
	1.970300531				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	15.04432655	15.04432655	3.875322081	0.08452861
Residual	8	31.05667345	3.882084182		
Total	9	46.101			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	15.8988941	3.195012211	4.976160669	0.001084695	
SERV/BRC	-0.198317075	0.100740988	-1.968583775	0.08452861	

Observation	Predicted TNMCS Rate	Residuals
1	9.674710542	-2.274710542
2	7.632751839	-0.332751839
3	9.240704689	-1.640704689
4	9.385451969	-1.785451969
5	7.741676324	2.458323676
6	10.51768613	-0.217686131
7	11.2722518	-1.472251803
8	9.863143733	0.936856267
9	10.70259496	2.997405041
10	11.26902801	1.330971989

F-15C TNMCS Hours By Serviceable Inventory/BRC

Regressio	on Statistics				
R Square	0.405333635				
Adjusted R Square	0.320381297				
Standard Error	49357.99581				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	11623912763	11623912763	4.771306419	0.065222243
Residual	7	17053482254	2436211751		
Total	8	28677395017			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	428478.4514	80139.32283	5.346669229	0.001068033	

Observatio	n Predicted TNMCS Hrs	Residuals
1	198682.8552	-23018.85522
· 2	243383.33	-49142.33001
3	247407.2491	-50223.24909
4	201710.9143	61247.08573
5	278882.9261	-8995.926147
6	299859.5635	-47253.9635
7	260686.8976	23123.70242
8	284023.3209	63619.4791
9	299769.9433	30644.0567

F-15C TNMCS Rates By Serviceable Inventory/DRC

Regressio	n Statistics						
R Square	0.240246142						
Adjusted R Square	0.14527691						
Standard Error	2.092409275						
Observations	10						
ANOVA							
·····	df	SS	MS	F	Significance F		
Regression	1	11.07558741	11.07558741	2.529726069	0.150383678		
Residual	8	35.02541259	4.378176574				
Total	9	46.101					
	Coefficients	Standard Error	t Stat	P-value			
Intercept	17.55614061	4.964808482	3.536116383	0.007663204			
SERV/DRC	-3,44955002	2,168830933	-1.59051126	0.150383678			

Observation	Predicted TNMCS Rate	Residuals
1	9.20316937	-1.80316937
2	7.739159884	-0.439159884
3	9.755050895	-2.155050895
4	9.824434354	-2.224434354
5	8.348666482	1.851333518
6	10.37982675	-0.079826752
7	11.22981065	-1.429810647
8	9.541004907	1.258995093
9	10.11247409	3.587525912
10	11.16640262	1.433597379

F-15C TNMCS Hours By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.25979971				
Adjusted R Square	0.154056812				
Standard Error	55067.51194				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	7450378922	7450378922	2.45689984	0.160994774
Residual	7	21227016095	3032430871		
Total	8	28677395017		····	
	Coefficients	Standard Error	t Stat	P-value	
Intercept	461482.9302	131642.0725	3.505588461	0.009918107	
SERV/DRC	-90740.31417	57890.40029	-1.567450108	0.160994774	

Observation	Predicted TNMCS Hrs	Residuals
1	203247.5341	-27583.53409
2	256275.4892	-62034.48924
3	258100.6191	-60916.61914
4	219280.5876	43677.41236
` 5	272710.2002	-2823.200196
6	295069.0021	-42463.40213
7	250645.0157	33165.58432
8	265677.496	81965.30395
9	293401.0558	37012.94415

F-15D TNMCS Rates By Serviceable Inventory

Regression S	Statistics				
R Square	0.410530043				
Adjusted R Square	0.336846298				
Standard Error 1.38241151					
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	10.64750718	10.64750718	5.571514374	0.045929138
Residual	8	15.28849282	1.911061602		
Total	9	25.936		· · · · · · · · · · · · · · · · · · ·	
	Coefficients	Standard Error	t Stat	P-value	
Intercept	12.42087574	1.89028233	6.570910357	0.00017461	
SERV INV	-1.92057E-05	8.13659E-06	-2.360405553	0.045929138	

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv-Num	USAF-Num
6.971155708	0.428844292	7.4	9.2	0.001643535	0.006989532	0.127801858
6.481334666	0.618665334	7.1	9.7	0.00178536	0.017086872	0.222624479
7.728089009	-0.928089009	6.8	10.2	0.01384083	0.001729466	0.1443255
7.882790566	-0.282790566	7.6	10.2	0.000692521	0.00290165	0.171788435
6.990611037	0.409388963	7.4	10.6	0.046749452	0.013623722	0.044346289
8.136266809	0.863733191	9	10.6	0.054444444	0.047472402	0.157050754
8.860934609	-1.960934609	6.9	10.5	0.010291955	0.019352679	0.253636316
8.559885957	-0.959885957	7.6	11.1	0.014023546	0.01376674	0.104629549
9.391721315	-0.891721315	8.5	11.0	0.221453287	0.101108263	0.043853287
9.797210323	2.702789677	12.5	10.7	0.364924932	0.224031327	1.270056468

	Theil's U
USAF Pred	1.865562261
Serv Inv Pred	0.783524549

F-15D TNMCS Hours By Serviceable Inventory

0.58953422 0.530896252 4807.545031 9				
4807.545031				
9				
df	SS	MS	F	Significance F
1	232368270.3	232368270.3	10.0537968	0.01569096
7	161787424.6	23112489.22		
8	394155694.8			·
Coefficients	Standard Error	t Stat	P-value	
52001.93159	6845.852659	7.596121941	0.00012669	
-0.096097441	0.030307267	-3.170772273	0.01569096	
	1 7 8 Coefficients	1 232368270.3 7 161787424.6 8 394155694.8 Coefficients 52001.93159 6845.852659	1 232368270.3 232368270.3 7 161787424.6 23112489.22 8 394155694.8 Coefficients Standard Error t Stat 52001.93159 6845.852659 7.596121941	1 232368270.3 232368270.3 10.0537968 7 161787424.6 23112489.22 23112489.22 8 394155694.8 23112489.22 23112489.22 Coefficients Standard Error t Stat P-value 52001.93159 6845.852659 7.596121941 0.00012669

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv-Num	USAF-Num
22282.83684	529.1631608	22812	31203	0.019726875	0.01205932	0.336010497
28521.09835	-2505.098349	26016	39239	0.009013903	0.000967367	0.142242285
29295.16324	-809.1632404	28486	38298	4.44881E-07	0.016634238	0.18106229
24831.05269	3673.947305	28505	40626	0.032111433	0.011445305	0.041273133
30563.45727	3049.542727	33613	39404	0.026596949	0.0324843	0.183228976
34189.40593	-6058.205934	28131	42519	0.005115398	0.008151722	0.241451302
32683.07854	-2539.878539	30143	43966	0.008604521	0.016790934	0.104462052
36845.25092	-3905.950924	32939	42682	0.193792615	0.06762251	0.042451751
38874.15621	8565.643794	47440	40653	0.294962139	0.166155697	1.272182286

	Theil's U
USAF Pred	2.076784985
Serv Inv Pred	0.750541103

F-15D TNMCS Rates By Serviceable Inventory/TAI

Regression S	Statistics				
R Square	0.397356436				
Adjusted R Square	0.32202599				
Standard Error	1.397773385				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	10.30583651	10.30583651	5.274845152	0.050731248
Residual	8	15.63016349	1.953770436		
Total	9	25.936			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	12.43680023	1.947796393	6.385061744	0.000212491	
SERV/TAI	-0.000997691	0.000434401	-2.296703105	0.050731248	

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv/TAI Num	USAF-Num
7.718452882	-0.318452882	7.4	9.2	0.001643535	0.006355524	0.127801858
7.689939381	-0.589939381	7.1	9.7	0.00178536	0.002256096	0.222624479
7.137238522	-0.337238522	6.8	10.2	0.01384083	0.001794483	0.1443255
7.311942913	0.288057087	7.6	10.2	0.000692521	0.020781308	0.171788435
6.304405016	1.095594984	7.4	10.6	0.046749452	0.015707314	0.044346289
8.072566716	0.927433284	9	10.6	0.054444444	0.045071368	0.157050754
8.810701644	-1.910701644	6.9	10.5	0.010291955	0.02015939	0.253636316
8.579687996	-0.979687996	7.6	11.1	0.014023546	0.014358597	0.104629549
9.410687952	-0.910687952	8.5	11.0	0.221453287	0.1035797	0.043853287
9.764376978	2.735623022	12.5	10.7	0.364924932	0.230063779	1.270056468

<u></u>	Theil's U		
USAF Pred	1.865562261		
Serv Inv/TAI Pred	0.794003391		

F-15D TNMCS Hours By Serviceable Inventory/TAI

Regression .	Statistics				
R Square Adjusted R Square Standard Error	0.440840976				
	0.360961116				
	5611.158699				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	173759981.2	173759981.2	5.51880002	0.051146713
Residual	7	220395713.6	31485101.94		
Total	8	394155694.8			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	48749.2817	7825.480067	6.229557968	0.000432641	•
SERV/TAI	-4.125830591	1.756261023	-2.349212638	0.051146713	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv/TAI Num	USAF-Num
29119.21449	-6307.214492	22812	31203	0.019726875	0.001284521	0.33601049
26833.58714	-817.5871371	26016	39239	0.009013903	0.001277711	0.14224228
27556.05595	929.9440497	28486	38298	4.44881E-07	0.032248711	0.18106229
23389.50521	5115.494795	28505	40626	0.032111433	0.010432407	0.04127313
30701.52342	2911.476581	33613	39404	0.026596949	0.02798268	0.183228976
33753.99087	-5622.790867	28131	42519	0.005115398	0.008910532	0.241451302
32798.66195	-2655.46195	30143	43966	0.008604521	0.011955264	0.104462052
36235.16146	-3295.86146	32939	42682	0.193792615	0.087471699	0.04245175
37697.79952	9742.00048	47440	40653	0.294962139	0.181563526	1.272182286

	Theil's U
USAF Pred	2.076784985
Serv Inv/TAI Pred	0.784569041

F-15D TNMCS Rates By Serviceable Inventory/OST

Regressio	on Statistics				
R Square	0.000140473				
Adjusted R Square Standard Error	-0.124841968				
	1.800429001				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	0.003643308	0.003643308	0.001123942	0.974077107
Residual	8	25.93235669	3.241544587		
Total	9	25.936			
<u></u>	Coefficients	Standard Error	t Stat	P-value	
Intercept	7.934583559	4.37472779	1.813731949	0.107276356	
SERV/OST	0.023020388	0.686658368	0.033525242	0.974077107	

Observation	Predicted TNMCS Rate	Residuals
1	8.061574755	-0.661574755
2	8.094657423	-0.994657423
3	8.057650413	-1.257650413
4	8.057642796	-0.457642796
5	8.084647041	-0.684647041
6	8.059769824	0.940230176
7	8.088201158	-1.188201158
8	8.114355948	-0.514355948
9	8.100238345	0.399761655
10	8.081262297	4.418737703

F-15D TNMCS Hours By Serviceable Inventory/OST

Regressio	n Statistics				
R Square	4.92899E-05				
Adjusted R Square	-0.142800812				
Standard Error	7503.677831				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	19427.88161	19427.88161	0.000345046	0.985698187
Residual	7	394136267	56305181		
Total	8	394155694.8			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	31258.04156	19522.64686	1.601116989	0.153384668	
SERV/OST	-56.14496699	3022.541595	-0.018575416	0.985698187	

Observation	Predicted TNMCS Hrs	Residuals
1	30867.63364	-8055.633639
2	30957.89091	-4941.89091
3	30957.90949	-2471.909486
4	30892.04819	-2387.048195
5	30952.72183	2660.278171
6	30883.37998	-2752.179976
7	30819.59044	-676.39044
8	30854.0222	2085.277803
9	30900.30333	16539.49667

F-15D TNMCS Rates By Serviceable Inventory/BRC

Regressio	on Statistics				
R Square	0.347067589				
Adjusted R Square	0.265451038				
Standard Error	1.454925041				
Observations 10					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	9.001544994	9.001544994	4.25241674	0.073116665
Residual	8	16.93445501	2.116806876		
Total	9	25.936			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	12.91957701	2.391545778	5.402186792	0.000644334	
SERV/BRC	-0.157466632	0.076360828	-2.062138875	0.073116665	

Observation	Predicted TNMCS Rate	Residuals
1	7.965907224	-0.565907224
2	6.504331266	0.595668734
3	7.571970812	-0.771970812
4	7.761164023	-0.161164023
5	6.617724529	0.782275471
6	8.58529098	0.41470902
7	9.074516105	-2.174516105
8	8.25603152	-0.65603152
9	9.031060955	-0.531060955
10	9.432002585	3.067997415

F-15D TNMCS Hours By Serviceable Inventory/BRC

Regression	Statistics				
R Square	0.504704051				
Adjusted R Square	0.433947487				
Standard Error	5281.013415				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	198931976	198931976	7.132964377	0.031964405
Residual	7	195223718.8	27889102.69		
Total	8	394155694.8			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	53608.0819	8683.383498	6.173639793	0.000456851	
SERV/BRC	-740.8520652	277.3936201	-2.670761011	0.031964405	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv-Num	USAF-Num
23425.50916	-613.5091574	22812	31203	0.019726875	0.011371049	0.33601049
28448.56042	-2432.560424	26016	39239	0.009013903	0.001074216	0.14224228
29338.68031	-852.6803143	28486	38298	4.44881E-07	0.025468019	0.1810622
23959.00398	4545.996016	28505	40626	0.032111433	0.000193924	0.04127313
33216.04882	396.9511759	33613	39404	0.026596949	0.048291474	0.18322897
35517.76469	-7386.564688	28131	42519	0.005115398	0.002933909	0.24145130
31666.94252	-1523.742525	30143	43966	0.008604521	0.006202812	0.10446205
35313.31606	-2374.016059	32939	42682	0.193792615	0.096645551	0.04245175
37199.67402	10240.12598	47440	40653	0.294962139	0.192180954	1.27218228

	Theil's U
USAF Pred	2.076784985
Serv Inv/BRC Pred	0.807183054

F-15D TNMCS Rates By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.19342135				
Adjusted R Square	0.092599019				
Standard Error	1.617073895				
Observations 10					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	5.016576146	5.016576146	1.918437594	0.203425493
Residual	8	20.91942385	2.614927982		
Total	9	25.936			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	13.76760375	4.138063155	3.327064676	0.010429846	•
SERV/DRC	-2.955275471	2.133654672	-1.385076747	0.203425493	

Observation	Predicted TNMCS Rate	Residuals
1	7.657974619	-0.257974619
2	6.736203068	0.363796932
3	8.136505925	-1.336505925
4	8.163996784	-0.563996784
5	7.105640103	0.294359897
6	8.537715837	0.462284163
7	9.141454947	-2.241454947
8	8.058732157	-0.458732157
9	8.376470869	0.123529131
10	8.885305688	3.614694312

F-15D TNMCS Hours By Serviceable Inventory/DRC

Regressio	n Statistics				
R Square	0.328205655				
Adjusted R Square	0.232235034				
Standard Error	6150.395656				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	129364127.8	129364127.8	3.419855492	0.106879149
Residual	7	264791567	37827366.72		
Total	88	394155694.8			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	60124.88575	15936.63084	3.7727476	0.006957894	
SERV/DRC	-15312.31317	8280.125612	-1.84928513	0.106879149	

Observation	Predicted TNMCS Hrs	Residuals
1	23692.7459	-880.745897
2	30948.2035	-4932.203498
3	31090.64323	-2604.643229
4	25606.92805	2898.071946
5	33027.01201	585.9879859
6	36155.19496	-8023.994959
7	30545.23047	-402.0304738
8	32191.54558	747.7544154
9	34827.99629	12611.80371

F-15E TNMCS Rates By Serviceable Inventory

Regressio	Regression Statistics				
R Square	0.590087807				
Adjusted R Square	0.531528922				
Standard Error	1.164123156				
Observations					
ANOVA					
····	df	SS	MS	F	Significance F
Regression	1	13.65594316	13.65594316	10.07682796	0.015611839
Residual	7	9.486279064	1.355182723		
Total	8	23.14222222			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	16.91941229	1.952680703	8.664710141	5.45686E-05	•
SERV INV	-3.82169E-05	1.20391E-05	-3.174401984	0.015611839	

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv-Num	USAF-Num
8.299442333	-0.199442333	8.1	8.4	0.049382716	0.016136988	0.000512286
10.9289547	-1.028954703	9.9	10.1	0.00499949	0.021150196	0.027497903
10.63976758	-1.439767579	9.2	10.8	0.092627599	0.027942192	0.010476561
10.46213552	1.537864476	12	11.1	0.017777778	0.003469093	0.001678723
9.693211916	0.706788084	10.4	10.9	0	0.020338927	0.00147929
11.88319196	-1.483191959	10.4	10.8	0.01118713	0.00217633	0.002968853
11.01482803	0.485171969	11.5	10.9	0.012778828	0.003320806	0.034144612
12.13729599	0.662704012	12.8	10.7	0.001525879	0.003514526	0.032287598
12.54117197	0.758828033	13.3	11.0	0.19027942	0.098049059	0.111045826

TI	heil's U
USAF Pred	0.763932892
Serv Inv Pred	0.717836942

F-15E TNMCS Hours By Serviceable Inventory

Regressio	n Statistics	•			
R Square	0.619666044				
Adjusted R Square	0.565332622				
Standard Error	30508.96442				
Observations					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	10615625053	10615625053	11.40487784	0.011805146
Residual	7	6515578368	930796909.7		
Total	8	17131203421			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	324364.9893	51175.2264	6.338320553	0.000389561	
SERV INV	-1.065533612	0.315516325	-3.377110872	0.011805146	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv-Num	USAF-Num
84029.6209	-33934.6209	50095	51690	2.242072072	0.414157215	0.002616888
157343.6611	-32238.66111	125105	127668	0.010297127	0.00842156	0.03628392
149280.7683	-11480.76826	137800	161630	0.123706877	0.092626281	0.009909174
144328.168	41938.83197	186267	172550	0.014830898	0.047728242	0.00183128
122889.6317	40693.36825	163583	171554	1.47246E-06	0.015803697	0.001855381
183948.9699	-20564.46987	163385	170431	0.00702683	0.011266809	0.003429373
159737.9151	17342.48487	177080	167512	0.010582399	0.000579575	0.03400538
191033.7029	4263.097136	195297	162642	2.50879E-05	0.00094994	0.030369873
202294.2621	-6019.26208	196275	162241	2.408542763	0.59153332	0.12030127

	Theil's U
USAF Pred	0.223489913
Serv Inv Pred	0.495578464

F-15E TNMCS Rates By Serviceable Inventory/TAI

Regression	Statistics				
R Square 0.592132859					
Adjusted R Square	0.533866124				
Standard Error	1.16121562				
Observations	9				
ANOVA					
<u></u>	df	SS	MS	F	Significance F
Regression	1	13.70327021	13.70327021	10.16245143	0.015322179
Residual	7	9.438952017	1.348421717		
Total	8	23.14222222			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	14.17465479	1.114058516	12.7234383	4.28868E-06	
SERV/TAI	-0.003736945	0.001172242	-3.187860008	0.015322179	

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv/TAI Num	USAF-Num
7.640679461	0.459320539	8.1	8.4	0.049382716	0.009463547	0.000512286
10.6879742	-0.787974198	9.9	10.1	0.00499949	0.034009795	0.027497903
11.02573274	-1.82573274	9.2	10.8	0.092627599	0.013781519	0.010476561
10.91996861	1.080031388	12	11.1	0.017777778	0.000121744	0.001678723
10.53240507	-0.132405072	10.4	10.9	0	0.014428785	0.00147929
11.64924675	-1.249246748	10.4	10.8	0.01118713	0.000538473	0.002968853
11.2586678	0.241332204	11.5	10.9	0.012778828	0.007730208	0.034144612
11.78890161	1.011098389	12.8	10.7	0.001525879	0.008841527	0.032287598
12.09642376	1.203576238	13.3	11.0	0.19027942	0.088915599	0.111045826

· · · · ·	Theil's U
USAF Pred	0.763932892
Serv Inv/TAI Pred	0.683585857

F-15E TNMCS Hours By Serviceable Inventory/TAI

Regressior	Statistics				
R Square	0.835834797				
Adjusted R Square	0.812382626				
Standard Error	20044.04963				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	14318855942	14318855942	35.63997419	0.000558799
Residual	7	2812347480	401763925.7		
Total	8	17131203421			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	262637.332	19230.0584	13.6576461	2.65674E-06	
SERV/TAI	-120.7977142	20.23438579	-5.969922461	0.000558799	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv/TAI Num	USAF-Num
51424.86969	-1329.869691	50095	51690	2.242072072	0.24556767	0.002616888
149929.4694	-24824.46944	125105	127668	0.010297127	0.033939245	0.03628392
160847.6027	-23047.6027	137800	161630	0.123706877	0.043796498	0.009909174
157428.7496	28838.25042	186267	172550	0.014830898	0.010059835	0.00183128
144900.6567	18682.34326	163583	171554	1.47246E-06	0.011599905	0.001855381
181002.8562	-17618.35618	163385	170431	0.00702683	0.002837444	0.003429373
168377.2893	8703.110661	177080	167512	0.010582399	0.003049987	0.03400538
185517.2362	9779.563827	195297	162642	2.50879E-05	1.75019E-05	0.030369873
195457.9702	817.0298361	196275	162241	2.408542763	0.350868086	0.12030127

The	eil's U
USAF Pred	0.223489913
Serv Inv/TAI Pred	0.381675913

F-15E TNMCS Rates By Serviceable Inventory/OST

Regressio	on Statistics				
R Square	0.16488602				
Adjusted R Square	0.045584023				
Standard Error	1.66159963				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	3.815828912	3.815828912	1.382089351	0.278177109
Residual	7	19.32639331	2.76091333		
Total	8	23.14222222			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	6.965008914	3.346056348	2.081557568	0.075910372	
SERV/OST	0.683177402	0.581119477	1.175622963	0.278177109	

Observation	Predicted TNMCS Rate	Residuals
1	11.1612236	-3.061223599
2	9.863100293	0.036899707
3	10.06877406	-0.868774064
4	10.1930742	1.806925802
5	10.72258399	-0.322583986
6	10.88989853	-0.489898529
7	11.81108003	-0.311080027
8	11.60875227	1.191247729
9	11.28151303	2.018486968

F-15E TNMCS Hours By Serviceable Inventory/OST

Regressio	n Statistics				
R Square	0.052529098				
Adjusted R Square	-0.082823888				
Standard Error	48153.49973				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	899886670.1	899886670.1	0.38808969	0.553051732
Residual	7	16231316751	2318759536		
Total	8	17131203421			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	95411.86923	96969.40258	0.983937889	0.357924592	
SERV/OST	10491.38814	16840.96222	0.62296845	0.553051732	

RESIDUAL OUTPUT

Observation	Predicted TNMCS Hrs	Residuals
1	159852.1111	-109757.1111
2	139917.1492	-14812.14918
3	143075.6309	-5275.630936
4	144984.4777	41282.52232
5	153116.0299	10466.97012
6	155685.4384	7699.061632
7	169831.7972	7248.602844
8	166724.6993	28572.10068
9	161699.3664	34575.63357

F-15E TNMCS Rates By Serviceable Inventory/BRC

Regression Statistics				
R Square	0.298258817			
Adjusted R Square	0.198010077			
Standard Error	1.523147605			
Observations	9			

ANOVA

	df	SS	MS	F	Significance F
Regression	1	6.902371829	6.902371829	2.975187679	0.128203921
Residual	7	16.23985039	2.319978628		
Total	8	23.14222222			

u	Coefficients	Standard Error	t Stat	P-value
Intercept	17.51693218	3.901568999	4.489714828	0.00283305
SERV/BRC	-0.275185141	0.159539342	-1.724873236	0.128203921

Observation	Predicted TNMCS Rate	Residuals
1	9.362819046	-1.262819046
2	11.49249146	-1.592491456
3	11.07020826	-1.870208265
4	10.74495693	1.255043071
5	9.552274732	0.847725268
6	11.59822844	-1.198228441
7	10.29235196	1.207648037
8	11.55945955	1.240540451
9	11.92720962	1.372790381

F-15E TNMCS Hours By Serviceable Inventory/BRC

Regressio	on Statistics				
R Square	0.291337419				
Adjusted R Square	0.190099908				
Standard Error	41645.17264				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	4990960594	4990960594	2.877761562	0.133626921
Residual	7	12140242827	1734320404		
Total	8	17131203421			·····
••••••••••••••••••••••••••••••••••••••	Coefficients	Standard Error	t Stat	P-value	
Intercept	334411.471	106674.8317	3.134867575	0.016497074	
SERV/BRC	-7399.764089	4362.048304	-1.69639664	0.133626921	

Observation	Predicted TNMCS Hrs	Residuals
1	115146.3121	-65051.31215
2	172413.4792	-47308.47924
3	161058.2295	-23258.2295
4	152312.1789	33954.82108
5	120240.8001	43342.19988
6	175256.7605	-11872.26045
7	140141.5728	36938.82724
8	174214.2599	21082.54009
9	184103.107	12171.89304

F-15E TNMCS Rates By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.086904185				
Adjusted R Square	-0.043538074				
Standard Error	1.737447481				
Observations					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	2.011155968	2.011155968	0.666227232	0.441257197
Residual	7	21.13106625	3.018723751		
Total	8	23.14222222			<u>-</u>
	Coefficients	Standard Error	t Stat	P-value	
Intercept	14.90328504	5.006295389	2.976908849	0.020604929	
SERV/DRC	-2.317755058	2.839594637	-0.816227439	0.441257197	

Observation	Predicted TNMCS Rate	Residuals
1	9.895440341	-1.795440341
2	11.3134488	-1.413448798
3	11.03747401	-1.837474009
4	10.95294293	1.04705707
5	10.46876414	-0.068764141
6	11.57963181	-1.179631808
7	10.48101435	1.018985652
8	10.86081448	1.939185519
9	11.01046914	2.289530857

F-15E TNMCS Hours By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.224940625				
Adjusted R Square	0.114217857				
Standard Error	43552.43116				
Observations 9					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	3853503603	3853503603	2.031566129	0.1970895
Residual	7	13277699818	1896814260		
Tota!	8	17131203421			
Weiter	Coefficients	Standard Error	t Stat	P-value	
Intercept	332654.5075	125492.3315	2.650795499	0.032903677	
SERV/DRC	-101454.7876	71179.84933	-1.425330182	0.1970895	

Observation	Predicted TNMCS Hrs	Residuals
1	113446.7792	-63351.77919
2	175517.0771	-50412.07706
3	163436.8689	-25636.86886
4	159736.7011	26530.29894
5	138542.8066	25040.19343
6	187168.671	-23784.17099
7	139079.0333	38001.36674
8	155703.9746	39592.82542
9	162254.7884	34020.21157

F-16A TNMCS Rates By Serviceable Inventory

Regression	n Statistics				
R Square Adjusted R Square Standard Error	0.115994032				
	0.005493286				
	2.801957799				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	8.24125996	8.24125996	1.049712657	0.335552735
Residual	8	62.80774004	7.850967505		
Total	9	71.049			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	15.52235025	3.371017855	4.604647887	0.001744821	
SERV INV	-1.18363E-05	1.15527E-05	-1.024554858	0.335552735	

Observation	Predicted TNMCS Rate	Residuals
1	11.6797112	-5.679711198
2	10.50587923	1.794120766
3	11.0693948	1.530605197
4	11.97663723	-0.476637233
5	12.10385405	-2.103854047
6	12.2362315	0.6637685
7	12.86529663	-0.165296633
8	12.54894719	3.95105281
9	13.31882908	1.681170925
10	13.59521909	-1.195219087

F-16A TNMCS Hours By Serviceable Inventory

Regressi	on Statistics				
R Square	0.645847458				
Adjusted R Square	0.595254237				
Standard Error	107520.8399				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	1.47578E+11	1.47578E+11	12.76549413	0.009061925
Residual	7	80925117020	11560731003		
Total	8	2.28504E+11			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-210642.0188	129938.1736	-1.621094194	0.149028356	
SERV INV	1.612471246	0.451308137	3.572883168	0.009061925	

Observation	Predicted TNMCS Hrs	Residuals
1	472755.5446	-21313.54464
2	395987.4011	161299.5989
3	272393.0926	-220127.0926
4	255062.2516	37288.7484
5	237028.3732	-23078.37318
6	151330.3639	5719.836128
7	194426.8829	-23210.68286
8	89545.30314	38300.19686
9	51892.48707	45121.31293

F-16A TNMCS Rates By Serviceable Inventory/TAI

Regressic	on Statistics				
R Square 0.478945874					
Adjusted R Square	0.413814108				
Standard Error 2.151173361					
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	34.02862538	34.02862538	7.353491309	0.02658672
Residual	8	37.02037462	4.627546828		
Total	9	71.049			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	8.407619397	1.551863375	5.417757473	0.000632486	
SERV/TAI	0.003525074	0.001299934	2.71173216	0.02658672	

Observation	Predicted TNMCS Rate	Residuals
1	10.3841446	-4.3841446
2	10.81341117	1.48658883
3	10.47976231	2.120237693
4	10.08111876	1.418881243
5	10.46853155	-0.468531553
6	13.04584775	-0.145847748
7	14.54187595	-1.841875954
8	15.21941738	1.28058262
9	13.3792016	1.620798399
10	13.48668893	-1.086688931

F-16A TNMCS Hours By Serviceable Inventory/TAI

Regressio	on Statistics				
R Square	0.230148442				
Adjusted R Square	0.120169648				
Standard Error	158526.1684				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	52589738435	52589738435	2.092661987	0.191257421
Residual	7	1.75914E+11	25130546055		
Total	8	2.28504E+11			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	401252.0628	126113.7432	3.181668012	0.015454731	
SERV/TAI	-146.6037255	101.3433985	-1.446603604	0.191257421	

Observation	Predicted TNMCS Hrs	Residuals
1	301197.9711	150244.0289
2	315074.0406	242212.9594
3	331653.1639	-279387.1639
4	315541.1147	-23190.11466
5	208353.521	5596.478959
6	146135.4418	10914.75822
7	117957.2791	53258.92091
8	194489.7207	-66644.22067
9	190019.4472	-93005.64716

F-16A TNMCS Rates By Serviceable Inventory/OST

Regressio	on Statistics				
R Square	0.461658513				
Adjusted R Square	0.394365827				
Standard Error	2.18656764				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	32.80037566	32.80037566	6.860456025	0.030686324
Residual	8	38.24862434	4.781078042		
Tota!	9	71.049			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-1.20113372	5.159134699	-0.232816895	0.82174961	
SERV/OST	2.03352745	0.776378584	2.619247225	0.030686324	

Observation	Predicted TNMCS Rate	Residuals
1	9.661566728	-3.661566728
2	15.38055021	-3.080550212
3	13.45696322	-0.856963223
4	10.85729199	0.642708008
5	10.58800268	-0.588002678
6	10.52065488	2.379345122
7	12.27704227	0.422957729
8	14.64926284	1.850737157
9	13.09977559	1.900224407
10	11.40888958	0.991110417

F-16A TNMCS Hours By Serviceable Inventory/OST

Regressi	on Statistics				
R Square	0.217774707				
Adjusted R Square	0.106028236				
Standard Error 159795.076					
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	49762295905	49762295905	1.948828501	0.205389979
Residual	7	1.78741E+11	25534466417		
Total	8	2.28504E+11			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-366045.8909	434257.8369	-0.842922936	0.427131421	
SERV/OST	89486.68859	64102.00686	1.396004477	0.205389979	

Observation	Predicted TNMCS Hrs	Residuals	
1	363641.818	87800.18198	
2	278993.1304	278293.8696	
3	164592.9192	-112326.9192	
4	152742.669	139608.331	
5	149778.9856	64171.01435	
6	227069.947	-70019.74704	
7	331461.0451	-160244.8451	
8	263274.8581	-135429.3581	
9	188866.3274	-91852.52738	

F-16A TNMCS Rates By Serviceable Inventory/BRC

Regressio	on Statistics				
R Square	0.036597841				
Adjusted R Square	-0.083827429				
Standard Error	2.925080341				
Observations	10				
ANOVA					
······································	df	SS	MS	F	Significance F
Regression	1	2.60023998	2.60023998	0.303904992	0.596501079
Residual	8	68.44876002	8.556095003		
Total	9	71.049			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	13.9825574	3.380658941	4.136044968	0.00327113	
SERV/BRC	-0.055427264	0.100543622	-0.551275785	0.596501079	

Observation	Predicted TNMCS Rate	Residuals
1	12.15274752	-6.15274752
2	11.28397234	1.016027664
3	11.33967446	1.260325537
4	11.91919192	-0.41919192
5	12.18166081	-2.181660811
6	12.48840542	0.411594581
7	12.81654874	-0.116548736
8	12.41437597	4.085624033
9	12.54401397	2.455986026
10	12.75940886	-0.359408856

F-16A TNMCS Hours By Serviceable Inventory/BRC

Regressio	on Statistics				
R Square	0.620692261				
Adjusted R Square	0.566505441				
Standard Error 111273.9021					
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	1.4183E+11	1.4183E+11	11.45467222	0.011687133
Residual	7	86673169079	12381881297		
Total	8	2.28504E+11			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-182204.7048	128899.9777	-1.413535581	0.200391194	
SERV/BRC	12948.81968	3825.946124	3.384475177	0.011687133	

Observation	Predicted TNMCS Hrs	Residuals
1	448233.9809	3208.019133
2	435220.9482	122066.0518
3	299835.1016	-247569.1016
4	238517.5821	53833.41789
5	166856.4476	47093.55236
6	90196.18445	66854.01555
7	184151.0777	-12934.87771
8	153865.275	-26019.77504
9	103545.1023	-6531.302318

F-16A TNMCS Rates By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.023614669				
Adjusted R Square	-0.098433498				
Standard Error	2.944724126				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	1.677798595	1.677798595	0.193486468	0.671671789
Residual	8	69.37120141	8.671400176		
Total	9	71.049			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	14.28487009	4.852650097	2.943725553	0.018603327	
SERV/DRC	-1.146851129	2.607244426	-0.439870968	0.671671789	

Observation	Predicted TNMCS Rate	Residuals
1	12.16148449	-6.161484488
2	11.33048466	0.969515339
3	11.60934402	0.990655982
4	12.11069031	-0.610690312
5	12.21629367	-2.216293672
6	12.34116497	0.558835026
7	12.65168616	0.048313838
8	12.26052692	4.239473084
9	12.57998322	2.420016776
10	12.63834157	-0.238341574

F-16A TNMCS Hours By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.664269156				
Adjusted R Square	0.616307607				
Standard Error	104687.0801				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	1.51788E+11	1.51788E+11	13.85003548	0.007440764
Residual	7	76715693231	10959384747		
Total	8	2.28504E+11			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-393708.5991	172661.604	-2.280232489	0.056616859	
SERV/DRC	345042.5279	92714.39825	3.72156358	0.007440764	

Observation	Predicted TNMCS Hrs	Residuals
1	495150.1129	-43708.11292
2	411252.2684	146034.7316
3	260416.8303	-208150.8303
4	228644.9207	63706.07935
5	191076.043	22873.95697
6	97652.39574	59397.80426
7	215336.8725	-44120.67249
8	119224.9976	8620.502444
9	101667.2589	-4653.458883

F-16B TNMCS Rates By Serviceable Inventory

D = = = = = = = = = = = = = = = = = = =					
-	n Statistics				
R Square	0.002207211				
Adjusted R Square	-0.122516887				
Standard Error	3.961664003				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	0.27774664	0.27774664	0.017696751	0.897455671
Residual	8	125.5582534	1 5.69478167		
Total	9	125.836			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	13.52348134	4.70626673	2.873505076	0.020717105	
SERV INV	-2.23465E-06	1.67982E-05	-0.133029135	0.897455671	

Observation	Predicted TNMCS Rate	Residuals
1	12.83970497	-6.83970497
2	12.6071739	2.092826101
3	12.71147176	0.888528239
4	12.87980355	0.620196454
5	12.90372772	-2.303727719
6	12.92677591	-0.326775909
7	13.0454247	-1.945424699
8	12.98339526	6.716604741
9	13.12561962	3.574380383
10	13.17690262	-2.476902621

F-16B TNMCS Hours By Serviceable Inventory

Regressio	on Statistics				
R Square	0.560020468				
Adjusted R Square	0.497166249				
Standard Error	12905.94314				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	1484051463	1484051463	8.909830995	0.020371968
Residual	7	1165943579	166563368.5		
Total	8	2649995042			·····
<u></u>	Coefficients	Standard Error	t Stat	P-value	
Intercept	2435.604262	15365.95455	0.158506538	0.878533615	
SERV INV	0.16549464	0.055443316	2.984934002	0.020371968	

Observation	Predicted TNMCS Hrs	Residuals
1	70295.85385	-18876.85385
2	62571.72252	23031.27748
3	50105.34229	-8917.342293
4	48333.55668	5721.443321
5	46626.64496	-1484.644964
6	37839.70706	-3403.107063
7	42433.50728	9455.092725
8	31900.60092	2159.599076
9	28102.66443	-7685.464435

F-16B TNMCS Rates By Serviceable Inventory/TAI

Regressio	on Statistics				
R Square	0.1340989				
Adjusted R Square	0.025861263				
Standard Error	3.690554341				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	16.87446923	16.87446923	1.238930409	0.298001253
Residual	8	108.9615308	13.62019135		
Totai	9	125.836			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	6.315137861	6.047578106	1.044242464	0.326897589	
SERV/TAI	0.001516751	0.00136267	1.113072508	0.298001253	

Observation	Predicted TNMCS Rate	Residuals
1	11.05092885	-5.050928853
2	11.6766555	3.023344499
3	12.87638477	0.723615232
4	11.51622051	1.983779491
5	11.92383932	-1.323839318
6	14.93234727	-2.332347275
7	13.86111375	-2.761113752
8	14.4613363	5.238663703
9	12.74478859	3.955211413
10	14.15638514	-3.45638514

F-16B TNMCS Hours By Serviceable Inventory/TAI

Regressio	on Statistics				
R Square	0.055411484				
Adjusted R Square	-0.079529733				
Standard Error	18910.14423				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	146840157.8	146840157.8	0.41063424	0.542049433
Residual	7	2503154884	357593554.9		
Total	8	2649995042			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	69370.00178	36291.30585	1.911477147	0.09754537	
SERV/TAI	-5.098986394	7.957126697	-0.640807491	0.542049433	

Observation	Predicted TNMCS Hrs	Residuals
1	51345.74423	73.25577389
2	47312.51506	38290.48494
3	51885.09181	-10697.09181
4	50514.76593	3540.23407
5	40400.81576	4741.18424
6	44002.07014	-9565.470143
7	41984.25234	9904.347658
8	47754.91284	-13694.71284
9	43009.43188	-22592.23188

F-16B TNMCS Rates By Serviceable Inventory/OST

Regressio	on Statistics				
R Square	0.623473312				
Adjusted R Square	0.576407476				
Standard Error	2.433634431				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	78.45538766	78.45538766	13.24683389	0.006592588
Residual	8	47.38061234	5.922576542		
Total	9	125.836			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-7.017226596	5.53162723	-1.26856462	0.240262714	
SERV/OST	2.704017993	0.742939642	3.63962002	0.006592588	

RESIDUAL OUTPUT

.

Observation	Predicted TNMCS Rate	Residuals
1	8.80812883	-2.80812883
2	17.70614527	-3.006145271
3	14.93314372	-1.333143717
4	11.0073073	2.492692696
5	10.59454725	0.005452747
6	10.52882819	2.071171806
7	13.00727719	-1.907277188
8	16.93373715	2.76626285
9	14.1957618	2.504238203
10	11.4851233	-0.785123296

F-16B TNMCS Hours By Serviceable Inventory/OST

Regressio	on Statistics				
R Square	0.124601525				
Adjusted R Square	-0.000455399				
Standard Error	18204.40142				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	330193424.8	330193424.8	0.996358463	0.351439966
Residual	7	2319801617	331400231.1		
Total	8	2649995042			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-1507.084132	48443.96032	-0.031109846	0.976050366	
SERV/OST	6360.896642	6372.510091	0.998177571	0.351439966	

Observation	Predicted TNMCS Hrs	Residuals
1	56651.85323	-5232.853226
2	50128.68056	35474.31944
3	40893.59421	294.4057921
4	39922.62285	14132.37715
5	39768.02619	5373.973807
6	45598.29726	-11161.69726
7	54834.85044	-2946.250442
8	48394.07295	-14333.87295
9	42017.60231	-21600.40231

F-16B TNMCS Rates By Serviceable Inventory/BRC

Regressio	on Statistics				
R Square	0.010586622				
Adjusted R Square Standard Error	-0.113090051				
	3.94499401				
Observations	10				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	1.332178113	1.332178113	0.085599179	0.777292944
Residual	8	124.5038219	15.56297774		
Total	9	125.836			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	11.67488597	4.434811994	2.632554882	0.030058716	
SERV/BRC	0.036465104	0.124635758	0.292573373	0.777292944	

Observation	Predicted TNMCS Rate	Residuals
1	12.93723287	-6.937232868
2	13.57794484	1.122055158
3	13.5249834	0.075016604
4	13.11117127	0.388828729
5	12.92465846	-2.324658462
6	12.68937419	-0.089374188
7	12.45992604	-1.359926044
8	12.74965933	6.950340667
9	12.69456871	4.005431285
10	12.53048088	-1.830480881

F-16B TNMCS Hours By Serviceable Inventory/BRC

Regressio	on Statistics				
R Square	0.544098712				
Adjusted R Square	0.478969957				
Standard Error	13137.38478				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	1441858890	1441858890	8.354200981	0.023304158
Residual	7	1208136152	172590878.9		
Total	8	2649995042			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	5562.886507	14814.18276	0.37551086	0.718400832	
SERV/BRC	1199.807249	415,1060106	2.890363469	0.023304158	

Observation	Predicted TNMCS Hrs	Residuals
1	68179.02031	-16760.02031
2	66436.43573	19166.56427
3	52820.82157	-11632.82157
4	46684.01141	7370.98859
5	38942.47921	6199.520791
6	31392.97254	3043.627462
7	40926.03462	10962.56538
8	39113.39415	-5053.194149
9	33714.43047	-13297.23047

F-16B TNMCS Rates By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.016877719				
Adjusted R Square	-0.106012566				
Standard Error	3.932432062				
Observations	10				
ANOVA					
<u> </u>	df	SS	MS	F	Significance F
Regression	1	2.12382463	2.12382463	0.137339732	0.720560583
Residual	8	123.7121754	15.46402192		
Total	9	125.836			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	10.783295	5.898206982	1.82823272	0.10492081	
SERV/DRC	0.995167373	2.68533227	0.370593756	0.720560583	

RESIDUAL OUTPUT

2

Observation	Predicted TNMCS Rate	Residuals
1	12.93373866	-6.933738659
2	13.86970409	0.830295911
3	13.57869669	0.02130331
4	13.03315168	0.466848316
5	12.90820148	-2.308201482
6	12.76068529	-0.160685293
7	12.41531334	-1.315313339
8	12.84458032	6.85541968
9	12.47745079	4.222549212
10	12.37847765	-1.678477655

F-16B TNMCS Hours By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.542740153				
Adjusted R Square	0.477417318				
Standard Error	13156.94454				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	1438258714	1438258714	8.308582294	0.023568585
Residual	7	1211736328	173105189.7		
Total	8	2649995042			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-9098.992743	19770.10376	-0.46024001	0.659299004	
SERV/DRC	25898.62775	8984.900883	2.882461152	0.023568585	

Observation	Predicted TNMCS Hrs	Residuals
1	71222.93336	-19803.93336
2	63649.64219	21953.35781
3	49452.16402	-8264.164019
4	46200.41076	7854.589237
5	42361.39135	2780.608652
6	33373.29555	1063.304446
7	44544.70858	7343.89142
8	34990.385	-930.1850011
9	32414.66919	-11997.46919

F-16C TNMCS Rates By Serviceable Inventory

Regression	n Statistics				
R Square	0.772731303				
Adjusted R Square	0.740264346				
Standard Error	1.753727098				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	73.19997775	73.19997775	23.8005462	0.001796534
Residual	7	21.52891114	3.075558735		
Total	8	94.72888889			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	23.29817399	2.709917682	8.597373322	5.73913E-05	
SERV INV	-3.83764E-05	7.86631E-06	-4.878580347	0.001796534	

RESIDUAL OUTPUT

÷.

.

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv-Num	USAF-Num
9.014812301	-3.014812301	6.0	7.9	0	0 037841863	0.307520661
7.167179102	-1.167179102	6	9.3	0.09	0.056323234	0.077160494
6.376049007	1.423950993	7.8	9.5	0.053254438	0.003669789	1.14143E-06
9.127485498	0.472514502	10	9.6	0.001736111	0.001396651	0.002534843
9.641230761	0.358769239	10	9.5	0.0144	0.006459693	0.028617361
12.00372214	-0.803722139	11.2	9.5	0.045918367	0.061535459	0.135100004
10.82168973	2.778310267	13.6	9.5	0.000216263	0.00079463	0.101523453
13.41662715	0.383372855	13.8	9.5	0.015175383	0.000976356	0.196672968
15.93120431	-0.431204314	15.5	9.4	0.220700563	0.168997674	0.849130924

Th	neil's U
USAF Pred	1.961487788
Serv Inv Pred	0.875061634

F-16C TNMCS Hours By Serviceable Inventory

Regressior	n Statistics				
R Square	0.683912888	-			
Adjusted R Square	0.631231703				
Standard Error	189422.9439				
Observations	8				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	4.65812E+11	4.65812E+11	12.98210897	0.011324707
Residual	6	2.15286E+11	35881051664		
Total	7	6.81098E+11			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	1910267.892	293922.8273	6.499215829	0.000631632	
SERV INV	-3.106766755	0.862255601	-3.603069382	0.011324707	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv-Num	USAF-Num
604381.9813	-295872.9813	308509	478020	0.841812153	0.027575935	0.177611433
540335.9846	51231.01539	591567	721585	0.119726315	0.003145761	2.34555E-05
763078.7339	33179.26612	796258	799123	0.004786371	0.003436354	0.002339274
804669.0204	· 46676.97957	851346	812834	0.021217808	0.000583721	0.029735854
995924.6886	-20568.78864	975356	828549	0.046501429	0.085651482	0.133451657
900233.1658	285450.3342	1185684	829376	3.21611E-05	0.004794686	0.097919609
1110306.52	82101.07974	1192408	821382	0.00259394	0.023347077	0.079780431
1313874.305	-182196.9051	1131677	794877	1.036670179	0.148535016	0.520861713

<u> </u>	Theil's U
USAF Pred	0.708828082
Serv Inv Pred	0.37852461

F-16C TNMCS Rates By Serviceable Inventory/TAI

Regression	n Statistics				
R Square	0.917506582				
Adjusted R Square	0.905721808				
Standard Error	1.056578697				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	86.91437909	86.91437909	77.85525509	4.85108E-05
Residual	7	7.814509797	1.116358542		
Total	8	94.72888889			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	20.42502537	1.190703328	17.15374846	5.61679E-07	
SERV/TAI	-0.029519361	0.003345515	-8.823562494	4.85108E-05	

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv/TAI Num	USAF-Num
5.03729337	0.96270663	6.0	7.9	0	0.013000024	0.307520661
6.684105876	-0.684105876	6	9.3	0.09	0.001929984	0.077160494
8.063589531	-0.263589531	7.8	9.5	0.053254438	0.005176805	1.14143E-06
10.16121011	-0.561210114	10	9.6	0.001736111	0.005846985	0.002534843
10.73406955	-0.734069548	10	9.5	0.0144	0.015374926	0.028617361
12.43995671	-1.23995671	11.2	9.5	0.045918367	0.030231017	0.135100004
11.65264826	1.947351735	13.6	9.5	0.000216263	0.000563426	0.101523453
13.47718225	0.322817749	13.8	9.5	0.015175383	0.000328334	0.196672968
15.24994433	0.250055665	15.5	9.4	0.220700563	0.0724515	0.849130924

••••••••••••••••••••••••••••••••••••••	Theil's U
USAF Pred	1.961487788
Serv Inv/TAI Pred	0.572956924

F-16C TNMCS Hours By Serviceable Inventory/TAI

Regression	n Statistics	•			
R Square	0.833438563	•			
Adjusted R Square	0.805678323				
Standard Error	137504.3437				
Observations	8				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	5.67653E+11	5.67653E+11	30.02274394	0.001544421
Residual	6	1.13445E+11	18907444527		
Total	7	6.81098E+11			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	1833384.353	180819.4881	10.13930728	5.35232E-05	
SERV/TAI	-3007.29006	548.8455251	-5.47930141	0.001544421	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv/TAI Num	USAF-Num
433525.7986	-125016.7986	308509	478020	0.841812153	0.003219893	0.177611433
574060.9349	17506.06505	591567	721585	0.119726315	0.000206535	2.34555E-05
787756.3953	8501.604721	796258	799123	0.004786371	4.31325E-05	0.002339274
846116.5494	5229.450576	851346	812834	0.021217808	0.002738092	0.029735854
1019904.1	-44548.19958	975356	828549	0.046501429	0.063605785	0.133451657
939696.9153	245986.5847	1185684	829376	3.21611E-05	0.003177481	0.097919609
1125571.631	66835.96876	1192408	821382	0.00259394	0.021414843	0.079780431
1306172.076	-174494.6756	1131677	794877	1.036670179	0.094405761	0.520861713

	Theil's U
USAF Pred	0.708828082
Serv Inv/TAI Pred	0.301772003

F-16C TNMCS Rates By Serviceable Inventory/OST

Regressio	on Statistics				
R Square	0.226212196				
Adjusted R Square	0.115671081				
Standard Error 3.235959					
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	21.42882997	21.42882997	2.046407766	0.195650233
Residual	7	73.30005892	10.47143699		
Total	8	94.72888889			- · · · · · · · · · · · · · · · · · · ·
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-0.406840662	7.623376227	-0.053367517	0.958930203	
SERV/OST	1.808671431	1.264339165	1.430527094	0.195650233	

Observation	Predicted TNMCS Rate	Residuals
1	7.73219171	-1.73219171
2	10.47843918	-4.478439177
3	10.87611153	-3.076111535
4	9.355210514	0.244789486
5	9.310365243	0.689634757
6	11.10021013	0.099789866
7	12.85343246	0.746567536
8	12.44578268	1.354217323
9	9.348256547	6.151743453

F-16C TNMCS Hours By Serviceable Inventory/OST

Regressio	on Statistics				
R Square	0.138997575				
Adjusted R Square Standard Error	-0.004502829				
	312630.5215				
Observations	8				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	94670974947	94670974947	0.968621488	0.363031251
Residual	6	5.86427E+11	97737842978		
Total	7	6.81098E+11			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-53157.18415	953664.705	-0.055739909	0.957358778	
SERV/OST	151525.4947	153960.2688	0.984185698	0.363031251	

Observation	Predicted TNMCS Hrs	Residuals
1	858781.4821	-550272.4821
2	892097.3734	-300530.3734
3	764680.4885	31577.51153
4	760923.4756	90422.52444
5	910871.7348	64484.16523
6	1057751.857	127931.643
7	1023600.084	168807.5157
8	764097.9044	367579.4956

F-16C TNMCS Rates By Serviceable Inventory/BRC

R Square	0.403996742
Adjusted R Square	0.318853419
Standard Error	2.839988089
Observations	9

· · · · ·	df	SS	MS	F	Significance F
Regression	1	38.27016249	38.27016249	4.744902241	0.065807644
Residual	7	56.4587264	8.065532343		
Total	8	94.72888889			

Coefficients		Standard Error	t Stat	P-value	
Intercept	20.5868331	4.776402673	4.31011255	0.003522618	
SERV/BRC	-0.365614748	0.167845643	-2.178279652	0.065807644	

Observation	Predicted TNMCS Rate	Residuals
1	11.38985293	-5.389852929
2	8.153091947	-2.153091947
3	6.463470096	1.336529904
4	9.584871262	0.015128738
5	10.06944654	-0.069446544
6	12.37161096	-1.17161096
7	10.28038383	3.319616171
8	11.48745736	2.312542642
9	13.69981508	1.800184924

F-16C TNMCS Hours By Serviceable Inventory/BRC

Regressio	n Statistics				
R Square	0.576192981				
Adjusted R Square	0.505558478				
Standard Error	219337.6874				
Observations	8				
ANOVA					
· · · · · · · · · · · · · · · · · · ·	df	SS	MS	F	Significance F
Regression	1	3.92444E+11	3.92444E+11	8.157387061	0.028948695
Residual	6	2.88654E+11	48109021100		
Total	7	6.81098E+11			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	1940207.113	379528.054	5.112157302	0.002195047	
SERV/BRC	-37581.49532	13158.26175	-2.856113979	0.028948695	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv/BRC Num	USAF-Num
662144.3766	-353635.3766	308509	478020	0.841812153	0.111678676	0.177611433
488468.3528	103098.6472	591567	721585	0.119726315	0.000487302	2.34555E-05
809316.7976	-13058.79764	796258	799123	0.004786371	9.54723E-05	0.002339274
859126.2318	-7780.23175	851346	812834	0.021217808	0.020003663	0.029735854
1095765.431	-120409.5312	975356	828549	0.046501429	0.097705169	0.133451657
880808.4496	304875.0504	1185684	829376	3.21611E-05	0.025013654	0.097919609
1004883.39	187524.2096	1192408	821382	0.00259394	0.007119789	0.079780431
1232291.37	-100613.9702	1131677	794877	1.036670179	0.262103725	0.520861713

	Theil's U
USAF Pred	0.708828082
Serv Inv/BRC Pred	0.502824342

F-16C TNMCS Rates By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.350199169				
Adjusted R Square	0.257370479				
Standard Error	2.96539351				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	33.17397821	33.17397821	3.772531629	0.093218659
Residual	7	61.55491068	8.793558668		
Total	8	94.72888889			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	26.99710814	8.607740758	3.136375606	0.016462342	
SERV/DRC	-11.04510167	5.686607759	-1.942300602	0.093218659	

Observation	Predicted TNMCS Rate	Residuals
1	11.17212532	-5.172125316
2	8.395763286	-2.395763286
3	6.984334457	0.815665543
4	9.56392205	0.03607795
5	10.6345463	-0.634546297
6	12.30383885	-1.103838845
7	9.422981912	4.177018088
8	11.36075073	2.439249267
9	13.6617371	1.838262895

F-16C TNMCS Hours By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.461975459				
Adjusted R Square	0.372304702				
Standard Error	247132.7095				
Observations	8				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	3.14651E+11	3.14651E+11	5.151907659	0.063686825
Residual	6	3.66447E+11	61074576083		
Total	7	6.81098E+11			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	2523306.832	729640.1602	3.458289401	0.013495474	
SERV/DRC	-1087052.016	478923.6577	-2.269781412	0.063686825	

Observation	Predicted TNMCS Hrs	Residuals
1	692574.0766	-384065.0766
2	553662.1318	37904.8682
3	807543.5334	-11285.53342
4	912913.7039	-61567.70392
5	1077204.435	-101848.5351
6	793672.293	392011.207
7	984386.2914	208021.3086
8	1210847.935	-79170.53469

F-16D TNMCS Rates By Serviceable Inventory

Regression	n Statistics				
R Square	0.740737282				
Adjusted R Square	0.703699751				
Standard Error	1.901430825				
Observations	9				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	72.30748129	72.30748129	19.99963979	0.002893635
Residual	7	25.30807427	3.615439181		
Total	8	97.61555556			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	22.39317983	2.947022589	7.5985776	0.000126431	
SERV INV	-3.88767E-05	8.69316E-06	-4.472095682	0.002893635	

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv-Num	USAF-Num
8.228938594	-2.228938594	6.0	7.9	0.006944444	0.000941902	0.222040863
6.31585748	0.18414252	6.5	9.3	0.060591716	0.008690261	0.493596318
5.505940211	-0.605940211	4.9	9.5	0.570179092	0.004528343	0.04234636
8.270264474	0.329735526	8.6	9.6	0.000540833	2.53173E-05	0.006944444
8.756728007	0.043271993	8.8	9.5	0.010459711	0.027192795	0.000474382
11.15114094	-1.451140936	9.7	9.5	0.161653736	0.142498861	0.180114193
9.938344935	3.661655065	13.6	9.5	0.000865052	0.012197519	0.111111111
12.49798363	1.50201637	14	9.5	0.000816327	0.010503347	0.090859184
15.03480173	-1.434801732	13.6	9.4	0.81205091	0.206578345	1.147486856

	Theil's U
USAF Pred	1.188727284
Serv Inv Pred	0.504371767

F-16D TNMCS Hours By Serviceable Inventory

Regressio	n Statistics				
R Square	0.701658715				
Adjusted R Square	0.651935167				
Standard Error 36399.53206					
Observations	8				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	18696289291	18696289291	14.11119581	0.009437438
Residual	6	7949555607	1324925935		
Total	7	26645844898		<u></u>	
	Coefficients	Standard Error	t Stat	P-value	
Intercept	335350.9948	56607.5963	5.924134157	0.001031025	
SERV INV	-0.633432847	0.168623722	-3.756487163	0.009437438	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv-Num	USAF-Num
73396.74129	-51872.74129	21524	30694	3.478353239	0.004642552	7.451234747
60200.43479	1466.56521	61667	120421	0.904823075	0.059841651	0.051189894
105240.6774	15085.32264	120326	134278	0.000516649	0.006761459	0.006915516
113166.8226	9894.177426	123061	133067	0.011877193	0.016291857	0.000629569
152179.9516	-15707.45161	136473	133385	0.149215084	0.173041731	0.175265033
132419.3805	56770.21948	189190	132056	0.000250594	0.009112472	0.105844338
174124.5992	18059.90085	192185	130634	0.002941082	0.030741128	0.084226251
215457.9927	-33695.99271	181762	125987	4.547976917	0.30043285	7.8753053,48

	Theil's U	
USAF Pred		1.315905115
Serv Inv Pred		0.257018617

F-16D TNMCS Rates By Serviceable Inventory/TAI

Regressio	n Statistics				
R Square	0.800471028				
Adjusted R Square	0.771966889				
Standard Error	1.66806695				
Observations	9				
ANOVA					
· · · · · · · · · · · · · · · · · · ·	df	SS	MS	F	Significance F
Regression	1	78.13842411	78.13842411	28.0826245	0.001124217
Residual	7	19.47713145	2.78244735		
Total	8	97.61555556			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	21.17462879	2.268067104	9.335979854	3.35892E-05	
SERV/TAI	-0.006278867	0.001184847	-5.299304152	0.001124217	

Predicted TNMCS Rates	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv/TAI Num	USAF-Num
6.124432354	-0.124432354	6.0	7.9	0.006944444	0.009984267	0.222040863
5.900472165	0.599527835	6.5	9.3	0.060591716	0.017730301	0.493596318
5.765508659	-0.865508659	4.9	9.5	0.570179092	0.008132623	0.04234636
9.041887179	-0.441887179	8.6	9.6	0.000540833	0.021175572	0.006944444
10.05145728	-1.251457277	8.8	9.5	0.010459711	0.035591508	0.000474382
11.36018263	-1.660182634	9.7	9.5	0.161653736	0.115642349	0.180114193
10.30139595	3.298604047	13.6	9.5	0.000865052	0.010864413	0.111111111
12.58243809	1.417561906	14	9.5	0.000816327	0.004822565	0.090859184
14.57222569	-0.972225686	13.6	9.4	0.81205091	0.223943599	1.147486856

	Theil's U
USAF Pred	1.188727284
Serv Inv/TAI Pred	0.525143142

F-16D TNMCS Hours By Serviceable Inventory/TAI

Regressio	n Statistics	•			
R Square	0.783339866				
Adjusted R Square	0.747229843				
Standard Error	31019.05955				
Observations					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	20872752567	20872752567	21.69314264	0.003476077
Residual	6	5773092331	962182055.2		
Total	7	26645844898			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	329238.9144	44519.89337	7.395321272	0.000313858	-
SERV/TAI	-112.386165	24.12968296	-4.657589788	0.003476077	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv/TAI Num	USAF-Num
55845.02409	-34321.02409	21524	30694	3.478353239	0.146475949	7.451234747
53429.29673	8237.703269	61667	120421	0.904823075	0.017908437	0.051189894
112073.5736	8252.426385	120326	134278	0.000516649	0.003465084	0.006915516
130143.9852	-7082.985183	123061	133067	0.011877193	0.019300747	0.000629569
153569.0112	-17096.51123	136473	133385	0.149215084	0.159899973	0.175265033
134617.6664	54571.93364	189190	132056	0.000250594	0.007827496	0.105844338
175446.3026	16738.19736	192185	130634	0.002941082	0.023242927	0.084226251
211061.7401	-29299.74015	181762	125987	4.547976917	0.378120612	7.875305348

	Theil's U	
USAF Pred		1.315905115
Serv Inv/TAI Pred		0.288340768

F-16D TNMCS Rates By Serviceable Inventory/OST

Regressio	on Statistics				
R Square 0.280317968					
Adjusted R Square	0.177506249				
Standard Error 3.167968285					
Observations	9				
ANOVA					
· · · · · · · · · · · · · · · · · · ·	df	SS	MS	F	Significance F
Regression	1	27.36339415	27.36339415	2.726517665	0.142677548
Residual	7	70.2521614	10.03602306		
Total	8	97.61555556			
· · · ·	Coefficients	Standard Error	t Stat	P-value	
Intercept	-2.436999882	7.319248646	-0.332957657	0.748916172	
SERV/OST	1.866363716	1.130295828	1.651217025	0.142677548	

Observation	Predicted TNMCS Rate	Residuals
1	6.500322333	-0.500322333
2	9.54364547	-3.04364547
3	10.05854683	-5.158546832
4	8.381453291	0.218546709
5	8.354755576	0.445244424
6	10.29898578	-0.598985779
7	12.32690073	1.273099271
8	11.8641659	2.135834099
9	8.371224089	5.228775911

F-16D TNMCS Hours By Serviceable Inventory/OST

Regressio	on Statistics				
R Square	0.129107471				
Adjusted R Square-0.016041284Standard Error62190.12148					
	62190.12148				
Observations 8					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	3440177642	3440177642	0.889483833	0.382025708
Residual	6	23205667257	3867611209		
Total	7	26645844898			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-46762.58621	186889.4432	-0.250215236	0.810768101	
SERV/OST	26479.83656	28076 71353	0.943124505	0.382025708	

Observation	Predicted TNMCS Hrs	Residuals
1	123217.9638	-101693.9638
2	130523.3479	-68856.3479
3	106728.8632	13597.13679
4	106350.0779	16710.92207
5	133934.6787	2537.821296
6	162706.5928	26483.00723
7	156141.3437	36043.15629
8	106583.732	75178.26798

F-16D TNMCS Rates By Serviceable Inventory/BRC

Regression	n Statistics				
R Square	0.433853994				
Adjusted R Square	0.352975993				
Standard Error	2.809795542				
Observations S					
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	42.35089864	42.35089864	5.364301654	0.053702355
Residual	7	55.26465691	7.894950988		
Total	8	97.61555556		<u></u>	
	Coefficients	Standard Error	t Stat	P-value	
Intercept	20.28761532	4.741501331	4.27873239	0.003661087	
SERV/BRC	-0.372719982	0.16092595	-2.31609621	0.053702355	

Predicted TNMCS Rate	Residuals	Actual TNMCS Rate	USAF Pred TNMCS Rate	Denominator	Serv Inv/BRC Num	USAF-Num
10.58235139	-4.582351387	6.0	7.9	0.006944444	0.010763884	0.222040863
7.122494841	-0.622494841	6.5	9.3	0.060591716	0.005379803	0.493596318
5.376756418	-0.476756418	4.9	9.5	0.570179092	0.00025512	0.04234636
8.678265101	-0.078265101	8.6	9.6	0.000540833	0.003128815	0.006944444
9.281048013	-0.481048013	8.8	9.5	0.010459711	0.051488501	0.000474382
11.69681485	-1.996814846	9.7	9.5	0.161653736	0.181132414	0.180114193
9.47171357	4.12828643	13.6	9.5	0.000865052	0.064665339	0.111111111
10.54160426	3.458395742	14	9.5	0.000816327	0.002162572	0.090859184
12.94895157	0.651048434	13.6	9.4	0.81205091	0.318976449	1.147486856

	Theil's U
USAF Pred	1.188727284
Serv Inv/BRC Pred	0.626740386

F-16D TNMCS Hours By Serviceable Inventory/BRC

Regressio	n Statistics	•			
R Square	0.589630543				
Adjusted R Square	0.521235633				
Standard Error	42690.04745				
Observations	8				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	15711203991	15711203991	8.620971163	0.026077796
Residual	6	10934640908	1822440151		
Total	7	26645844898			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	341380.5298	74133.23115	4.604959537	0.003672839	
SERV/BRC	-7288.491017	2482.330061	-2.936149036	0.026077796	

Predicted TNMCS Hours	Residuals	Actual TNMCS Hours	USAF Pred TNMCS Hours	Denominator	Serv Inv/BRC Num	USAF-Num
83938.30273	-62414.30273	21524	30694	3.478353239	0.303942191	7.451234747
49800.61381	11866.38619	61667	120421	0.904823075	0.009355947	0.051189894
114361.1888	5964.811204	120326	134278	0.000516649	0.000658421	0.006915516
126148.5306	-3087.530638	123061	133067	0.011877193	0.089988974	0.000629569
173388.5384	-36916.03838	136473	133385	0.149215084	0.188887864	0.175265033
129876.9709	59312.62908	189190	132056	0.000250594	0.047853251	0.105844338
150798.5448	41385.95515	192185	130634	0.002941082	0.007028414	0.084226251
197873.9099	-16111.90989	181762	125987	4.547976917	0.647715062	7.875305348

Th	neil's U
USAF Pred	1.315905115
Serv Inv/BRC Pred	0.377383469

F-16D TNMCS Rates By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.356555896				
Adjusted R Square	0.26463531				
Standard Error	2.995476438				
Observations	9				
ANOVA					
·····	df	SS	MS	F	Significance F
Regression	1	34.80540192	34.80540192	3.878955859	0.089556305
Residual	7	62.81015363	8.972879091		
Total	8	97.61555556			· · · · · · · · · · · · · · · · · · ·
	Coefficients	Standard Error	t Stat	P-value	
Intercept	25.88380741	8.367244643	3.093468461	0.017481705	
SERV/DRC	-9.956823434	5.055491529	-1.969506501	0.089556305	

Observation	Predicted TNMCS Rate	Residuals
1	10.2961003	-4.296100299
2	7.495114694	-0.995114694
3	6.051975177	-1.151975177
4	8.614953646	-0.014953646
5	9.777129941	-0.977129941
6	11.47473856	-1.774738558
7	8.55662519	5.04337481
8	10.53544832	3.464551677
9	12.89791417	0.702085828

F-16D TNMCS Hours By Serviceable Inventory/DRC

Regressio	on Statistics				
R Square	0.47305954				
Adjusted R Square Standard Error	0.38523613				
	48374.87945				
Observations	8				
ANOVA					
	df	SS	MS	F	Significance F
Regression	1	12605071129	12605071129	5.386485675	0.059377355
Residual	6	14040773770	2340128962		
Total	7	26645844898			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	444558.9729	137347.345	3.236749665	0.01775923	
SERV/DRC	-191343.9745	82444.56597	-2.320880366	0.059377355	

Predicted TNMCS Hrs	Residuals
91176.63445	-69652.63445
63443.28629	-1776.286295
112696.9956	7629.004432
135030.9691	-11969.96912
167654.5445	-31182.04452
111576.076	77613.52404
149603.8552	42580.64485
195004.2389	-13242.23894
	91176.63445 63443.28629 112696.9956 135030.9691 167654.5445 111576.076 149603.8552

Appendix F: Verification of Regression Assumptions

Recall from Chapter III, that four assumptions are necessary for regression. Two are verified here. The first assumption is that the random error ε has a normal probability distribution. The second assumption is that the random errors are independent. Two statistical tests were chosen to verify these assumptions, the Shapiro-Wilk test and the Durbin-Watson test. The below table contains the results of the Durbin-Watson *d* statistic and the Shapiro-Wilk test for normality.

In one case for A/OA-10, when TNMCS hours were regressed against serviceable inventory/total active inventory, the Durbin-Watson test statistic was 1.10 with a p-value of .0370. This may represent autocorrelated residuals and so doubt this cast on inferences drawn. However, since other variables may be used in lieu of this one with TNMCS hours, i.e., serviceable inventory or serviceable inventory/base repair cycle, it is at the discretion of the researcher or implementing agency when using the results from this particular regression. Tests were only conducted on the models where Theil's U-statistics were computed.

MDS/Dep. Var.	Model Used (Variable)	Shapiro-Wilk	Durbin-Watson
A/OA-10/Rates	Serv Inv	.96	I.84
A/OA-10/Hours	Serv Inv	.94	2.20
A/OA-10/Hours	Serv Inv/TAI	.97	1.10*
A/OA-10/Rates	Serv Inv/BRC	.94	2.00
A/OA-10/Hours	Serv Inv/BRC	.96	1.90
F-15A/Rates	Serv Inv	· .90	1.73
F-15A/Hours	Serv Inv/TAI	.95	1.99
F-15B/Rates	Serv Inv	.92	1.80
F-15B/Rates	Serv Inv/BRC	.95	1.72
F-15C/Rates	Serv Inv	.95	2.13
F-15C/Hours	Serv Inv	.95	2.00
F-15C/Rates	Serv Inv/TAI	.94	2.03
F-15C/Hours	Serv Inv/TAI	.95	1.91
F-15D/Rates	Serv Inv	.94	1.66
F-15D/Hours	Serv Inv	.96	1.76
F-15D/Rates	Serv Inv/TAI	.95	1.50
F-15D/Hours	Serv Inv/TAI	.96	1.40
F-15D/Hours	Serv Inv/BRC	.90	1.57
F-15E/Rates	Serv Inv	.90	2.01
F-15E/Hours	Serv Inv	.92	1.34
F-15E/Rates	Serv Inv/TAI	.93	1.76
F-15E/Hours	Serv Inv/TAI	.95	1.93
F-16A	Null not rejected	N/A	N/A
F-16B	Null not rejected	N/A	N/A
F-16C/Rates	Serv Inv	.98	1.41
F-16C/Hours	Serv Inv	.93	1.53
F-16C/Rates	Serv Inv/TAI	.95	2.17
F-16C/Hours	Serv Inv/TAI	.94	1.73
F-16C/Hours	Serv Inv/BRC	.98	1.78
F-16D/Rates	Serv Inv	.93	1.94
F-16D/Hours	Serv Inv	.97	1.65
F-16D/Rates	Serv Inv/TAI	.89	1.93
F-16D/Hours	Serv Inv/TAI	.94	1.89
F-16D/Rates	Serv Inv/BRC	.99	1.80
F-16D/Hours * See text for explain	Serv Inv/BRC	.99	1.80

Appendix F: Verification of Regression Assumptions

* See text for explanation

During the hypotheses testing serviceable inventory was shown to have a significant relationship to TNMCS rates and hours for almost every MDS in this study. This supplemental analysis is conducted to further substantiate this variable's validity and is based only on TNMCS hours. The analysis is based on January 1991 through January 1999. As was the case with the initial analysis, the A/OA-10 has 1991 deleted from its analysis, while the F-16C and F-16D have 1993 data deleted from their analyses. Supporting analysis is contained in the following pages.

Regression	Statistics				
R Square	0.305727032				
Adjusted R					
Square	0.280013218				
Standard Error	6936.951092				
Observations	85				
ANOVA					
	df	SS	MS	F	Significance F
Regression	3	1716429095	572143031.6	11.88960284	1.57126E-06
Residual	81	3897824526	48121290.45		
Total	84	5614253621			

A/OA-10 (Regression with Possessed Hours, Flying Hours, and Sorties) Theil's *U*-statistic for This Model and USAF Predictions

	Coefficients	Standard Error	t Stat	P-value
Intercept	5320.525476	3267.422712	1.628355418	0.107333164
Possessed	-0.038737945	0.017035639	-2.273935597	0.025615933
Fiying	2.44641982	1.872198077	1.306709931	0.195009146
Sorties	0.693634924	3.171912488	0.218680347	0.827449111

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Model
1	30224.96538	-311.965379	0.019079947	29913	28408.45	0.033049011	0.000176973
2	28606.88814	-4131.888136	0.307156029	24475	24077.064	0.020019793	0.017812024
3	34576.45105	-13564.45105	0.089622846	21012	24278.475	0.021542393	0.002040449
4	30386.37819	-6290.378185	0.106132455	24096	23146.86	0.002183669	1.18338E-05
5	30819.9892	-7849.989204	0.005328692	22970	23052.891	0.069212287	2.933681454
6	18603.76147	-1676.761469	0.513749672	16927	56270	0.002312538	0.15439463
7	28245.6529	-12132.6529	0.494346645	16113	22764.14	0.031769915	0.304635214
8	24570.01632	-11329.01632	0.050775053	13241	22134.372	0.237878127	0.045876101
9	22682.63695	-2983.636954	0.271169829	19699	22535.051	0.049415311	0.060330796
10	25578.05123	-10258.05123	0.098759456	15320	20158.533	0.000153812	0.045038509
11	20324.46584	-4814.465837	0.009386555	15510	18761.253	0.033269196	0.001962416
12	16836.32549	1502.674505	0.030174894	,18339	17651.92	0.013401354	0.017315584
13	17276.34654	3185.653458	0.047754851	20462	18048.795	0.039136758	0.000452856
14	20885.537	-4471.536998	0.047532326	16414	15978.56	0.012813346	4.25165E-05
15	21850.56543	-3578.565427	0.044089599	18272	18164.973	0.008778804	0.018598738
16	23820.6675	-3836.667498	0.090716753	19984	17492.116	0.004025999	0.006639917
17	24735.0253	-6019.0253	0.125648856	18716	17087.59	0.000611978	0.005591269
18	24887.25723	-6634.257232	0.011691676	18253	16853.515	0.078712017	0.067033417
19	25347.66133	-1973.661328	0.015281194	23374	18648.15	0.001837678	0.015701996
20	25261.42672	-2889.426718	0.010918083	22372	19443.06	0.035361885	0.00221391
21	20502.64206	-2337.642056	0.045943451	18165	19217.652	0.002570683	0.00013155
22	22979.56301	-3893.563007	0.071831176	19086	19294.344	0.001058652	0.000725626
23	23580.30353	-5115.303529	0.016592735	18465	18979.128	0.000294727	0.003601235
24	20526.5282	-2378.528201	0.106527151	18148	19256.09	0.348404364	0.01381985
25	13359.2345	-5923.234503	1.134610614	7436	9569.44	0.002266354	0.02984456
26	15002.6861	-7920.686096	1.509606159	7082	8366.612	0.030164656	0.049940448
27	17013.37232	-8701.372319	0.442703923	8312	9894.64	0.053356998	0.002960632
28	15762.47228	-5530.472279	0.315654803	10232	9779.73	4.81499E-05	0.002857463
29	15909.66144	-5748.661442	0.390658912	10161	9614.046	0.002479866	0.000835888
30	16005.90066	-6350.900662	0.174242452	9655	9361.228	0.024265605	0.000106202
31	15189,22474	-4030.22474	0.154012147	11159	11059.501	0.011143972	0.030378344
32	16716,28052	-4379.280516	0.063695382	12337	10392.055	0.098147641	0.016696695
33	11585.60515	-3113,605153	0.314338634	8472	10066.134	0.024423285	0.004350704
34	14545,90395	-4749.903954	0.399603826	9796	10354.812	0.024266744	0.027421413
35	14462,4655	-6192.465497	0.18559669	8270	9892.16	0.002433937	0.045530374
36	12240.79327	-3562.793271	0.017766205	8678	10442.64	1.520296388	0.017397604
37	20534.68999	-1156.689995	0.020425915	19378	20522.628	0.000883542	0.021613066
38	22723.48942	-2769.489425	0.00069868	19954	17105.166	0.073426496	0.169381294
39	25888.43532	-527.4353181	0.009206907	25361	17148.74	0.017448451	0.009472314
40	24444.45464	-2433.454639	0.073084547	22011	19542.72	0.003525913	0.000528618
41	26654,48758	-5950.487578	0.034932435	20704	20197.93	0.002817649	0.03706964
41	25672.62331	-3869.623309	0.00445341	21803	17816.76	0.016871511	0.051220889
42	23072.02331	-3003.023309	0.00440341	21003	1/010./0	0.0100/1311	0.001220009

1

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Mode
43	23180.00139	1454.998615	0.057943786	24635	19700.538	0.008580768	0.01589994
44	28283.01784	-5930.01784	0.000199259	22353	19246.65	0.00030285	0.02685834
45	22426.46661	315.533392	0.054540991	22742	19078.675	0.002152026	0.0001906
46	26998.16955	-5311.169554	2.553E-05	21687	22001.036	0.003279776	0.0315085
47	23038.57831	-109.5783144	0.01106645	22929	19079.42	0.003184919	9.02463E-
48	19222.93352	2412.066479	0.000386156	21635	21852.821	0.002119361	0.0242897
49	22205.85405	425,145949	0.055012628	22631	19259.152	0.006347226	0.005677
50	26136.04922	-5308.049218	0.000170666	20828	19122.714	0.028969256	0.0070659
51	24645.09547	-272.0954677	0.023339423	24373	22622.214	0.00097488	0.0621484
52	27335.52307	-3723,52307	0.012001517	23612	17535.91	0.002089774	0.0274737
53	25119.32854	-2586.728537	0.014044278	22532.6	18618.8616	0.001210625	0.0149810
54	24418.90589	-2670,305894	0.00391677	21748.6	18990.6717	0.012407972	0.0710289
55	22810.08334	1361.116659	0.003726022	24171.2	18374.9256	0.002018288	0.0679092
56	23781.66213	1475,437868	0.033394196	25257.1	18958.2302	0.00149815	0.018587
57	19663.99765	4615,502353	0.000636259	24279.5	20836.0068	0.00386738	0.0924581
58	25176.96983	612.4301698	0.009502184	25789.4	18406.7496	0.001008522	0.0549851
59	22456,47128	2513.928722	0.008354586	24970.4	18923.0657	0.018040527	1.25641E-
60	19334.11987	2282.380129	0.001184254	21616.5	21527,9904	0,039985198	0.1105947
61	25195.11151	743.8884935	0.002395932	25939	18750.2617	2.25954E-05	0.1122881
62	24546.03123	1269.668774	0.001234562	25815.7	17123.6888	0.001332892	0.0822157
63	25851.13092	907.0690799	7.95694E-05	26758.2	19355.9916	0.000164314	0.1615589
64	26862.51233	238.6876732	0.018671213	27101.2	16345,9029	0.003877131	0.1872065
65	25085.52028	3703.179723	0.002512472	28788.7	17062.7232	0.003501387	0.0755362
66	25642,1789	1443.021101	0.016178593	27085.2	19172.9524	0.020303714	0.256056
67	27499.49537	3445.104634	0.074590411	30944.6	17238.9324	0.0157523	0.3296747
68	26377.04445	8451.355547	0.096603497	34828.4	17060.8434	0.013150048	0.1422543
69	20009.4491	10825.0509	0.035368597	30834.5	17698.4024	0.000654425	0.1942345
70	25824.39723	5798.90277	0.118854214	31623.3	18033,9054	0.000424178	0.2450933
71	21372.39157	10902.20843	0.152963263	32274.6	16618.882	0.001622676	0.2651228
72	20951.93673	12622.76327	0.207026285	33574.7	16956.4809	0.020163937	0.4189079
73	23065.76408	15276.53592	0.06878048	38342.3	16611.7132	0.012086503	0.2522158
74	24071.33581	10055.66419	0.115363862	34127	14871.0764	0.010582572	0.3637699
75	26046.37708	11591.32292	0.03988105	37637.7	17054.5644	0.011893113	0.2179929
76	26016.76081	7516.339193	0.1102052	33533.1	15960,1662	0.004290961	0.2992033
77	24597.66025	11132.03975	0.011580278	35729.7	17387,2686	0.004702668	0.1860948
78	29434,56625	3844.933749	0.025397049	33279.5	17866.166	4.3701E-07	0.2171161
79	27953.92857	5303.571427	0.132449894	33257.5	17750.6745	0.017913276	0.3146652
06	25605.07644	12103.62356	0.15452149	37708.7	19052.896	0.001384898	0.2423006
81	21482.40356	14822.99644	0.067136263	36305.4	17743.6534	0.004547276	0.1894101
82	24450.22891	9406.971089	0.119304637	33857.2	18056.625	0.001466368	0.208801
83	20866.25269	11694.44731	0.155192524	32560.7	17089.7307	0.004523773	0.2703245
84	21923.58077	12827.11923	0.305592997	34750.7	17821.4973	0.01238607	0.3529117
85	19407.85093	19210.34907	10.19683085	38618.2	17974.0673	3.260866466	10.452153

8

•

Theil	's U
USAF Pred	1.790343572
New Model	
w/out Serv Inv	1.768341342

A/OA-10 (Regression with Possessed Hours, Flying Hours, Sorties, and Serviceable Inventory) Theil's *U*-statistic for This Model

Regression .	Statistics				
R Square	0.898223584				
Adjusted R Square	0.893134763				
Standard Error	2672.542358				
Observations	85				
ANOVA					
	df	SS	MS	F	Significance F
Regression	4	5042855009	1260713752	176.5091794	7.46884E-39
Residual	80	571398612.5	7142482.656		
Total	84	5614253621			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	52285.90227	2514,115583	20.79693655	5.25213E-34	
Possessed	-0.00170297	0.006783835	-0.251033508	0.802431863	
Flying	0.235657846	0.728524848	0.323472626	0.747181405	
Sorties	2.28314767	1.224234435	1.864959525	0.065853916	
Serv Inv	-0.360076112	0.016685145	-21.58064051	4.23868E-35	

	THUOD				· · · · · · · · · · · · · · · · · · ·
Observation	TNMCS Hours	Desiduala	Numerator	Actual	Dene
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
1	21078.74194	8834.258064	0.018111677	29913	0.033049011
2	20449.31945	4025.680548	0.017489938	24475	0.020019793
3	24248.80726	-3236.807263	0.014652427	21012	0.021542393
4	21552.55605	2543.443954	0.000418625	24096	0.002183669
5	22476.98822	493.0117785	0.045797769	22970	0.069212287
7	21842.67492	-4915.674919	0.101818912	16927	0.002312538
8	21514.24927	-5401.249265	0.18511297	16113	0.031769915
	20173.57908	-6932.579077	0.009777891	13241	0.237878127
9 10	18389.68733 20702.94048	1309.312673	0.074670798	19699	0.049415311
10	18241.79393	-5382.940481	0.031796428	15320	0.000153812
12		-2731.79393	0.001389619	15510	0.033269196
12	17760.82444 18268.39601	578.1755575 2193.603995	0.014307546	18339	0.013401354
13	19320.90913	-2906.909127	0.020182118 0.009163669	20462	0.039136758
14	19843.26392	-2906.909127		16414	0.012813346
15	20021.69996	-37.69996312	4.25706E-06	18272	0.008778804
17	20525.91656	-1809.916562	0.008202614	19984	0.004025999
18	19732,08406	-1479.084065	0.045693054	18716	0.000611978
19	19472.25085	3901.749155	0.045693054	18253	0.078712017
20	19444.92299	2927.077013		23374	0.001837678
20	16041.14839	2123.851607	0.009012364	22372 18165	0.035361885
21	17177.7294	1908.2706	0.005405182	19086	0.002570683
22	17061.79838	1403.201618	0.019010435	19086	0.001058652
23	15602.07656	2545.923441	0.00092683		0.000294727
24	7988.495691	-552,4956912	0.06931798	18148	0.348404364
25	9039.772982	-1957.772982	0.083587414	7436 7082	0.002266354
20	10359.51158	-2047.511582	0.002519621		0.030164656
28	9814.772324	417.2276756	0.0002519621	8312	0.053356998
28	10383.65578	-222.6557818	0.016907665	10232	4.81499E-05
30	10976.22952	-1321.229522	0.005154074	10161 9655	0.002479866
30	10465.84941	693,1505895	0.005154074		0.024265605
31	11603.80047	733.1995339		11159	0.011143972
32	9357.223422		0.00514857	12337	0.098147641
33	9357.223422 11100.76001	-885.2234222 -1304.760011	0.023718618	8472	0.024423285
34			0.099450376	9796	0.024266744
35	11359.24242	-3089.242425	0.05010475	8270	0.002433937
36	10529.16428 16343.00618	-1851.164279 3034.993821	0.122314046	8678	1.520296388
37 38	16343.00618	. –	0.01215391	19378	0.000883542
		2136.323217	0.047845455	19954	0.073426496
39 40	20996.34105	4364.658952	0.007486372	25361	0.017448451
40 41	19816.66927	2194.330729	0.001567932	22011	0.003525913
41	21575.57234	-871.5723423	3.38214E-05	20704	0.002817649

Appendix (G:	Suppl	lemental	Analysis
------------	----	-------	----------	----------

ntinued		TNMCS Hours	· · · · ·	Numaratar	Actual	
Observation		New Model	Residuals	Numerator New Model	Actual TNMCS Hours	Denominator
Observation	42	21923,40649	-120,4064897	0.032923276	21803	0.01687151
	42	20678.8953	3956,104699	0.002923276	24635	0.00858076
	44	23913.92643	-1560.926426	0.005235142	24635	0.0003028
	45	21124.66469	1617.335307	0.00384751	22333	0.00215202
	46	23097.6476	-1410.647602	0.000597787	21687	0.00327977
	47	22398.75975	530.2402517	0.00234417	22929	0.00318491
	48	20524.85521	1110.144785	0.000995457	21635	0.00211936
	49	23313.60299	-682.6029929	0.026541441	22631	0.00634722
	50	24514.93936	-3686.939358	0.002046105	20828	0.02896925
	51	23430.86843	942.1315667	0.009951586	24373	0.0009748
	52	26043.39292	-2431.392922	0.01106053	23612	0.00208977
	53	25015.8517	-2483.251699	0.010126669	22532.6	0.00121062
	54	24016.086	-2267.486003	0.000172175	21748.6	0.01240797
	55	23885.82466	285.3753413	0.001520653	24171.2	0.00201828
	56	24314.53079	942.5692062	0.013977797	25257.1	0.0014981
	57	21293.41031	2986.089689	0.000373468	24279.5	0.0038673
	58	25320.19102	469.2089805	0.003703934	25789.4	0.00100852
	59	23400.8582	1569.541796	1.71587E-05	24970.4	0.01804052
	60	21513.06505	103.4349512	0.000558083	21616.5	0.03998519
	61	25428.33656	510.6634408	0.000316432	25939	2.25954E-0
	62	25354.28337	461.4166261	0.000127814	25815.7	0.00133289
	63	27050.05878	-291.8587785	0.004682665	26758.2	0.00016431
	64	28932.26366	-1831.063659	3.6624E-05	27101.2	0.00387713
	65	28952.71041	-164.0104057	0.004067009	28788.7	0.00350138
	66	28921.14479	-1835.94479	0.000653395	27085.2	0.02030371
	67	31636.94061	-692.3406115	0.009755406	30944.6	0.015752
	68 69	31772.01861 28881.77962	3056.381391 1952.720376	0.003143497 0.001408157	34828.4 30834.5	0.01315004
	70	32780.37762	-1157.077617	0.000622554	31623.3	0.00042417
	71	31485.56605	789.0339484	0.001416985	32274.6	0.00162267
	72	32359.79156	1214.908438	0.015232323	33574.7	0.02016393
	73	34198.53416	4143.765844	2.91505E-05	38342.3	0.01208650
	74	34334.01468	-207.0146768	0.002327448	34127	0.01058257
	75	35991.28952	1646,410485	0.005227285	37637.7	0.01189311
	76	36254.30452	-2721.204522	4.4227E-06	33533.1	0.00429096
	77	35659.17917	70.520835	0.015209225	35729.7	0.00470266
	78	37685.88972	-4406.389718	0.014843283	33279.5	4.3701E-0
	79	37312.0417	-4054.541698	0.002803899	33257.5	0.01791327
	80	35947.65353	1761.046466	0.003784952	37708.7	0.00138489
	81	33985.48683	2319.913171	0.002144732	36305.4	0.00454727
	82	35538.54835	-1681.34835	0.001650358	33857.2	0.00146636
	83	33936.13528	-1375.435278	6.49923E-06	32560.7	0.00452377
	84	34833.70892	-83.0089213	0.019510979	34750.7	0.0123860
	85	33764.16299	4854.037015	1.4570225 3	38618.2	3.26086646

Theil	s' U
New Model	
with Serv Inv	0.66844646

Regressior	n Statistics				
R Square	0.724114578				
Adjusted R					
Square	0.715215048				
Standard Error	1936.044505				
Observations	97				
ANOVA					
	df	SS	MS	F	Significance F
Regression	3	914939040.9	304979680.3	81.3654877	6.53403E-26
Residual	93	348588954.2	3748268.325		
Totai	96	1263527995			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	2926.875319	748.5879505	3.909861649	0.00017535	
Flying Hours	0.791802634	1.33639563	0.592491188	0.554959603	
Sorties	-3.804287178	1.896179239	-2.006290913	0.04772977	
Possessed		-			
Hours	0.161554027	0.019266107	8.385400693	5.27738E-13	

F-15A (Regression with Possessed Hours, Flying Hours, and Sorties) Theil's *U*-statistic for This Model and USAF Predictions

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Model
1	15895.70492	1282.295077	0.005572252	17178	8827.86	0	0.236288354
2	15895.70492	1282.295077	0.009783715	17178	8827.86	0.005002733	0.073256348
3	16693.87828	1699.121723	0.010921491	18393	13743.618	0.057774459	0.008171893
4	15894.17768	-1922.177684	0.003569139	13972	12309.3	0.003156619	0.011167703
5	15591.71906	-834.7190585	0.054631615	14757	13280.476	0.007049308	0.001509968
6	16967.21364	-3449.213644	0.025518583	13518	12944.568	0.021867579	0 018313029
7	17676.4379	-2159.437898	0.051635775	15517	13687.668	0.209245665	0.293824152
8	19088.99349	3526.006508	0.004471852	22615	14203.925	0.041716008	0.000344089
9	19508.30826	-1512.30826	0.002305245	17996	17576.5	0.004543281	0.107133918
10	18344.95862	864.0413764	0.017090893	19209	13318.672	0.051849914	0.000784793
11	17346.23369	-2511.233691	0.004971482	14835	14296.876	0.018084675	0.010005784
12	17875.99709	-1045.997089	0.002894582	16830	15346.071	0.094840577	0.020126825
13	22918.47623	-905.4762259	0.035895484	22013	19625.344	0.004114442	0.103683649
14	19254.39421	4170.605786	0.000518116	23425	16336.826	0.034865698	0.019050198
15	19584.2038	-533.203801	0.010556332	19051	15817.824	0.000223797	0.151749241
16	17378.62385	1957.376152	0.038223368	19336	11914.682	0.021224644	0.18567399
17	18372.6578	3780.3422	0.001369932	22153	13821.136	0.03838083	0.117892925
18	16993.0599	819.9401015	0.003016879	17813	10206.648	0.001461572	0.113676749
19	17515.60102	978.3989769	0.004486894	18494	12488.172	0.00082438	0.023723012
20	17786.19271	1238.80729	0.007274756	19025	16176.503	0.000171297	0.078111568
21	17651.31625	1622.683751	0.020265478	19274	13956.808	5.45106E-06	0.120262208
22	16575.21369	2743.786307	0.004252896	19319	12635	0.001630121	0.041246374
23	17279.12621	1259.873794	0.025538165	18539	14615.465	0.009364234	0.109164459
24	17370.34454	2962.65546	0.001168455	20333	14207.706	0.020765018	0.030683398
25	16707.96371	695.0362907	0.001276117	17403	13841.334	0.012632504	0.058577183
26	14825.31654	621.6834596	0.019742131	15447	11235	0.024321217	0.020548268
27	15208.40691	-2170.406906	0.008086273	13038	10823.724	0.000135914	0.049840477
28	14362.42527	-1172.42527	0.120069736	13190	10279.269	0.062974742	0.000803046
29	14450.47747	-4570.477474	0.024648012	9880	10253.779	0.064798073	0.130560803
30	13946.1289	-1551.128898	0.030044219	12395	8825.04	0.003281131	0.013321015
31	15253.45862	-2148.458615	0.031033385	13105	11674.41	0.094425482	0.198240343
32	14823.38453	2308.615471	0.006360385	17132	11297.105	0.037103233	0.002114969
33	15198.31165	-1366.311652	0.008629945	13832	13044.12	0.050748702	0.144559495
34	15663.0418	1284.958197	0.000994413	16948	11688.938	0.0307718	0.039312491
35	14509.4435	-534.4434951	0.055105866	13975	10614.656	0.020114242	0.000671895
36	15273.58074	-3280.580742	0.003553751	11993	11630.755	0.048677023	0.030320819
37	15353.94285	-714.9428529	0.016916539	14639	12550.674	0.056122286	0.015883816
38	13075.00097	-1904.000973	0.084224586	11171	9326.032	0.004376277	0.005980186
39	13673.98869	-3241.98869	0.1170574	10432	9568.128	9.37363E-05	4.4061E-05
40	13900.1682	-3569.168204	0.095644475	10331	10261.754	0.000277187	0.011004946
41	13698.01062	-3195.010617	0.025790215	10503	9419.232	0.002594662	0.057124732

Appendix G:	Supplemental Analysis
-------------	-----------------------

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Mode
42	12724.71166	-1686.711661	0.089394574	11038	8527.701	0.003673427	0.0046885
43	13669.24338	-3300.243379	0.051222083	10369	9613.196	0.148889254	0.39366360
44	12023.25722	2346.74278	0.006568421	14370	7864.218	0.049187029	0.0018350
45	12347.62805	-1164.628048	0.014418047	11183	10567.422	0.000617978	0.03933307
46	12247.80064	-1342.800645	0.048257676	10905	8687.124	0.104132716	0.30258534
47	12028.42997	2395.570033	0.00820338	14424	8425.404	0.001360354	0.10570108
48	12585.58212	1306.417882	0.017284236	13892	9202.512	0.061567712	0.02492734
49	12271.37467	-1826.374666	0.001056121	10445	8251.676	0.016581648	0.19119164
50	11450.55829	339.441709	0.016401425	11790	7222.875	0.007426083	0.19868606
51	11296.07769	1509.922306	2.14642E-06	12806	7550.7	0.00561973	0.11575462
52	11827.23835	18.76165192	0.062306622	11846	7489.049	0.05602896	0.01618267
53	11998.91493	-2956.914934	0.065385528	9042	7535.057	0.001986466	0.03642685
54	10951.09311	-2312.093112	0.15046575	8639	6913.26	0.0004991	0.00028193
55	12183.06075	-3351.06075	0.000968021	8832	8686.944	0.050005305	0.1502149
56	11081.79035	-274,7903489	0.006110813	10807	7383,931	0.000406914	0.02466018
57	11433.80146	-844.8014633	0.003552865	10589	8891.916	0.000164956	0.0694804
58	11084,16701	-631.1670146	0.001047773	10453	7661.83	0.003506706	0.1387602
59	10733.64343	338.3565716	0.000848396	11072	7178.202	0.00599114	0.1080243
60	11606.5032	322.496804	0.006743633	11929	8289.96	0.008786803	0.0543602
61	11790.40501	-979.6050104	7.44104E-05	10810.8	8029.52	0.000485476	0.1417894
62	10665.85551	-93.25551345	0.000602743	10572.6	6501.8	0.001189241	0.1606083
63	11196.76607	-259.5660684	0.00077063	10937.2	6700.128	0.006156937	0.1449692
64	9775.380939	303.6190609					
65	10210.02053	1204.379466	0.014278803	10079 11414.4	5914.68 6026.49	0.017554475 0.001377878	0.2857628
66			0.008249				0.1663121
67	9953.998478	1036.701522	1.85883E-07	10990.7	6335.749	0.001053308	0.1274619
68	10629.26145 10257.94395	4.738546202	0.053161427	10634	6710.121	0.038104626	0.2976860
		2451.856055	0.035408924	12709.8	6907.824	0.09295355	0.0002762
69	11226.436	-2391.636004	0.020564329	8834.8	8623.566	0.132087012	0.3074455
70	10778.76598	1266.934019	0.003729797	12045.7	7147	0.000326928	0.0954099
71	11092.24425	735.655755	0.050623411	11827.9	8107.164	0.049205434	0.2125161
72	11790.36428	2661.235722	0.001725272	14451.6	8999	0.035620307	0.0525755
73 [.]	11123.83263	600.2673733	0.002677409	11724.1	8410.44	0.011276639	0.1138290
74	9872.451905	606.6480952	0.004792909	10479.1	6523.558	0.018843942	0.1840886
75	11192.12314	725.4768602	0.019044445	11917.6	7421.484	0.049608389	0.0324151
76	10907.84802	-1644.648024	0.013811498	9263.2	7117.53	0.003543329	0.0754845
77	10903.23285	-1088.632852	0.004545634	9814.6	7269.586	0.017801877	0.1842958
78	10462.38672	661.7132782	0.006957608	11124.1	6910.722	0.001002987	0.162903
79	10548.51347	927.8865278	0.001916987	11476.4	6986.5724	0.021073596	0.0649140
80	10312.87593	-502.4759292	0.124427894	9810.4	6886.4152	0.198967066	0.363831
81	10725.84632	3460.553676	0.088293912	14186.4	8268.9192	0.008708953	0.3146652
82 83	11294.91175	4215.388249	0.011555775	15510.3	7552.435	0.047486188	0.088427
	10463.07703	1667.322967	0.002396553	12130.4	7518.144	0.008139579	0.0846307
84	10442.16106	593.8389385	0.005741885	11036	7507.101	0.004302628	0.0521192
85	11148.35539	-836.255394	0.015862809	10312.1	7792.62	0.028399151	0.049323
86	9873.084683	-1298.784683	0.003295377	8574.3	6284.104	0.050017121	0.257195
87	9999.689098	492.2109024	0.011050083	10491.9	6143.495	0.019806943	0.0567692
88	10118.20198	-1102.901979	0.063155131	9015.3	6515.4696	0.220098809	0.408007
89	10979.1934	2265.606604	0.00070726	13244.8	7486.236	0.061499866	0.0741102
90	9607.963138	352.2368616	0.003109627	9960.2	6354.5427	0.001427356	0.1270766
91	9781.079099	555.4209007	0.02925074	10336.5	6785.9064	0.008210343	0.1960076
92	9505.264143	1767.835857	0.033678613	11273.1	6696.8475	0.004050952	0.1708655
93	9921.790694	2068.809306	0.004158551	11990.6	7330.7637	0.017950627	0.0740941
94	9610.864252	773.2357478	0.0023868	10384.1	7120.2288	0.002005248	0.0321583
95	10426.41399	-507.3139914	0.012586538	9919.1	8056.944	0.000238858	0.0231413
96	10878.62124	-1112.821241	0.00553862	9765.8	8256.8793	0.035956094	0.1198066
97	10890.81058	726.7894248	2.205479925	11617.6	8237.3546	2.904574507	9.934485

Theils' U					
USAF Pred	1.84940241				
New Model					
w/out Serv Inv	0.87138543				

F-15A (Regression with Possessed Hours, Flying Hours, Sorties, and Serviceable Inventory) Theil's *U*-statistic for This Model

Regression Statistics				
R Square	0.757592874			
Adjusted R Square	0.747053434			
Standard Error	1824.614877			
Observations	97			

ANOVA

	df	SS	MS	F	Significance F
Regression	4	957239805.7	239309951.4	71.88169929	1.75214E-27
Residual	92	306288189.5	3329219.451		
Total	96	1263527995			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	5623,157947	1034.361665	5,436355713	4.4405E-07	
	-0.09584722	1.283861188	-0.074655439	0.940650954	
Flying Hours	-0.03004722	1.203001100	-0.074033433	0.040000004	
Sorties	-2.578153764	1.819848795	-1.4166857	0.159952124	

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
1	14577.97972	2600.020281	0.020489519	17178	0
2	14719.11351	2458.886487	0.021429069	17178	0.005002733
3	15878.36907	2514.63093	0.004565103	18393	0.057774459
4	15214.73304	-1242.733043	0.003033402	13972	0.003156619
5	15526.52653	-769.5265299	0.042493049	14757	0.007049308
6	16559.9847	-3041.984701	0.024112982	13518	0.021867579
7	17616.12308	-2099.123085	0.052291523	15517	0.209245665
8	19066.67488	3548.325116	0.004316418	22615	0.041716008
9	19481.79309	-1485.793095	0.003493785	17996	0.004543281
10	18145.28796	1063.712044	0.015536471	19209	0.051849914
11	17229.31313	-2394.313134	0.005641249	14835	0.018084675
12	17944.23086	-1114.230857	0.018452611	16830	0.094840577
13	24299.19373	-2286.193727	0.017990211	22013	0.004114442
14	20472.44931	2952.550691	0.00676739	23425	0.034865698
15	20978.0376	-1927.0376	0.003296635	19051	0.000223797
16	18242.16152	1093.838482	0.02342191	19336	0.021224644
17	19193.77637	2959.223634	4.69779E-05	22153	0.03838083
18	17661.16235	151.8376535	0.000170769	17813	0.001461572
19	18261.22193	232.7780674	0.000401018	18494	0.00082438
20	18654.6497	370.3503031	0.00217038	19025	0.000171297
21	18387.67592	886.3240753	0.010530565	19274	5.45106E-06
22	17341.13024	1977.869756	0.001002706	19319	0.001630121
23	17927.25349	611.7465126	0.02310369	18539	0.009364234
24	17515.09091	2817.909088	0.001035258	20333	0.020765018
25	16748.77699	654.2230148	0.003276396	17403	0.012632504
26	14450.85561	996.1443855	0.018933422	15447	0.024321217
27	15163.48824	-2125.488244	0.005183268	13038	0.000135914
28	14128.66975	-938.6697549	0.119917879	13190	0.062974742
29	14447.58634	-4567.586341	0.020229846	9880	0.064798073
30	13800.24883	-1405.248835	0.020083082	12395	0.003281131
31	14861.55483	-1756.554835	0.039127842	13105	0.094425482
32	14539.73157	2592.268434	0.001392702	17132	0.037103233
33	14471.34769	-639.3476892	0.020294411	13832	0.050748702
34	14977.51467	1970.485329	0.000368315	16948	0.0307718
35	13649.742	325.2579967	0.023595404	13975	0.020114242
36	14139.6712	-2146.671201	0.001316344	11993	0.048677023
37	14203.87652	435.1234831	0.001552221	14639	0.056122286
38	11747.75079	-576.7507946	0.045605184	11171	0.004376277
39	12817.6084	-2385.608403	0.063938002	10432	9.37363E-05

.

		TNMCS Hours	_	Numerator	Actual	
Observation		New Model	Residuals	New Model	TNMCS Hours	Denominator
	40	12968.83186	-2637.831856	0.055157917	10331	0.0002771
	41	12929.31002	-2426.310018	0.008812208	10503	0.0025946
	42 43	12023.95194	-985.9519392	0.046808113	11038	0.0036734
	43 44	12757.09147 11293.64126	-2388.091466 3076.358745	0.088023819 0.00111331	10369 14370	0.0491870
	44	11662.47372	-479.4737235	0.003752852	11183	0.0006179
	46	11590.07649	-685.0764941	0.079659933	10905	0.1041327
	47	11346.16285	3077.837155	0.019233885	14424	0.0013603
	48	11891.58903	2000.410966	0.008439227	13892	0.0615677
	49	11721.19228	-1276,19228	0.009916275	10445	0.0165816
	50	10749.88172	1040.118281	0.02647367	11790	0.0074260
	51	10887.68075	1918.319248	0.001569634	12806	0.005619
	52	11338.64406	507.3559418	0.052943266	11846	0.056028
	53	11767.69397	-2725.69397	0.062249688	9042	0.0019864
	54	10894.96882	-2255.968816	0.147534708	8639	0.00049
	55	12150.26124	-3318.261242	0.001675471	8832	0.0500053
	56	11168.51601	-361,5160054	0.0063703	10807	0.0004069
	57	11451.55165	-862.5516497	0.00222871	10589	0.0001649
	58	10952.89842	-499.8984247	0.000830076	10453	0.0035067
	59	10770.83826	301.1617442	0.000776815	11072	0.005991
	60	11620.4078	308.5921957	0.005518408	11929	0.0087868
	61	11696.95756	-886.1575648	9.31415E-06	10810.8	0.0004854
	62	10539.60643	32.9935728	0.000354479	10572.6	0.0011892
	63	11136.25677	-199.0567717	0.002021623	10937.2	0.0061569
	64	9587.236527	491.7634726	0.015548366	10079	0.0175544
	65	10157.61838	1256.781619	0.01192449	11414.4	0.0013778
	66	9744.255357	1246.444643	8.8041E-05	10990.7	0.0010533
	67	10530.87409	103.1259141	0.058947201	10634	0.0381046
	68	10127.9664	2581.833604	0.031239063	12709.8	0.092953
	69	11081.20323	-2246.403225	0.024076378	8834.8	0.1320870
	70	10674.84253	1370.857469	0.005410951	12045.7	0.0003269
	71	10941.82835	886.0716466	0.056209616	11827.9	0.0492054
	72	11647.37438	2804.225617	0.003788492	14451.6	0.0356203
	73 74	10834.59356	889.5064388	0.006470861	11724.1	0.0112766
	74	9535.993901 11029.60941	943.1060992 887.9905927	0.007180733 0.014004987	10479.1 11917.6	0.0188439 0.0496083
	76	10673.56055	-1410.360554	0.009397182		0.0035433
	77	10712.56594	-897.9659392	0.004145568	9814.6	0.0178018
	78	10492.17629	631.923706	0.004758147	11124.1	0.0010029
	79	10709.06711	767.3328894	0.006029111	11476.4	0.0210735
	80	10701.51202	-891.112024	0.095195085	9810.4	0.1989670
	81	11159.52855	3026.871452	0.06873843	14186.4	0.0087089
	82	11790.90754	3719.392459	0.005683496	15510.3	0.0474861
	83	10961.09452	1169.305482	5.48235E-06	12130.4	0.0081395
	84	11007.59737	28,402631	0.018064415		0.0043026
	85	11795.38173	-1483.281732	0.025908275	10312.1	0.0283991
	86	10234.14052	-1659.840516	3.374E-05	8574.3	0.0500171
	87	10541.70482	-49.80482001	0.027608843	10491.9	0.0198069
	88	10758.62455	-1743.324546	0.022258767	9015.3	0.2200988
	89	11899.77382	1345.02618	0.001541206		0.0614998
	90	10480.16704	-519.9670443	0.002651963	9960.2	0.0014273
	91	10849.42254	-512.9225403	0.003908013	10336.5	0.0082103
	92	10626.92294	646.1770561	0.007392278	11273.1	0.0040509
	93	11021.35738	969.2426162	0.000955718	11990.6	0.0179506
	94	10754.78566	-370.6856613	0.024188348	10384.1	0.0020052
	95	11534.0979	-1614.997903	0.05755567	9919.1	0.0002388
	96	12145.46776	-2379.667758	0.003416353	9765.8	0.0359560
	97	12188.40685	-570.8068495	1.94640598	11617.6	2.9045745

Theils	'U
New Model	
with Serv Inv	0.818607

		,			
	n Statistics				
R Square	0.175355092				
Adjusted R					
Square	0.148753643				
Standard Error	651.3898784				
Observations	97				
ANOVA					
	df	SS	MS	F	Significance F
Regression	3	8391050.998	2797016.999	6.591937695	0.000434649
Residual	93	39460715.95	424308.7736		
Total	96	47851766.95			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	666.701217	243.8228427	2.734367337	0.007483444	
Possessed					
Hours	0.172062719	0.039412649	4.365672509	3.28356E-05	
Flying Hours	-1.504745405	3.71232474	-0.405337763	0.686160202	
Sorties	-3.689550486	5.00615594	-0.737002708	0.462975969	

F-15B (Regression with Possessed Hours, Flying Hours, and Sorties) Theil's *U*-statistic for This Model and USAF Predictions

1 900.8802547 -54.88025474 0.004208153 846 638.802 0 0.0 2 900.8802547 -54.88025474 0.35059364 846 638.802 0.271722288 0.5 3 905.9246225 5.600.9246225 0.03531185 405 1018.122 0.85733822 0.0 4 1024.115191 -244.1151906 0.001184875 780 906.12 0.143039119 0.0 5 1048.150834 26.84916621 1.064923824 490 917.189 0.017596835 1.4 7 930.6562174 -505.6562174 1.001229374 425 1023.132 0.689876817 0.4 8 1203.261162 -425.2611617 0.491672328 778 1026.065 0.064765596 0.1 9 1521.528545 -545.5285448 0.000922074 976 1247.625 0.179928951 0.1 10 1360.305103 -332.061024 0.041367084 654 1073.868 0.610508930 0.2 12 1298.016404 <th></th> <th>TNMCS Hours</th> <th></th> <th>Numerator</th> <th>Actual</th> <th></th> <th></th> <th>Numerator</th>		TNMCS Hours		Numerator	Actual			Numerator
2 900.8802547 -54.88025474 0.35059364 846 638.802 0.271729289 0.5 3 905.9246225 -500.9246225 -00.36331185 405 1018.122 0.85733802 0.0 4 1024.115191 -244.1151906 0.001184875 780 906.12 0.143039119 0.0 5 1048.150834 26.84916621 0.204349939 1075 958.272 0.296138453 0.1 6 975.9546261 485.9546261 1.064923824 490 917.189 0.017596835 1.4 7 930.6562174 1.001229374 425 1023.132 0.689876817 0.4 9 1521.528545 -545.5285448 0.00092074 976 1247.625 0.179928951 0.1 10 1360.36103 -332.0610326 0.047938988 1331 2624.152 0.017684404 0.6 14 1445.422101 -291.4221012 0.110664635 1154 2262.676 0.37534204 0.1 15 1477.106961 383								USAF Model
4 1024.115191 244.115190 0.001184875 780 906.12 0.1243039119 0.00 5 1048.150834 26.84916621 0.204349939 1075 958.272 0.296138453 0.1 6 975.9546251 485.9546261 1.064923824 490 917.189 0.017598353 1.4 7 930.6562174 4.001223374 425 1023.132 0.889876817 0.4 8 1203.261162 -425.2611617 0.491672328 778 1050.655 0.07928951 0.1 10 1360.363104 29.63689588 0.61019499 1390 1030.522 0.28036841 0.0 12 1298.016404 -133.016404 0.81124651 1155 828.594 0.02030192 1.2 13 1663.061033 -332.0610326 0.047938988 1313 2624.152 0.017684404 0.6 14 1445.422101 29.149844 0.801224 0.3374204 1.6 1154 2262.676 0.37534204 0.1 14							-	0.05998330
4 1024.115191 244.115190 0.001184875 780 906.12 0.1243039119 0.00 5 1048.150834 26.84916621 0.204349939 1075 958.272 0.296138453 0.1 6 975.9546251 485.9546261 1.064923824 490 917.189 0.017598353 1.4 7 930.6562174 4.001223374 425 1023.132 0.889876817 0.4 8 1203.261162 -425.2611617 0.491672328 778 1050.655 0.07928951 0.1 10 1360.363104 29.63689588 0.61019499 1390 1030.522 0.28036841 0.0 12 1298.016404 -133.016404 0.81124651 1155 828.594 0.02030192 1.2 13 1663.061033 -332.0610326 0.047938988 1313 2624.152 0.017684404 0.6 14 1445.422101 29.149844 0.801224 0.3374204 1.6 1154 2262.676 0.37534204 0.1 14	2							0.525234292
5 1048.150834 26.84916621 0.204349939 1075 958.272 0.298138453 0.1 6 975.9546261 485.9546261 1.064923824 490 917.189 0.017596835 1.4 7 930.6562174 405 1023.132 0.689876817 0.4 8 1203.261162 -425.2611617 0.491672328 778 1050.655 0.064769596 0.1 9 1521.528545 545.5285448 0.00922074 976 1247.625 0.17992891 0.1 10 1360.363104 29.6389588 0.61018499 1390 1030.522 0.247938988 1331 2624.152 0.017684404 0.6 14 1445.422101 -291.4221012 0.110664635 1154 2262.676 0.37534204 0.1 15 1477.106961 383.8930385 0.93421044 3263 1700.716 0.119928593 0.0 17 2332.080548 -199.0805484 0.07988529 2133 2348.864 0.028420036 0.0 18<								0.096974573
6 975.9546261 485.9546261 1.064923824 490 977.189 0.017596835 1.4 7 930.6562174 -505.6562174 1.001229374 425 1023.132 0.689876817 0.4 8 1203.261162 -425.2611617 0.491672328 778 1050.605 0.04769596 0.1 10 1360.363104 29.63689588 0.61019499 1390 1030.522 0.280366441 0.0 11 1733.795204 -1085.798204 0.041367084 654 1073.868 0.6100893 0.2 12 1298.016404 -133.016404 0.081242631 1165 828.594 0.02030192 1.2 13 1663.061033 -332.0610346 0.947938988 1331 2624.152 0.017698404 0.6 14 1445.422101 -291.4221012 0.110664635 1154 2262.676 0.37534204 0.1 15 1477.106961 383.8930385 0.93421044 3263 1790.716 0.119928593 0.0 16 <t< td=""><td></td><td></td><td>-244.1151906</td><td>0.001184875</td><td></td><td></td><td>0.143039119</td><td>0.022395506</td></t<>			-244.1151906	0.001184875			0.143039119	0.022395506
7 930.6562174 1.001229374 425 1023.132 0.689876817 0.4 8 1203.261162 -425.2611617 0.491672328 778 1050.605 0.06476956 0.1 9 1521.528545 -545.5285448 0.00092074 976 1247.625 0.179928951 0.1 10 1360.363104 29.63689588 0.61019499 1390 1030.522 0.280366441 0.0 11 1739.798204 -1085.798204 0.041367084 654 1073.688 0.610500893 0.2 13 1663.061033 -332.0610326 0.047938986 1331 2624.152 0.017684404 0.6 14 1445.422101 -291.4221012 0.110664635 1154 2274.327 0.567548893 0.6 16 1464.055858 1798.944142 0.003722404 3263 1790.716 0.119928593 0.0 17 2332.080548 199.0805484 0.072988529 2133 2348.864 0.0228199838 0.11051614 0.02 1720.178582				0.204349939			0.296138453	0.157914931
8 1203.261162 -425.2611617 0.491672328 778 1050.605 0.064769596 0.1 9 1521.528545 -545.5285448 0.00092074 976 1247.625 0.179928951 0.1 10 1360.363104 29.63689588 0.61018499 1390 1030.522 0.280366411 0.0 11 1739.798204 -1085.798204 0.041367084 654 1073.868 0.61050083 0.22 12 1298.016404 -133.016404 0.081242631 1165 828.594 0.020303192 1.2 13 1663.061033 -332.0610326 0.047938988 1331 2624.152 0.017684404 0.6 14 1445.422101 -291.4221012 0.110664635 1154 2262.676 0.37534204 0.1 15 1477.106961 383.8930365 0.934421044 1861 2274.327 0.567548893 0.6 16 1464.055858 1798.944142 0.00372404 2863 1790.716 0.119928593 0.0 1720.188706<		975.9546261	-485.9546261	1.064923824	490	917.189	0.017596835	1.490053684
9 1521.528545 -545.5285448 0.000922074 976 1247.625 0.179928951 0.1 10 1360.363104 29.63689588 0.61019499 1390 1030.522 0.280366441 0.0 11 1739.798204 -0.087.798204 0.041367084 654 1073.868 0.610500839 0.2 12 1298.016404 -133.016404 0.081242631 1165 828.594 0.020303192 1.2 13 1663.061033 -332.0610326 0.047938988 1331 2624.152 0.017684404 0.6 14 1445.422101 201.10664635 1154 2262.676 0.37534204 0.1 15 1477.106961 383.8930385 0.934421044 1861 2274.327 0.567548893 0.6 18 2343.309536 -568.3095366 0.017051001 1775 1794.208 0.025420036 0.0 20 1720.188706 267.8112942 0.031963008 1988 2199.596 0.01311693 0.0 21 1704.581361	7	930.6562174	-505.6562174	1.001229374	425	1023.132	0.689876817	0.411424144
10 1360.363104 29.63689588 0.61019499 1390 1030.522 0.280366441 0.0 11 1739.798204 -1085.798204 0.041367084 654 1073.868 0.610500893 0.2 12 1298.016404 -133.016404 0.081242631 1165 828.594 0.020303192 1.2 13 1663.061033 -332.0610326 0.047938988 1331 2624.152 0.017684404 0.6 14 1445.422101 -291.4221012 0.110664635 1154 2262.676 0.37534204 0.1 15 1477.106961 383.8930385 0.934421044 1861 2274.327 0.567548893 0.6 16 1464.055858 1799.94142 0.003722404 3263 1790.716 0.11928593 0.0 17 2332.080548 -199.0805484 0.07988529 2133 2348.864 0.028169838 8.1 18 2343.309536 -568.3995356 0.017051001 1775 1794.208 0.025420036 0.3 20	8	1203.261162	-425.2611617	0.491672328	778	1050.605	0.064769596	0.12189342
11 1739.798204 -1085.798204 0.041367084 654 1073.868 0.610500893 0.2 12 1298.016404 -133.016404 0.081242631 1165 828.594 0.020303192 1.2 13 1663.061033 -332.0610326 0.047938988 1331 2624.152 0.017684404 0.6 14 1445.422101 -291.4221012 0.110664635 1154 2262.676 0.37534244 0.6 15 1477.106961 383.8930385 0.934421044 1861 2274.327 0.567548893 0.6 16 1464.055858 1799.944142 0.003722404 3263 1790.716 0.119928593 0.0 17 2332.080548 -199.0805484 0.070988529 2133 2348.864 0.028169838 8.1 18 2343.309536 5668.3095356 0.017051001 1775 1794.208 0.025420036 0.0 20 1720.188706 267.8112942 0.031963008 1988 2199.596 0.01311693 0.0 21 1704.581361 355.4186385 0.566852854 2060 1757.798 <td< td=""><td>9</td><td>1521.528545</td><td>-545.5285448</td><td>0.000922074</td><td>976</td><td>1247.625</td><td>0.179928951</td><td>0.13565787</td></td<>	9	1521.528545	-545.5285448	0.000922074	976	1247.625	0.179928951	0.13565787
12 1298.016404 -133.016404 0.081242631 1165 828.594 0.020303192 1.2 13 1663.061033 -332.0610326 0.047938988 1331 2624.152 0.017684404 0.6 14 1445.422101 -291.4221012 0.110664635 1154 2262.676 0.37534204 0.1 15 1477.106961 383.8930385 0.934421044 1861 2274.327 0.567548893 0.6 16 1464.055858 1798.944142 0.003722404 3263 1790.716 0.119928593 0.0 17 2332.080548 -199.0805484 0.070988529 2133 2348.864 0.022169538 8.1 18 2343.309536 -668.3095356 0.017051001 1775 1794.208 0.022420036 0.0 20 1720.188706 267.8112942 0.031963008 1988 2199.596 0.001311693 0.0 21 1704.581361 355.4186385 0.506852854 2060 1757.798 0.144105005 0.3 22 <td>10</td> <td>1360.363104</td> <td>29.63689588</td> <td>0.61019499</td> <td>1390</td> <td>1030.522</td> <td>0.280366441</td> <td>0.091242243</td>	10	1360.363104	29.63689588	0.61019499	1390	1030.522	0.280366441	0.091242243
13 1663.061033 -332.0610326 0.047938988 1331 2624.152 0.017684404 0.6 14 1445.422101 -291.4221012 0.110664635 1154 2262.676 0.37534204 0.1 15 1477.106961 383.8930385 0.934421044 1861 2274.327 0.567548893 0.6 16 1464.055858 1798.944142 0.003722404 3263 1790.716 0.119228593 0.0 17 2332.080548 -199.0805484 0.070988529 2133 2348.864 0.028169838 8.1 18 2343.309536 -568.3095356 0.017051001 1775 1794.208 0.025420036 0.0 20 1720.188706 267.8112942 0.031608 1988 2199.596 0.001311693 0.0 21 1704.581361 355.4186385 0.506852854 2060 1757.798 0.144105005 0.3 22 1375.41186 1466.58814 0.00360419 2842 1587.45 0.18853074 0.0 23	11	1739.798204	-1085.798204	0.041367084	654	1073.868	0.610500893	0.264589112
14 1445.422101 -291.4221012 0.110664635 1154 2262.676 0.37534204 0.1 15 1477.106961 383.8930385 0.934421044 1861 2274.327 0.567548893 0.6 16 1464.055858 1798.944142 0.003722404 3263 1790.716 0.119928593 0.0 17 2332.080548 -199.0805484 0.070988529 2133 2348.864 0.025420036 0.0 18 2343.309536 -568.3095356 0.017051001 1775 1794.208 0.025420036 0.0 20 1720.188706 267.8112942 0.031963008 1988 2199.596 0.001311693 0.0 21 1704.581361 355.4186385 0.506852854 2060 1757.798 0.144105005 0.3 22 1375.41186 1466.58814 0.0030015801 2339 1965.36 0.034270098 0.0 23 1778.61921 -170.6192102 0.064893639 1608 1836.895 0.206662969 0.0 24 1929.374384 409.6256159 0.003015801 2339 1965.36 0	12	1298.016404	-133.016404	0.081242631	1165	828.594	0.020303192	1.23210381
15 1477.106961 383.8930385 0.934421044 1861 2274.327 0.567548893 0.6 16 1464.055858 1798.944142 0.003722404 3263 1790.716 0.11922593 0.0 17 2332.080548 -199.0805484 0.070988529 2133 2348.864 0.028169838 8.1 18 2343.309536 -568.3095356 0.017051001 1775 1794.208 0.025420036 0.0 19 1723.778582 -231.7785819 0.03219599 1492 1856.836 0.11051614 0.0 20 1720.188706 267.8112942 0.031963008 1988 2199.596 0.001311693 0.0 21 1704.581361 355.4186385 0.506852854 2060 1757.798 0.144105005 0.3 22 1375.41186 1466.58814 0.003015801 2339 1965.36 0.028662690 0.0 24 1929.374384 409.6256159 0.003015801 2339 1965.36 0.034270098 0.0 25	13	1663.061033	-332.0610326	0.047938988	1331	2624.152	0.017684404	0.693830172
16 1464.055858 1798.944142 0.003722404 3263 1790.716 0.119928593 0.0 17 2332.080548 -199.0805484 0.070988529 2133 2348.864 0.028169838 8.1 18 2343.309536 -568.3095356 0.017051001 1775 1794.208 0.025420036 0.0 19 1723.778582 -231.7785819 0.032219599 1492 1856.836 0.11051614 0.0 20 1720.188706 267.8112942 0.031963008 1988 2199.596 0.001311693 0.0 21 1704.581361 355.4186385 0.506852854 2060 1757.798 0.144105005 0.3 22 1375.41186 1466.58814 0.00360419 2842 1587.45 0.18853074 0.0 23 1778.61921 -170.6192102 0.064893639 1608 1836.895 0.206662969 0.0 24 1929.374384 409.6256159 0.00315801 2339 1965.36 0.03427098 0.0 25 2034.49239 -128.492388 0.00152469 1906 2152.332 0.016882	14	1445.422101	-291.4221012	0.110664635	1154	2262.676	0.37534204	0.128285016
17 2332.080548 -199.0805484 0.070988529 2133 2348.864 0.028169838 8.1 18 2343.309536 -568.3095356 0.017051001 1775 1794.208 0.025420036 0.0 19 1723.778582 -231.7785819 0.032219599 1492 1856.836 0.11051614 0.0 20 1720.188706 267.8112942 0.031963008 1988 2199.596 0.001311693 0.0 21 1704.581361 355.4186385 0.506852854 2060 1757.798 0.14410505 0.3 22 1375.41186 1466.58814 0.00360419 2842 1587.45 0.18853074 0.0 23 1778.61921 -170.6192102 0.064893639 1608 1836.895 0.206662969 0.0 24 1929.374384 409.6256159 0.003015801 2339 1965.36 0.034270098 0.0 25 2034.49239 -128.4492388 0.00152469 1906 2152.332 0.01638298 0.0 26 1685.5499 -23.53499035 0.10865752 1662 1839.544 0.0096784	15	1477.106961	383.8930385	0.934421044	1861	2274.327	0.567548893	0.625879084
18 2343.309536 -568.3095356 0.017051001 1775 1794.208 0.025420036 0.0 19 1723.778582 -231.7785819 0.032219599 1492 1856.836 0.11051614 0.0 20 1720.188706 267.8112942 0.031963008 1988 2199.596 0.01311693 0.0 21 1704.581361 355.4186385 0.506852854 2060 1757.798 0.144105005 0.3 22 1375.41186 1466.58814 0.00360419 2842 1587.45 0.18853074 0. 23 1778.61921 -170.6192102 0.064893639 1608 1836.895 0.206662969 0.0 24 1929.374384 409.6256159 0.003015801 2339 1965.36 0.034270098 0.0 25 2034.449239 -128.4492388 0.00152469 1906 2152.332 0.01638298 0.0 26 1685.53499 -3.53499035 0.101865752 1662 1839.44 0.005839093 0.0 27 <	16	1464.055858	1798.944142	0.003722404	3263	1790.716	0.119928593	0.004376494
18 2343.309536 -568.3095356 0.017051001 1775 1794.208 0.025420036 0.0 19 1723.778582 -231.7785819 0.032219599 1492 1856.836 0.11051614 0.0 20 1720.188706 267.8112942 0.031963008 1988 2199.596 0.011311693 0.0 21 1704.581361 355.4186385 0.506852854 2060 1757.798 0.144105005 0.3 22 1375.41186 1466.58814 0.003060419 2842 1587.45 0.18853074 0.0 23 1778.61921 -170.6192102 0.064893639 1608 1836.895 0.206662969 0.0 24 1929.374384 409.6256159 0.00015801 2339 1985.36 0.034270098 0.0 25 2034.449239 -28.492388 0.00152469 1906 2152.332 0.016882984 0.0 26 1685.53499 -32.53499035 0.11865752 1662 1839.544 0.005839093 0.0 27	17	2332.080548	-199.0805484	0.070988529	2133	2348.864	0.028169838	8.10929E-0
19 1723.778582 -231.7785819 0.032219599 1492 1856.836 0.11051614 0.0 20 1720.188706 267.8112942 0.031963008 1988 2199.596 0.001311693 0.0 21 1704.581361 355.4186385 0.506852854 2060 1757.798 0.144105005 0.3 22 1375.41186 1466.58814 0.0030419 2842 1587.45 0.18853074 0.0 23 1778.61921 -170.6192102 0.064893639 1608 1836.895 0.206662969 0.0 24 1929.374384 409.6256159 0.00315801 2339 1985.36 0.03427098 0.0 25 2034.449239 -128.4492388 0.00152469 1906 2152.332 0.01688298 0.0 26 1685.53499 -23.53499035 0.11865752 1662 1839.544 0.005839093 0.0 27 1615.754915 173.2450853 0.123114205 1789 1722.738 0.009678424 0.0 28 985.2822298 627.7177702 2.3653E-05 16113 1464.099 0.015348888	18	2343.309536	-568.3095356	0.017051001	1775	1794.208	0.025420036	0.04224727
201720.188706267.81129420.03196300819882199.5960.0013116930.0211704.581361355.41863850.50685285420601757.7980.1441050050.3221375.411861466.588140.0036041928421587.450.188530740.231778.61921-170.61921020.06489363916081836.8950.2066629690.0241929.374384409.62561590.0031580123391965.360.034270980.0252034.449239-128.44923880.0015246919062152.3320.016382980.0261685.53499-23.534990350.01086575216621839.5440.0058390930.0271615.754915173.24508530.12311420517891722.7380.0096784240.028985.2822298627.71777022.3653E-0516131464.0990.043479330.0291281.1552857.8447146820.01924824512891520.2090.1534888820.030962.8333403-178.83334030.531115327841172.560.0075229071.0311423.360847-571.36084741.122437398521661.580.0311410491.4321603.652641-902.65264142.2688992667011720.2950.1572727772.4332034.906894-1055.9068940.1218778389792085.720.0007408050.6351319.193767-300.19376650.10669	19	1723,778582	-231,7785819	0.032219599			0.11051614	0.02011301
211704.581361355.41863850.50685285420601757.7980.1441050050.3221375.411861466.588140.0036041928421587.450.188530740.231778.61921-170.61921020.06489363916081838.8950.2066629690.0241929.374384409.62561590.00301580123391965.360.0342700980.0252034.449239-128.44923880.0015246919062152.3320.016882980.0261685.53499-23.534990350.01086575216621839.5440.0058390930.0271615.754915173.24508530.12311420517891722.7380.0096784240.028985.2822298627.71777022.3653E-0516131464.0990.403479330.0291281.1552857.8447146820.01924824512891520.2090.1534888220.030962.8333403-178.83334030.531115327841172.560.0075229071.0311423.360847-571.36084741.122437398521661.580.031141491.4321603.652641-902.65264142.2688992667011720.2950.1572727772.4332034.906894-1055.9068940.1218778389792085.720.0007408050.6351319.193767-300.19376650.10669743610191826.8640.1318423940.1361721.852004-332.8520041.3781	20		267.8112942	0.031963008			0.001311693	0.02310797
22 1375.41186 1466.58814 0.00360419 2842 1587.45 0.18853074 0. 23 1778.61921 -170.6192102 0.064893639 1608 1836.895 0.206662969 0.0 24 1929.374384 409.6256159 0.00315801 2339 1965.36 0.3427098 0.0 25 2034.49239 -128.4492388 0.000152469 1906 2152.332 0.016388298 0.0 26 1685.53499 -23.53499035 0.10865752 1662 1839.544 0.00583903 0.0 27 1615.754915 173.2450853 0.123114205 1789 1722.738 0.009678424 0.0 28 985.2822298 627.7177702 2.3653E-05 1613 1464.099 0.40347933 0.0 29 1281.155285 7.844714682 0.019248245 1289 1520.209 0.153488882 0. 30 962.8333403 -157.13608474 1.12243739 852 1661.58 0.03141049 1.4 32 1603		1704.581361	355.4186385	0.506852854	2060	1757,798	0.144105005	0.37088691
23 1778.61921 -170.6192102 0.064893639 1608 1836.895 0.206662969 0.0 24 1929.374384 409.6256159 0.003015801 2339 1965.36 0.034270098 0.0 25 2034.449239 -128.4492388 0.00015269 1906 2152.332 0.01638298 0.0 26 1685.53499 -23.53499035 0.010865752 1662 1839.544 0.005839093 0.0 27 1615.754915 173.2450853 0.123114205 1789 1722.738 0.009678424 0.0 28 985.2822298 627.7177702 2.3653E-05 1613 1464.099 0.040347933 0.0 29 1281.155285 7.844714682 0.019248245 1289 1520.209 0.153488882 0. 30 962.8333403 -178.8333403 0.53111532 784 1172.56 0.007522907 1.0 31 1423.60847 -51.3608474 1.12243739 852 1661.58 0.03141049 1.4 32 <t< td=""><td></td><td></td><td></td><td>0.00360419</td><td></td><td></td><td></td><td>0.0064867</td></t<>				0.00360419				0.0064867
241929.374384409.62561590.00301580123391965.360.034270980.0252034.449239-128.44923880.0015246919062152.3320.016382980.0261685.53499-23.534990350.01086575216621839.5440.0058390930.0271615.754915173.24508530.12311420517891722.7380.0096784240.028985.2822298627.7177022.3653E-0516131464.0990.0403479330.0291281.1552857.8447146820.01924824512891520.2090.1534888820.030962.833403-178.83334030.531115327841172.560.0075229071.0311423.360847-571.36084741.122437398521661.580.031410491.4321603.652641-902.65264142.2688992667011720.2950.1572727772.4332034.906894-1055.9068940.1218778389792085.720.0007408050.6341333.778754-341.77875430.0915756479921831.6620.007408050.6351319.193767-300.19376650.10669743610191826.8640.1318423940.1361721.852004-332.8520041.37811308813891832.870.8254945651.7381358.172755-733.17275541.0834428146251584.4490.642562560.4		1778.61921	-170.6192102	0.064893639				0.053992649
25 2034.449239 -128.4492388 0.000152469 1906 2152.332 0.016388298 0.0 26 1685.53499 -23.53499035 0.010865752 1662 1839.544 0.005839093 0.0 27 1615.754915 173.2450853 0.123114205 1789 1722.738 0.009678424 0.0 28 985.2822298 627.717702 2.3653E-05 1613 1464.099 0.040347933 0.0 29 1281.155285 7.844714682 0.019248245 1289 1520.209 0.153488882 0.0 30 962.8333403 -1571.3608474 1.12243739 852 1661.58 0.03141049 1.4 31 1423.360847 -571.3608474 1.12243739 852 1661.58 0.03141049 1.4 32 1603.652641 -902.6526414 2.268899266 701 1720.295 0.157272777 2.4 33 2034.906894 -1055.906894 0.121877838 979 2085.72 0.000176328 0.7 34								0.01109126
261685.53499-23.534990350.01086575216621839.5440.0058390930.0271615.754915173.24508530.12311420517891722.7380.0096784240.028985.2822298627.7177022.3653E-0516131464.0990.0403479330.0291281.1552857.8447146820.01924824512891520.2090.1534888820.030962.8333403-178.83334030.531115327841172.560.0075229071.0311423.360847-571.36084741.122437398521661.580.031410491.4321603.652641-902.65264142.2688992667011720.2950.1572727772.4332034.906894-1055.9068940.1218778389792085.720.0007408050.6341333.778754-341.77875430.0915756479921831.3620.0007408050.6351319.193767-300.19376650.10669743610191826.8640.1318423940.1361721.852004-332.8520041.37811308813891832.870.8254945651.7371755.7588624-1630.5896243.327688591271974.76515.3762787557.381358.172755-733.1727541.0834428146251584.4490.642562560.4								0.00867693
271615.754915173.24508530.12311420517891722.7380.0096784240.028985.2822298627.71777022.3653E-0516131464.0990.0403479330.0291281.1552857.8447146820.01924824512891520.2090.1534888820.030962.8333403-178.8334030.531115327841172.560.0075229071.0311423.360847-571.36084741.122437398521661.580.031410491.4321603.652641-902.65264142.268892667011720.2950.1572727772.4332034.906894-1055.9068940.1218778389792085.720.0007408050.6341333.778754-341.77875430.0915756479921831.3620.007408050.6351319.193767-300.19376550.10669743610191826.8640.1318423940.1361721.852004-332.8520041.37811308813891832.870.8254945651.7371757.589624-1630.5896243.327688591271974.76515.3762787557.381358.172755-733.1727541.0834428146251584.4490.642562560.4								0.00158952
28 985.2822298 627.717702 2.3653E-05 1613 1464.099 0.040347933 0.0 29 1281.155285 7.844714682 0.019248245 1289 1520.209 0.153488882 0. 30 962.8333403 -178.833403 0.53111532 784 1172.56 0.007522907 1.0 31 1423.360847 -571.3608474 1.12243739 852 1661.58 0.03141049 1.4 32 1603.652641 -902.6526414 2.268899266 701 1720.295 0.15727277 2.4 33 2034.906894 -1055.906894 0.121877838 979 2085.72 0.000176328 0.7 34 1333.778754 -341.7787543 0.091575647 992 1831.362 0.000740805 0.6 35 1319.193767 -300.1937655 0.106697436 1019 1826.864 0.131842394 0.1 36 1721.852004 -332.852004 1.378113088 1389 1832.87 0.825494565 1.7 37 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00692746</td></t<>								0.00692746
291281.1552857.8447146820.01924824512891520.2090.1534888820.30962.8333403-178.83334030.531115327841172.560.0075229071.0311423.360847-571.36084741.122437398521661.580.031410491.4321603.652641-902.65264142.2688992667011720.2950.1572727772.4332034.906894-1055.9068940.1218778389792085.720.000763280.7341333.778754-341.77875430.0915756479921831.3620.0007408050.6351319.193767-300.19376650.10669743610191826.8640.1318423940.1361721.852004-332.8520041.37811308813891832.870.8254945651.7371757.589624-1630.58962433.327688591271974.76515.3762787557.381358.172755-733.17275541.0834428146251584.4490.642562560.4								0.02054663
30962.8333403-178.83334030.531115327841172.560.0075229071.0311423.360847-571.36084741.122437398521661.580.031410491.4321603.652641-902.65264142.2688992667011720.2950.1572727772.4332034.906894-1055.9068940.1218778389792085.720.000763280.7341333.778754-341.77875430.0915756479921831.3620.0007408050.6351319.193767-300.19376650.10669743610191826.8640.1318423940.1361721.852004-332.8520041.37811308813891832.870.8254945651.7371757.589624-1630.58962433.327688591271974.76515.3762787557.381358.172755-733.17275541.0834428146251584.4490.642562560.4							-	0.0908678
31 1423.360847 -571.3608474 1.12243739 852 1661.58 0.03141049 1.4 32 1603.652641 -902.6526414 2.268899266 701 1720.295 0.157272777 2.4 33 2034.906894 -1055.906894 0.121877838 979 2085.72 0.000176328 0.7 34 1333.778754 -341.7787543 0.91575647 992 1831.362 0.000740805 0.6 35 1319.193767 -300.1937665 0.106697436 1019 1826.864 0.131842394 0.1 36 1721.852004 -332.852004 1.378113088 1389 1832.87 0.825494565 1.7 37 1757.588624 -1630.589624 33.32768859 127 1974.765 15.37627875 5.7 38 1358.172755 -733.1727554 1.083442814 625 1584.449 0.64256256 0.4								1.06631965
321603.652641-902.65264142.2688992667011720.2950.1572727772.4332034.906894-1055.9068940.1218778389792085.720.0001763280.7341333.778754-341.77875430.0915756479921831.3620.0007408050.6351319.193767-300.19376650.10669743610191826.8640.1318423940.1361721.852004-332.8520041.37811308813891832.870.8254945651.7371757.589624-1630.58962433.327688591271974.76515.3762787557.381358.172755-733.17275541.0834428146251584.4490.642562560.4								1.431266803
33 2034.906894 -1055.906894 0.121877838 979 2085.72 0.000176328 0.7 34 1333.778754 -341.7787543 0.091575647 992 1831.362 0.000740805 0.6 35 1319.193767 -300.1937665 0.106697436 1019 1826.864 0.131842394 0.1 36 1721.852004 -332.852004 1.378113088 1389 1832.87 0.825494565 1.7 37 1757.589624 -1630.589624 3.32768859 127 1974.765 15.37627875 57. 38 1358.172755 -733.1727554 1.083442814 625 1584.449 0.64256256 0.4								2.492524758
341333.778754-341.77875430.0915756479921831.3620.0007408050.6351319.193767-300.19376650.10669743610191826.8640.1318423940.1361721.852004-332.8520041.37811308813891832.870.8254945651.7371757.589624-1630.58962433.327688591271974.76515.3762787557.381358.172755-733.17275541.0834428146251584.4490.642562560.4								0.735077659
35 1319.193767 -300.1937665 0.106697436 1019 1826.864 0.131842394 0.1 36 1721.852004 -332.852004 1.378113088 1389 1832.87 0.825494565 1.7 37 1757.589624 -1630.589624 33.32768859 127 1974.765 15.37627875 57. 38 1358.172755 -733.1727554 1.083442814 625 1584.449 0.64256256 0.4								0.663213208
36 1721.852004 -332.852004 1.378113088 1389 1832.87 0.825494565 1.7 37 1757.589624 -1630.589624 33.32768859 127 1974.765 15.37627875 57. 38 1358.172755 -733.1727554 1.083442814 625 1584.449 0.64256256 0.4								0.18974188
37 1757.589624 -1630.589624 33.32768859 127 1974.765 15.37627875 57. 38 1358.172755 -733.1727554 1.083442814 625 1584.449 0.64256256 0.4								1.769656524
38 1358.172755 -733.1727554 1.083442814 625 1584.449 0.64256256 0.4								57.07374193
								0.48625295
								0.016671259
40 1636.78662 -151.7866202 0.000829653 1485 1630.386 4.53468E-05 7.4	40	1636.78662	-151./866202	0.000829653	1485	1630.386	4.53468E-05	7.43892E-05

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Model
41	1432.22651	42.77349034	0.007781778	1475	1487.808	0.090611204	0.02683710
42	1161.116216	-130.1162161	0.030204832	1031	1272.635	0.00015899	0.19437493
43	1223.183032	-179.1830318	0.006776537	1044	1498.547	0.065406593	0.00256711
44	1225.05821	85.9417897	0.24971054	1311	1258.104	0.377976414	0.12331936
45	1461.879592	655.1204083	0.277204978	2117	1656.618	0.043001868	0.29930150
46	1441.394016	1114.605984	0.000818198	2556	1397.822	0.312566737	0.0083824
47	1200.112226	-73.11222601	0.892463872	1127	1361.016	2.195761218	1.13051046
48	1732.319651	1064.680349	0.035977646	2797	1598.712	0.029696765	0.10867453
49	1784.471356	530.5286441	0.000445695	2315	1392.946	0.272290117	0.00359937
50	1155.873118	-48.87311806	0.426122389	1107	1245.888	0.354385209	0.49291307
51	1170.62802	-722.6280199	0.619671968	448	1225.2	0.096266143	1.67816988
52	939.6622219	-352.6622219	0.56132448	587	1167.358	0.069724787	1.65979546
53	871.7897391	-439.7897391	0.00052774	432	1188.25	6.793745713	1.42509432
54	1567.92416	-9.924159786	0.000479074	1558	1042.29	0.013199916	0.08534798
55	1702.898877	34.10112308	0.118385366	1737	1281.84	0.047859434	0.3570182
56	1519.347377	597.6526227	0.022165709	2117	1079.125	0.10196513	0.00856442
57	1756.182192	-315.1821916	0.031298978	1441	1245.084	0.007285884	0.03711705
58	1572.93476	-254.9347605	0.125392842	1318	1040.38	0.210707468	0.42783807
59	1456.284974	466.7150256	0.241175434	1923	1060.905	0.413122048	0.09781963
60	1631.377908	-944.3779076	0.476040425	687	1288.44	0.553908604	0.01218790
61	1672.300341	-474.0003409	0.674418665	1198.3	1274.144	0.311875131	0.12906699
62	1513.179874	-984.0798739	1.554079661	529.1	959.6	0.171009057	0.15194524
63	1407.490512	-659.590512	0.769265265	747.9	954.144	0.023479139	0.13530672
64	1289.266401	-655.9664006	0.435475919	633.3	908.408	2.444707292	1.228691
65	1205.581535	417.9184652	0.019658338	1623.5	921.51	0.158525127	5.92241E-0
66	1204.728005	-227.6280047	0.052487803	977.1	989,594	0.003111107	0.00226966
67	1255.455727	-223.8557266	0.098733048	1031.6	985.05	0.022314266	0.00045720
68	1201.647447	-324.1474468	1.640829495	877.5	855.442	0.637085946	0.74384383
69	1301.132458	-1124.032458	2.997278542	177.1	933.912	7.670804265	0.18610138
70	974.2070337	-306.6070337	1.439192799	667.6	744	0.238891937	0.50625697
71	1142.195432	-800.895432	1.806173812	341.3	816.309	2.739495384	0.0204650
72	1364.886606	-458.6866062	0.080542356	906.2	857.375	0.063080685	0.0667009
73	1390.979425	-257.1794254	0.026066432	1133.8	899.76	0.005462798	0.1094583
74	1400.653166	-183.0531664	0.228791776	1217.6	842.488	0.337441146	0.58602948
75	1342.495336	582.4046642	0.019151277	1924.9	992.796	0.010241453	0.1570113
76	1463.716668	266.3833317	0.065709336	1730.1	967.365	0.039327743	0.3034143
77	1629.709068	443.4909316	0.029201365	2073.2	1120.208	0.016239895	0.14790687
78	1454.723147	354.276853	0.143507145	1809	1011.675	0.072771698	0.49125995
79	1611.708525	685.2914748	0.043368946	2297	1029.073	0.378088465	0.00753755
80 81	1362.955121	-478.3551207	0.581443062	884.6	1084.0235	0.040172014	0.56394225
82	1381.828853	-674.5288532	0.979078621	707.3	1371.6	3.296537459	1.16644886
83	1291.637954 1173.244029	699.8620456 368.9559712	0.034323255 0.009088432	1991.5	1227.6	0.050899348	0.01528324
84	1703.877034	147.0229657	0.059003962	1542.2	1296 1316.88	0.040067465	0.11990399
85				1850.9		0.001668314	0.10610226
86	1476.902859 1501.370647	449.5971411 1268.329353	0.433437079 0.035188174	1926.5 2769.7	1323.6 1033.076	0.19156809	0.81259392
87	1703.445519	519.5544806	0.035186174		1033.076	0.038961232	0.1922137
88	1550.114899	-265.6148988	0.445637661	2223 1284.5		0.17823362	0.0169063
89	1550.117922	857,4820781	0.060232425	2407.6	995.456 1157.436	0.764484417 0.015775928	0.94725
90	1514.319703	590.8802969	0.463310435	2407.8	1039.3119		0.1959993
90	1191.955393	1432.944607	0.056899957	2624.9	1005,888	0.060942282	0.5914437
92	1318.863916	626.1360845	0.180167501	2624.9 1945	1015.56	0.067091045	0.1253768
92 93	1080.62253	825.5774699				0.000397946	0.1738954
93 94			0.889429545	1906.2	1095.12	0.609107288	1.4074156
94 95	1596,17093 1567,198421	1797.72907 646.101579	0.036241279	3393.9	1132.4882	0.121006159	0.06491647
95			0.069750557	2213.3	1348.578	0.000417058	0.12915536
30	1583.560149	584.5398509	0.102988773	2168.1	1372.68	0.001847878	0.10826379

4

2

£

.

Theils' U	
USAF Pred	1.289780092
New Model	
w/out Serv Inv	1.097049614

F-15B (Regression with Possessed Hours, Flying Hours, Sorties, and Serviceable Inventory) Theil's *U*-statistic for This Model

Regression	Statistics				
R Square	0.374827012				
Adjusted R Square	0.347645578				
Standard Error	570.2367178				
Observations	97				
ANOVA					
	df	SS	MS	F	Significance F
Regression	4	17936134.83	4484033.707	13.78981729	7.53499E-09
Residual	92	29915632.12	325169.9143		
Total	96	47851766.95	÷		
	Coefficients	Standard Error	t Stat	P-value	
Intercept	2130.668513	344.3416324	6.187658745	1.6714E-08	
Possessed Hours	0.139114761	0.03503427	3.97081946	0.000142006	
Flying Hours	-1.174334989	3.250398322	-0.361289563	0.718711362	
Sorties	-1.145492715	4.407549795	-0.259893312	0.795526805	
Serv Inv	-0.007640732	0.001410264	-5.417946287	4.80099E-07	

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
1	161.2723502	684,7276498	0.569813289	846	0
2	207.388625	638.611375	0.008113456	846	0.271729289
3	328.7967842	76.20321578	0.787850052	405	0.85733882
4	420.5182831	359.4817169	0.535123007	780	0.143039119
5	504 4136023	570.5863977	6.04999E-06	1075	0.296138453
6	487.3558528	2.644147181	0.120442895	490	0.017596835
7	595.0539299	-170.0539299	0.001467353	425	0.689876817
8	761.7199333	16.28006675	0.010851196	778	0.064769596
9	594.9564618	81.04353817	0.248700552	976	0.179928951
10	903 2699137	485.7300863	0.086697029	1390	0.280366441
11	1063.276593	-409.2765925	0.396933791	654	0.610500893
12	752.9624612	412.0375388	0.218191691	1165	0.020303192
13	1875.183074	-544.1830737	0.163345751	1331	0.017684404
14	1691.937694	-537.9376936	0.001754242	1154	0.37534204
15	1812.666248	48.33375208	0.656536349	1861	0.567548893
16	1755.088821	1507.911179	0.003324607	3263	0.119928593
17	2321.142652	-188.1426523	0.064267187	2133	0.028169838
18	2315.736271	-540.7362714	0.032135429	1775	0.025420036
19	1810.192845	-318.1928449	0.02960972	1492	0.11051614
20	1731.264473	256.7355275	0.046442069	1988	0.001311693
21	1631.577609	428.4223914	0.4244903	2060	0.144105005
22	1499.849846	1342.150154	0.000355042	2842	0.18853074
23	1661.55054	-53.55053974	0.098792888	1608	0.206662969
24	1833.584118	505.4158818	0.000189765	2339	0.034270098
25	1938.220925	-32.2209247	2.80597E-05	1906	0.016388298
26	1672.096343	-10.09634294	0.004016544	1662	0.005839093
27	1683.668737	105.3312632	0.048547447	1789	0.009678424
28	1218.820948	394.1790521	0.003170296	1613	0.040347933
29	1379.820575	-90.82057538	0.044894014	1289	0.153488882
30	1057.115995	-273.1159948	0.36466638	784	0.007522907
31	1325.438885	-473.4388854	0.777330327	852	0.03141049
32	1452.177205	-751.1772053	0.77508668	701	0.157272777
33	1596.153441	-617.1534409	0.063686994	979	0.000176328
34	1239.063203	-247.0632028	0.044786463	992	0.000740805
35	1228.935099	-209.935099	0.011748927	1019	0.131842394
36	1278.548074	110.4519262	0.657290445	1389	0.825494565
37	1253.110234	-1126.110234	12.17861482	127	15.37627875
38	1068.202977	-443.2029766	0.153998844	625	0.64256256
39	1371.26679	-245.26679	0.028157614	1126	0.101651108
40	1296.054603	188.9453973	0.024094905	1485	4.53468E-05

*

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
41	1244.490376	230.5096237	0.001153385	1475	0.09061120
42	1081.09325	-50.0932504	0.015034045	1031	0.0001589
43	1170.414411	-126.4144106	0.012523573	1044	0.06540659
44	1194.167244	116.8327565	0.403419098	1311	0.37797641
45	1284.31466	832.6853404	0.337853191	2117	0.04300186
46	1325.490784	1230.509216		2556	0.31256673
47	1226.269953	-99.26995253	1.136933467	1127	2.19576121
48	1595.312783	1201.687217	0.060377821	2797	0.02969676
49	1627.72399	687.2760105		2315	0.2722901
50	1287.540606	-180.5406062	0.598489216	1107	0.35438520
51	1304.398278	-856.3982782	1.706274678	448	0.09626614
52	1172.197533	-585.1975332	1.789875131	587	0.06972478
53	1217.325082	-785.3250816	0.003327051	432	6.7937457 [.]
54	1533.081984	24.91801608	0.006347333	1558	0.0131999
55	1612.873907	124.126093	0.116279941	1737	0.04785943
56	1524.685698	592.3143018	0.005371889	2117	0.101965
57	1596.161641	-155.1616411	0.013334355	1441	0.0072858
58	1484.398719	-166.3987193	0.110376271	1318	0.21070740
59	1485.121856	437.8781445	0.24064037	1923	0.4131220
60	1630.329742	-943.3297424	0.495559081	687	0.5539086
61	1681.920227	-483.6202267	0.696045669	1198.3	0.3118751
62	1528.833919	-999.7339186	1.985459795	529.1	0.1710090
63	1493.435469	-745.5354694		747.9	0.0234791
64	1425.475692	-792.1756915	0.124079358	633.3	2.4447072
65	1400.420708	223.0792916	0.061846339	1623.5	0.1585251
66	1380.846984	-403.746984		977.1	0.0031111
67	1388.351804	-356.751804		1031.6	0.0223142
68	1281.848407	-404.3484071	1.493361016	877.5	0.6370859
69	1249.432652	-1072.332652		177.1	7.6708042
70	1090.137798	-422.5377978		667.6	0.2388919
71	1139.585988	-798.2859878		341.3	2.7394953
72	1229.925076	-323.725076		906.2	0.0630806
73	1271.060337	-137.2603369		1133.8	0.0054627
74	1335.451346	-117.8513455		1217.6	0.3374411
75	1410.536838	514.3631623		1924.9	0.0102414
76	1486.243172	243.8568278		1730.1	0.0393277
77	1677.002774	396.1972261		2073.2	0.0162398
78 79	1569.78999	239.2100101		1809	0.0727716
79 80	1707.077919 1649.950398	589.9220815 -765.350398		2297	0.3780884
81	1705.072655	-997.7726551		884.6 707.3	0.0401720 3.2965374
82	1713.633023	277.8669768		1991.5	0.0508993
83	1663.758819	-121.5588194		1542.2	0.0400674
84	1953.955743	-103.0557431		1850.9	0.0016683
85	1872.472212	54.02778822			0.191568
86	1826.999717	942.7002828		2769.7	0.0389612
87	1981.515118	241.4848821		2223	0.178233
88	1880.626414	-596.1264142		1284.5	0.7644844
89	1944.334621	463.2653787		2407.6	0.0157759
90	1938.471091	166.7289089			0.0609422
91	1759.781729	865.118271			0.0670910
92	1838.608241	106.3917593			0.0003979
93	1710.715926	195.4840741		-	0.6091072
93 94	2033.667932	1360.232068			0.1210061
95	2042.638818	170.6611817			0.0004170
	2101.555821	66.54417912			0.0018478
90					
96 97	2015.419114	59.4808861			55.62458

Theils' U					
New Model					
with Serv Inv	0.885670931				

F-15C (Regression with Possessed Hours, Flying Hours, and Sorties)
Theil's U-statistic for This Model and USAF Predictions

Regression	Regression Statistics				
R Square Adjusted R	0.218693876				
Square	0.193490452				
Standard Error	4425.404364				
Observations	97				
ANOVA					
	df	SS	MS	F	Significance F
Regression	3	509805199.6	169935066.5	8.677149626	3.90185E-05
Residual	93	1821330952	19584203.78		
Total	96	2331136151			
	Coefficients	Standard Error	t Stat	P-value	
Intercept Possessed	19176.72925	14947.96719	1.282898805	0.202715571	
Hours	0.087379944	0.068762855	1.270743388	0.206989513	
Flying Hours	-0.028609403	0.246727771	-0.115955341	0.907937954	
Sorties	-3.203226111	0.83914001	-3.817272533	0.000243043	

.

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Model
1	15262.80323	-861.8032346	0.003581219	14401	14320.467	0	3.12725E-05
2	15262.80323	-861.8032346	0.260497585	14401	14320.467	9.76427E-06	0.268932521
3	21796.12121	-7350.121213	0.024091323	14446	21914.172	0.03751459	0.027649479
4	19486.2185	-2242.218501	4.17817E-05	17244	19646.1	0.040283498	0.000130069
5	20593.5369	111.4630993	0.194106413	20705	20901.664	0.273998272	0.219697415
6	18989.1073	-9122.107303	1.008286982	9867	19571.825	0.006410382	1.285225618
7	18984.79947	-9907.799472	0.076915718	9077	20263	0.588279029	0.292548462
8	18556.38643	-2517.386425	0.056427729	16039	20948.545	0.058339763	0.199903322
9	23722.98771	-3809.987713	0.007296715	19913	27084.125	0.030191091	0.052921255
10	18153.98462	-1700.984618	0.004156748	16453	21033.91	0.057491524	0.041137913
11	21458.77182	-1060.771815	0.091803299	20398	23735.077	0.025809388	0.188188208
12	23301.40211	-6180.402113	0.07249495	17121	25969.788	1.18753E-05	0.275493467
13	21671.80977	-4609.809767	0.063936761	17062	26048.38	0.001367725	0.10724577
14	20745.24946	-4314.249461	0.041083522	16431	22018.532	0.000328931	0.107324647
15	19463.41096	-3330.410964	0.001281488	16133	21515.868	0.000885222	0.010105353
16	16230.52709	-577.5270942	0.116095831	15653	17274.776	0.030395683	0.270626079
17	18257.42137	-5333.42137	0.338590529	12924	21066.962	0.246760793	0.52320529
18	14024.28592	-7520.285916	0.020865304	6504	15852.308	2.341784585	0.260847658
19	17396.49158	-939.4915772	0.104707891	16457	19778.804	0.010821966	0.169738943
20	23494.25459	-5325.254588	0.046679704	18169	24949.183	0.011792126	0.090848576
21	20121.50081	-3925.50081	0.000930613	16196	21672.336	0.047692994	0.002323733
22	19238.92567	494.0743284	0.025779239	19733	20513.73	0.001984228	0.071097103
23	22022.31363	-3168.313631	0.01198628	18854	24115.615	0.004544479	0.061330756
24	22189.1712	-2064.171204	0.063999309	20125	24794.202	0.014990276	0.160893587
25	22752.23955	-5091.23955	0.068194667	17661	25733.448	0.010169445	0.090352817
26	20492.01272	-4612.012721	0.063340168	15880	21188.675	0.16385162	0.008027596
27	18311.40535	3996.594649	0.023771602	22308	20885.202	0.090662862	0.028564015
28	19030.45682	-3439.456825	0.0017636	15591	19361.251	0.021800311	0.01060258
29	18547.74766	-654.7476628	0.008296244	17893	19498.387	0.028186006	0.015320997
30	16518.76096	-1629.760956	0.162805196	14889	17103.76	0.000275209	0.280250948
31	20649.58134	-6007.581345	0.03291141	14642	22524.048	0.022781575	0.096371362
32	19508.27872	-2656.278725	0.387014122	16852	21397,424	0.052356565	0.532262545
33	23479.70657	-10483.70657	0.1673033	12996	25290.6	0.034531454	0.356659861
34	20726.71828	-5315.718284	0.126740909	15411	23172.342	0.002438415	0.220961854
35	20136.42226	-5486.422256	0.047439967	14650	21894.184	0.065906981	0.217375537
36	21601.87516	-3190.87516	0.087127611	18411	25241.35	0.000194855	0.229725142
37	23588.44603	-5434.446027	0.001478641	18154	26978.328	0.003971069	0.004145256
38	19996.0777	-698.0777015	0.036073417	19298	20466.821	0.028414729	0.005411921
39	18885.73023	3665,26977	0.006835013	22551	21131.328	0.000278	0.000414796
40.	20310.6155	1864.384499	0.045491559	22175	22634.286	0.002254911	0.014549571

Appendix	G:	Suppl	lemental	Analysis
----------	----	-------	----------	----------

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Mode
41	18498.34961	4729.650386	0.062863119	23228	20553.216	0.00154158	0.0474857
42	18316.15538	5823.844618	0.010094946	24140	19078.332	0.002558331	0.0010283
43	20493.56704	2425.432965	0.021985021	22919	22144.897	0.001980656	0.0131080
44	18500.72039	3398.279609	0.000365414	21899	19274.997	0.022079363	0.0129354
45	25571.61689	-418.6168862	0.000184472	25153	27643.668	0.020189684	0.0074900
46	21237.37064	341.6293562	0.016053862	21579	23755.872	0.017260108	0.0465294
47	21478,14206	-2734.142063	0.000175145	18744	23398.74	0.054454404	0.0218072
48	22869.93713	248.06287	0.00464989	23118	25885.98	0.000802753	0.0034692
49	20886.58124	1576.418755	0.000401715	22463	23824.666	0.006428237	5.838E-
50	20211.77766	450.2223367	0.0043371	20662	20607.725	0.002203935	0.0009594
51	20271,26969	1360.730309	1.09968E-05	21632	22272	0.005022165	0.0056682
52	20027.26533	71.73466587	0.012052853	20099	21727.625	0.007529117	0.0001678
53	19636.4215	2206.578497	0.046591	21843	21582.597	0.002577736	0.0272368
54	18237,19972	4714.800281	0.013814576	22952	19347.12	0.005602802	0.0003
55	21972.32697	2697.67303	0.020933856	24670	25079,936	0.003507213	0.0050833
56	19639.61196	3569.388042	0.010127479	23209	21450.095	0.00366993	0.0494234
57	24138.64651	-2335.646505	0.007919954	21803	26962.684	0.00838086	0.0018513
58	21858.66109	1940.338907	0.002316601	23799	24737.13	0.003308944	0.0008129
59	21284.52843	1145.471569	0.002271543	22430	23108.576	0.007137726	0.0148290
60	23255.97043	1069.029569	0.005948174	24325	27056.4	0.022934348	0.049355
61	22517,25113	-1876.051135	0.000692952	20641.2	26045.248	0.001059909	0.0012797
62	19425.84154	543.358456	0.060971034	19969.2	20043.240	0.040165626	0.018934
63	19040.44254	4930.85746	0.000384777	23971.3	21223.488	0.032795662	6.65684E
64				19630.2	19692.048	0.050012618	
	19159.98512	470.2148821	0.069384649				0.0408377
65	18849.4157	5170.784296	0.000297523	24020.2	20053.26	0.018466036	2.85922E
66	20341.77932	414.3206784	1.28215E-05	20756.1	20743.256	0.001492619	0.005892
67	19879.87847	74.32153135	0.002247155	19954.2	21547.449	0.0049938	9.03177E
68	20418.38781	945.9121935	0.06097117	21364.3	21174.664	0.008831212	0.1113073
69	24631.94579	-5275.345787	0.015612414	19356.6	26484.318	0.036151964	0.0086
70	20618.3997	2418.600297	0.025009767	23037	21238.7	0.022879895	0.04473
71	23195.58099	-3643.180994	0.042629596	19552.4	24425.037	0.001676187	0.131860
72	24389.87147	-4036.971467	0.034744941	20352.9	27452.875	7.65181E-06	0.1029324
73	24202.97954	-3793.779538	0.000506666	20409.2	26939.04	0.000381245	0.0019000
74	21267.09563	-459.3956306	0.00291286		21697.458	0.004993704	0.005829
75	21155.08936	1123.010639	0.003986489	22278.1	23866.854	1.06491E-05	0.001315
76	20944.19083	1406.609167	0.037123391	22350.8	23158.905	0.020462254	0.005146
77	21241.57494	4306.42506	0.014831063	25548	23944.552	0.003183136	0.003015
78	20995.29171	3111.308287	0.007535367	24106.6	22703.6145	0.00271072	1.16478E
79	20758.8906	2092.609405	0.016523939	22851.5	22859.7273	0.002211384	0.003118
80	20988.64311	2937.456886	0.000921167	23926.1	22649.9163	0.005617746	0.0065283
81	24993.22537	726.1746265	0.01491946	25719.4	27652.5863	0.000414772	0.000642
82	22054.09767	3141.502328	0.000480425	25195.6	24543.508	0.004868977	0.007758
83	23989.75203	-552.2520261	0.023961531	23437.5	25656.768	0.025499065	0.0019444
84	23552.08921	3628.010794	0.005964583	27180.1	26146.6052	0.003933633	0.0002270
85	23376.26154	2099.138455	0.048861567	25475.4	25884.912	0.003046424	0.061353
86	21250.25131	5631.248688	0.065280351	26881.5	20571.3564	0.000211026	0.047262
87	19622.77144	6868.228562	0.083920423	26491	20646.9738	0.005115994	0.07548
88	20711.6164	7674.183602	0.139900729		21107.6365	0.019555519	0.110278
89	21738.07239	10617.22761	0.113752963		22928.8752	0.000575811	0.122448
90	20666.33637	10912.56363	0.050511472		20256.9444	0.007486223	0.041487
91	21749.31883	7097.281171	0.06653556		22414.4752	9.42838E-05	0.048066
92	21685.86727	7440.832727	0.050262288		22802.367	0.00249885	0.042617
93	24052.71157	6529.988427	0.093883188		24569.8128	0.003654897	0.078808
94	23060.94951	9370.65049	0.007411106		23846.1589	0.017451108	0.000775
94 95	25355.33552	2791.964483	0.007860483		27244.1358	0.000822615	5.40578E
96	25355.33552	2495.521784	0.007860483				
30	24844.47822 24783.05089	2495.521784 1678.149105	0.003/0/394	2/340	27133.0497	0.001033197 4.913298496	0.0002708

Theils' U				
USAF Pred	1.295088714			
New Model				
w/out Serv Inv	1.04055485			

F-15C (Regression with Possessed Hours, Flying Hours, Sorties, and Serviceable Inventory) Theil's *U*-statistic for This Model

Regression	Statistics				
R Square	0.623101743				
Adjusted R Square	0.606714862				
Standard Error	3090.309456				
Observations	97				
ANOVA					
	df	SS	MS	F	Significance F
Regression	4	1452534998	363133749.6	38.0244265	9.51744E-19
Residual	92	878601152.9	9550012.532		
Total	96	2331136151			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	27423.23668	10471.27961	2.61890024	0.010316685	
Possessed Hours	0.075104012	0.048033766	1.563567011	0.12135271	
Flying Hours	0.217572299	0.174065335	1.249946168	0.21448947	
Sorties	-1.38793705	0.613803934	-2.261205855	0.026103118	
Serv Inv	-0.080298309	0.008081924	-9.935543903	3.12028E-16	

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
1	14182.51385	218.4861457	0.000233895	14401	
2	14621.24374	-220.2437392	0.016953882	14401	9.76427E-0
3	16321.11204	-1875.112042	0.027767008	14446	0.0375145
4	14836.80011	2407.199891	0.082370999	17244	0.04028349
5	15755.91195	4949.088053	0.060976333	20705	0.27399827
6	14979.76565	-5112.765652	0.426330515	9867	0.00641038
7	15519.55801	-6442.558006	0.000528265	9077	0.58827902
8	15830.37413	208.625873	0.018080702	16039	0.05833976
9	17756.32388	2156.676125	0.000249712	19913	0.03019109
10	16767.6706	-314.6705982	0.020613161	16453	0.05749152
11	18035.79603	2362.203969	0.012142301	20398	0.02580938
12	19368.69863	-2247.698633	0.017262645	17121	1.18753E-0
13	19311.48344	-2249.483438	0.012135321	17062	0.00136772
14	18310.55732	-1879.557324	0.019984059	16431	0.00032893
15	18455.76808	-2322.768076	0.007782431	16133	0.00088522
16	17076.22242	-1423.222424	0.107306606	15653	0.03039568
17	18051.56075	-5127.560752	0.610911982	12924	0.24676079
18	16605.50937	-10101.50937	0.050401182	6504	2.34178458
19	17917.1615	-1460.161501	0.008837935	16457	0.01082196
20	19716.12739	-1547.127387	0.015719557	18169	0.01179212
21	18473.98669	-2277.986687	0.003371627	16196	0.04769299
22	18792.56776	940.4322413	0.000859431	19733	0.00198422
23	19432.49372	-578,4937222	0.00010105	18854	0.00454447
24	19935.4732	189.5267959	0.016508434	20125	0.01499027
25	20246,76365	-2585,763653	0.014751001	17661	0.01016944
26	18024,99379	-2144,993791	0.066947713	15880	0.1638516
27	18199,16812	4108.831883	0.010091356	22308	0.09066286
28	17831.96665	-2240.966647	8.05399E-05	15591	0.02180031
29	17753.0801	139.919896	0.009138911	17893	0,02818600
30	16599.52877	-1710.528769	0.044202444	14889	0.00027520
31	17772.31954	-3130.319535	0.000369763	14642	0.02278157
32	17133.55425	-281.5542463	0.075551658	16852	0.05235656
33	17628.05226	-4632.052257	0.010024035	12996	0.03453145
34	16712.16083	-1301.160829	0.006412852	15411	0.00243841
35	15884.11729	-1234.117292	0.019557741	14650	0.06590698
35	16362.21225	2048.787746	0.005493256	14650	0.00019485
36 37	16789.44109	1364.558905	0.056466386	18154	0.00397106
37				18154 19298	0.02841472
	14984.12728	4313.872717	0.113472803		
39 40	16050.32891 16548.88329	6500.671094 5626.116713	0.062242333 0.096460784	22551 22175	0.00027 0.00225491

Appendix	G:	Suppl	lemental	Analysis

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
41	16340.85825	6887.141753	0.108620183	23228	0.001541
42	16484.61418	7655.38582	0.042373784	24140	0.0025583
43	17949.80672	4969.193282	0.031562416	22919	0.0019806
44	17827.25301	4071.746995	0.049408962	21899	0.0220793
45	20285.26253	4867.737468	0.004237146	25153	0.0201896
46	19941.70665	1637.293347	0.00322917	21579	0.0172601
47	19970.24361	-1226.243607	0.011536219	18744	0.0544544
48	21104.76713	2013.232869	0.004376048	23118	0.0008027
49	20933.70483	1529.295172	0.00130218	22463	0.0064282
50	19851.40611	810.5938876	0.00065116	20662	0.0022039
51	21104.75044	527.2495633	0.001808605	21632	0.0050221
52	21018.95909	-919.9590865	0.00046991	20099	0.0075291
53	21407.30556	435.6944361	0.009421226	21843	0.0025777
54	20831.8529	2120.147103	0.006187214	22952	0.0056028
55	22864.62215	1805.377848	0.002191477	24670	0.0035072
56	22054.11802	1154.881981	0.006132437	23209	0.003669
57					
58	23620.49389 23413.21649	-1817.493887 385.7835082	0.00031308 0.000818426	21803 23799	0.008380
59					0.0033089
59 60	23110.84546	-680.8454629	2.15626E-06	22430	0.0071377
	24357.93668	-32.93668405	0.02495623	24325	0.0229343
61	24483.95187	-3842.751867	0.013744476	20641.2	0.0010599
62	22389.10904	-2419.909039	0.002597386	19969.2	0.0401656
63	22953.57851	1017.72149	0.01515087	23971.3	0.0327956
64	22580.80022	-2950.600217	0.004540386	19630.2	0.0500126
65	22697.47028	1322.729723		24020.2	0.0184660
66	22685.95132	-1929.85132		20756.1	0.0014926
67	22622.87253	-2668.672535		19954.2	0.00499
68	22580.59798	-1216.297978		21364.3	0.0088312
69	23574.93791	-4218.33791	0.001175299	19356.6	0.0361519
70	22373.40466	663.5953368		23037	0.0228798
71	22876.42907	-3324.029074		19552.4	0.0016761
72	23627.0683	-3274.168302		20352.9	7.65181E-
73	23754.40166	-3345.201662		20409.2	0.0003812
74	22099.12711	-1291.427111	0.002368376	20807.7	0.0049937
75	23290.72684	-1012.626836		22278.1	1.06491E-
76	23407.11291	-1056.31291	0.005527923	22350.8	0.0204622
77	23886.21787	1661.782126		25548	0.0031831
78	23663.76867	442.8313308		24106.6	0.002710
79	24159.99042	-1308.490423	-	22851.5	0.0022113
80	24390.07226	-463.9722639		23926.1	0.0056177
81	25994.96475	-275.5647529		25719.4	0.0004147
82	25688.85175	-493.2517486		25195.6	0.0048689
83	26254.89022	-2817.390216		23437.5	0.0254990
84	26638.87256	541.227439		27180.1	0.0039336
85	26729.35631	-1253.956308		25475.4	0.0030464
86	24997.46713	1884.03287	0.001491581	26881.5	0.0002110
87	25452.80969	1038.190312	0.009311071	26491	0.0051159
88	25829.58038	2556.219624	0.04275034	28385.8	0.0195555
89	26486.20788	5869.092119		32355.3	0.0005758
90	25818.00934	5760.890657	0.004022401	31578.9	0.0074862
91	26843.79034	2002.809664	0.00567544	28846.6	9.42838E
92	26953.52647	2173.173533	0.010070691	29126.7	0.002498
93	27659.75319	2922.946814	0.022714579	30582.7	0.0036548
94	27822.37224	4609.227759	0.00032963	32431.6	0.0174511
95	28736.11904	-588.8190359	0.003115698	28147.3	0.0008226
96	28911.13838	-1571.138377	0.007897182	27340	0.0010331
97	28890.7989	-2429.598898	2.79508523	26461.2	4.9132984

Theils' U					
New Model					
with Serv Inv	0.754242418				

Regression	n Statistics				
R Square Adjusted R	0.02702071				
Square	-0.004365718				
Standard Error	825.8584522				
Observations	97				
ANOVA					
	df	SS	MS	F	Significance F
Regression	3	1761519.065	587173.0217	0.860904261	0.464349221
Residual	93	63429923.03	682042.1831		
Total	96	65191442.09			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	1778.827313	1408.04918	1.263327544	0.209629419	
Possessed					
Hours	0.044186817	0.045743099	0.96597776	0.336560582	
Flying Hours	-1.442057722	1.775217339	-0.81232742	0.418678283	
Sorties	1.047649502	2.582820226	0.405622308	0.685951815	

F-15D (Regression with Possessed Hours, Flying Hours, and Sorties) Theil's *U*-statistic for This Model and USAF Predictions

	TNMCS Hours	_	Numerator	Actual		_	Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Model
1	2207.66631	1819.33369	0.204108675	4027	1834.365	0	0.29646226
2	2207.66631	1819.33369	0.001053024	4027	1834.365	0.182641086	0.01104414
3	2175.322498	130.6775016	5.73264E-05	2306	2729.202	0.000722878	0.00752514
4	2261.459698	-17.45969831	0.02191636	2244	2444.04	0.01106059	0.09810853
5	2340.205689	-332.2056893	0.077078863	2008	2710.872	0.023374877	0.25075854
6	2258.482655	-557.4826545	1.032514809	1701	2706.522	0.416673665	1.63584851
7	2331.432637	-1728.432637	1.457089027	603	2778.584	2.237579378	5.13743947
8	2232.880955	-727.8809545	0.130794412	1505	2871.755	1.219520314	0.16623906
9	2622.709074	544.2909262	0.127408559	3167	3780.625	0.007268276	0.0285606
10	2306.560392	1130.439608	0.089235531	3437	2901.78	0.363429719	0.28671335
11	2391.711526	-1026.711526	2.160836514	1365	3205.363	0.450324572	5.00189128
12	2455.520524	-2006.520524	3.474445571	449	3501.81	7.887465836	23.3593313
13	2546.929926	-836.9299264	0.000990455	1710	3880.084	0.163291611	0.14557393
14	2347.183741	53.8162592	0.01751894	2401	3053.436	0.013309913	0.05606441
15	2360.205722	317.7942775	0.12740011	2678	3246.507	0.043415744	0.0460254
16	2280.13739	955.86261	0.000245174	3236	2661.474	0.064054667	0.06744935
17	2366.330636	50.66936374	0.112110325	2417	3257.422	0.279581485	0.2395723
18	1948.281208	-809.2812079	0.465949113	1139	2322.028	0.136620775	1.36745816
19	2337.486701	-777,4867006	0.026854979	1560	2891.928	0.628767669	0.71809001
20	2541.355176	255.6448242	0.034116416	2797	4118.947	0.000573805	0.04786849
21	2347.376491	516.6235091	0.000807644	2864	3475.952	0.062674703	0.10286421
22	2228.392238	-81.39223795	0.328783198	2147	3065.555	0.216938139	1.27272447
23	2378.081633	-1231.081633	0.220505706	1147	3569.14	0.454184336	2.05289185
24	2458.608663	-538,6086626	0.014053777	1920	3563.412	0.046494141	0.57163995
25	2561,613364	-227.6133638	0.005738544	2334	3785.652	0.0265073	0.03207337
26	2537,192083	176.8079167	0.001465544	2714	3131.997	0.003261698	0.01885531
27	2455.101487	103.8985133	0.057387011	2559	2931.672	0.030375899	0.00663139
28	2391,976549	613.0234511	0.003540231	3005	2796.612	0.099523977	0.04535510
29	2235,797009	-178,7970091	0.133440024	2057	2696.967	0.251216839	0.11443271
30	2336.589349	751,4106514	0.088122754	3088	2392.16	0.009948254	0.00035338
31	2479.312472	916.6875278	0.005813813	3396	3337.95	0.126741032	0.06549168
32	2445.939452	-258,9394516	0.37444733	2187	3056.082	0.170104385	1.39903357
33	2623.271263	-1338.271263	0.125658978	1285	3871.8	0.254298475	1.42597424
33	2388.51207	-455.5120699	0.07375355	1933	3467.472	0.000257193	0.4359141
34	2366.51207	-455.5120699	0.07375355	1933	3467.472	0.004250327	0.4359141
35	2578.042587	-524.9565003	0.159979237	2026	3178.24	0.020067114	
							1.270314
37	2549.347416	-810.3474164	0.00676216	1739	4022.469	0.089070841	0.28616162
38	2401.002064	-143.0020643	0.036465071	2258	3188.262	0.04962358	0.02573964
39	2329.816168	431.1838322	0.102434775	2761	3123.264	0.052230707	0.00104496
40	2508.329989	883.6700109	0.135558214	3392	3302.748	0.016295365	0.05227801

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Model
41	2576.125602	1248.874398	0.011391137	3825	3049.44	0.062991157	0.00080491
42	2456.760547	408.2394533	0.048868506	2865	2756.481	0.151460882	0.31396288
43	2383.343263	-633.3432629	0.048427527	1750	3355.328	0.266846041	0.02569297
44	2268.890531	385.1094685	0.27446464	2654	2934.508	0.303039049	1.09380151
45	2583.413959	-1390.413959	0.000175671	1193	3968.685	1.388960048	0.60846276
46	2583.187884	15.8121159	0.291063229	2599	3529,588	0.346553511	0.80339528
47	2471.167675	-1402.167675	0.039434865	1069	3398.544	1.550246289	1.72179568
48	2612.284304	-212.2843035	0.062535243	2400	3802.712	0.048767361	0.4031763 [,]
49	2470.169141	-600.1691411	0.144715264	1870	3393.908	0.008757757	0.486301
50	2406.375293	-711.3752935	0.012609688	1695	2999.051	0.100371212	0.3063083
51	2422.336407	-190.3364074	0.174529968	2232	3170.1	0.270101874	0.0216569
52	2459.54218	932.4578198	0.001069716	3392	3063.532	0.071027278	0.0231058
53	2377.05953	110.9404704	0.045479356	2488	3003.605	0.034930528	0.0070194
54	2422.411873	530.588127	0.547160673	2953	2744.55	0.350794459	0.1452670
55	2517.656752	2184.343248	0.015474151	4702	3576.496	0.127811572	0.0005842
56	2436.094047	584.9059532	0.002212765	3021	3134.652	0.006903129	0.1164361
57	2627.89206	142.1079404	0.176723245	2770	3800.848	0.122879355	0.0110834
58	2576.534548	1164.465452	0.016120827	3741	3449.38	0.056725717	0.0107232
59	2375.013394	474.9866064	0.057927118	2850	3237.392	0.111345152	0.3866483
60	2584.939514	-685.9395143	0.100633596	1899	3671.16	0.42212357	0.0952380
61	2530.384053	602.415947	0.03243529	3132.8	3718.844	0.15038888	0.1461363
62	2482.111016	-564.2110158	0.002474255	1917.9	3115.5	0.034609695	0.1946070
63	2370.09995	-95.3999496	0.319026154	2274.7	3120.768	0.371581545	0.0864975
64	2376.494841	1284.805159	0.012844191	3661.3	2992.3	0.218133109	0.0848769
65	2366.243245	-414.9432455	0.009546049	1951.3	3017.97	0.014851681	0.2517284
66	2379.749592	-190.6495919	0.103318466	2189.1	3168.117	0.035438394	0.4966080
67	2480.646573	-703.6465727	0.106493816	1777	3319.668	0.002057289	0.8833101
68	2437.495344	-579.8953442	0.201114759	1857.6	3527.706	0.000223968	1.8385876
69	2718.455955	-833.0559551	0.19246666	1885.4	4404.204	0.008361179	1.014051
70	2540.144255	-827.1442552	0.092418816	1713	3611.6	0.603093234	0.3206706
71	2522.540067	520.7599327	5.71796E-06	3043.3	4013.334	0.010747543	0.3204274
72	2720.522781	7.277219404	0.000115757	2727.8	4450.5	0.0030198	0.3289471
73	2607.24853	-29.34853029	0.021742643	2577.9	4142.4	0.062990699	0.2446447
74	2311.021329	-380.1213286	0.072507928	1930.9	3205.97	0.000579944	0.6794526
75	2497.339162	-519.9391623	0.243411343	1977.4	3569.02	0.042551841	0.8151923
76	2545.0846	-975.5846	0.001957769	1569.5	3354.855	0.36275773	0.5532705
77	2584.245169	-69.44516942	0.112536835	2514.8	3682.228	0.140908465	0.0009488
78	2615.172359	843.6276409	0.203926125	3458.8	3536.2635	0.047546894	0.056618
79	2651.068861	1561.931139	0.000209335	4213	3389.9875	0.138907926	0.026105
80	2581.844549	60.95545135	4.56684E-06	2642.8	3323.501	1.43176E-09	0.2853198
81	2648.347708	-5.647708039	0.005433483	2642.7	4054.3607	0.000525835	0.1617940
82	2508.500874	194.7991257	0.172844259	2703.3	3766.29	0.209895696	0.7950229
83	2588.684608	-1123.884608	0.017269894	1464.8	3875.172	0.449892192	1.0822314
84	2639.796645	-192.4966451	0.021301195	2447.3	3971.1366	0.007016706	0.3715453
85	2599.481698	-357.1816983	0.072994758	2242.3	3734.04	0.0444598	0.211420
86	2375.314348	-605.814348	4.6245E-07	1769.5	2800.52	0.146464632	0.0842886
87	2445.496675	1.203325027	0.144887798	2446.7	2960.4303	0.151713545	0.0013713
88	2468.384936	931.3150638	0.003161157	3399.7	3309.0933	0.034427238	0.0601691
89	2577.754689	191.1453108	0.552531905		3602.826	0.435088149	0.2241344
90	2537.107688	2058.192312	0.029478268	4595.3	3284.424	0.069907668	0.0009606
91	2591.322084	788.9779161	0.002204613		3522.7296	0.031579465	0.040202
92	2620.883738	158.7162616	0.092295195		3457.3665	0.172394051	0.5868058
93	2469.945934	-844.4459339	0.116930992		3754.764	0.807952695	0.2069837
94	2530.757448	555.8425524	0.004762516	3086.6	3826.1289	0.052718636	0.3084120
95	2590.909299	-213.0092985	6.6682E-05		4092.039	0.001404004	0.5344379
96	2447.582299	19.41770057	0.19075296		4205.37	0.25329412	0.0496515
97	2631.130978	1077.469022	16.74717266	3708.6	4258.3124	27.03386136	68.827673

Theils' U					
USAF Pred	1.595612767				
New Model					
w/out Serv Inv	0.787076069				

F-15D (Regression with Possessed Hours, Flying Hours, Sorties, and Serviceable Inventory) Theil's *U*-statistic for This Model

Regression Statistics						
R Square	0.038394021					
Adjusted R Square	-0.003414935					
Standard Error	825.4674598					
Observations	97					

	df	SS	MS	F	Significance F
Regression	4	2502961.583	625740.3958	0.918320494	0.45681560
Residual	92	62688480.51	681396.5273		
Total	96	65191442.09			
	Coefficients	Standard Error	t Stat	P-value	
• • •	Coefficients	Standard Error	t Stat	P-value	
	Coefficients 3027.550891	Standard Error 1847.634949	t Stat 1.638608802	<i>P-value</i> 0.10471038	
Possessed Hours	3027.550891	1847.634949	1.638608802	0.10471038	
Intercept Possessed Hours Flying Hours Sorties	3027.550891 0.016427898	1847.634949 0.052901834	1.638608802 0.310535504	0.10471038 0.756856192	

Observation			Numerator	Actual	
	New Model	Residuals	New Model	TNMCS Hours	Denominator
1	2160.062538	1866.937462	0.211968627	4027	0
2	2172.967157	1854.032843	0.001706201	4027	0.182641086
3	2139.659968	166.3400317	0.000176937	2306	0.000722878
4	2213.326166	30.67383449	0.011036661	2244	0.01106059
5	2243.744577	-235.7445769	0.060030427	2008	0.023374877
6	2192.982239	-491.9822388	0.931896353	1701	0.416673665
7	2245.056589	-1642.056589	1.262636615	603	2.237579378
8	2182.57364	-677.5736395	0.199625878	1505	1.219520314
9	2494.573347	672.4266531	0.137322877	3167	0.007268276
10	2263.401594	1173.598406	0.084333164	3437	0.363429719
11	2363.110739	-998.1107393	2.072133232	1365	0.450324572
12	2413.90469	-1964.90469	2.602191506	449	7.887465836
13	2434.295803	-724.2958026	0.000313219	1710	0.163291611
14	2370.736415	30.2635852	0.022986389	2401	0.013309913
15	2313.978082	364.021918	0.135393157	2678	0.043415744
16	2250.608232	985.3917678	0.001118762	3236	0.064054667
17	2308.762606	108.2373945	0.140250175	2417	0.279581485
18	2044.166257	-905.1662571	0.441166671	1139	0.136620775
19	2316.528114	-756.5281135	0.053223162	1560	0.628767669
20	2437.105727	359.8942733	0.037977618	2797	0.000573805
21	2318.924917	545.0750825	0.000914097	2864	0.062674703
22	2233.590294	-86.59029449	0.330185854	2147	0.216938139
23	2380.704862	-1233.704862	0.197733805	1147	0.454184336
24	2430.03958	-510.0395805	0.00653135	1920	0.046494141
25	2489.168194	-155.1681945	0.007970565	2334	0.0265073
26	2505.625095	208.3749046	0.003100276	2714	0.003261698
27	2407.884145	151.1158552	0.064029703	2559	0.030375899
28	2357.468307	647.5316929	0.003495514	3005	0.099523977
29	2234.664234	-177.6642339	0.146587289	2057	0.251216839
30	2300.44218	787.5578199	0.112716728	3088	0.009948254
31	2359.256125	1036.743875	0.002376275	3396	0.126741032
32	2352.545001	-165.5450012	0.291035362	2187	0.170104385
33	2464.836054	-1179.836054	0.068613071	1285	0.254298475
34	2269.594144	-336.5941441	0.048216277	1933	0.000257193
35	2326.452102	-424.4521024	0.0388066	1902	0.004250327
36	2400.682412	-374.6824123	0.095816793	2026	0.020067114
37	2366.133869	-627.1338692	0.000532905	1739	0.089070841
38	2298.14434	-40.14434021	0.056669834	2258	0.04962358
39	2223.473466	537.5265339	0.130797009	2761	0.052230707
			0.167649751	3392	0.016295365

Appendix	G:	Suppl	lemental	Analysis
----------	----	-------	----------	----------

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
41	2436.14374	1388.85626	0.015686223	3825	0.06299115
42	2385.939206	479.0607944	0.038117811	2865	0.15146088
43	2309.356389	-559.356389	0.057711416	1750	0.26684604
44	2233.593992	420.406008	0.249142349	2654	0.30303904
45	2517.721839	-1324.721839	0.010297982	1193	1.38896004
46	2477.935583	121.064417	0.279102476	2599	0.34655351
47	2442.055601	-1373.055601	0.014598339	1069	1.55024628
48	2529.160412	-129.160412	0.058643549	2400	0.0487673
49	2451.194326	-581.1943263	0.169697639	1870	0.00875775
50	2465.334781	-770.3347811	0.015050071	1695	0.1003712
51	2439.94045	-207.9404505	0.16115091	2232	0.27010187
52	2495.994714	896.0052861	0.0003154	3392	0.0710272
53	2427.759721	60.24027854	0.036370673	2488	0.03493052
54	2478.511116	474.4888839	0.535394738	2953	0.3507944
55	2541.270028	2160.729972		4702	0.12781157
56	2472.557316	548.442684	0.001410538	3021	0.00690312
57	2656.539903	113.4600971	0.167113188	2770	0.1228793
58	2608.638406	1132.361594	0.009189437	3741	0.0567257
59	2491.381935	358.6180651	0.068460296	2850	0.1113451
60	2644.700178	-745.7001783	0.081013718	1899	0.422123
61	2592.289361	540.5106388		3132.8	0.150388
62	2564.07479	-646.1747896		1917.9	0.0346096
63	2456.210553	-181.510553		2274.7	0.3715815
64	2460.971779	1200.328221	0.01649905	3661.3	0.2181331
65	2421.588965	-470.2889645		1951.3	0.0148516
66	2449.5938	-260.4938003		2189.1	0.0354383
67	2506.024729	-729.0247291	0.105869833	1777	0.0020572
68	2435.793948	-578.1939481	0.171661921	1857.6	0.0002239
69	2655.042757	-769.6427569		1885.4	0.0083611
70	2495.465433	-782.4654332		1713	0.6030932
71	2517.248202	526.051798		3043.3	0.0107475
72	2632.66693	95.13306967			0.00301
73	2566.418682	11.48131841			0.0629906
74	2435.110497	-504.2104973		1930.9	0.0005799 0.0425518
75	2514.195684	-536.7956842			0.362757
76	2590.434998	-1020.934998			
77	2579.609215	-64.80921468			0.1409084 0.0475468
78 79	2626.372331	832.427669 1541.389344			0.1389079
79 80	2671.610656 2635.818184	6.981816252			1.43176E-
81	2714.27489	-71.57489006			0.0005258
82	2577.07121	126.2287896			0.2098956
83	2678.610364	-1213.810364	_		0.4498921
84	2703.269479	-255.9694794			0.0070167
85	2725.294223	-482.9942226			0.04445
86	2641.130907	-871.6309065			0.1464646
87	2627.106797	-180.406797		2446.7	0.1517135
88	2611.41404	788.2859601			0.0344272
89	2678.770215	90.12978532			0.4350881
90	2655.647329	1939.652671			0.0699076
91	2685.279956	695.0200439			0.0315794
92		47.01169584			0.1723940
93	2645.517866	-1020.017866			0.8079526
94	2637.17998	449.4200199			0.0527186
95	2738.472913	-360.5729133			0.0014040
96	2614.048265	-147.0482648			0.253294
97	2728.717975	979.8820246			27.033861

Theils' U				
New Model				
with Serv Inv	0.752689768			

F-15E (Regression with Possessed Hours, Flying Hours, and Sorties) Theil's *U*-statistic for This Model and USAF Predictions

Regression	Statistics				
R Square Adjusted R	0.732314175				
Square	0.723679148				
Standard Error	2100.927609				
Observations	97				
ANOVA					
	df	SS	MŚ	F	Significance F
Regression	3	1122993368	374331122.8	84.80740223	1.61529E-26
Residual	93	410492404	4413896.817		
Total	96	1533485772			
	Coefficients	Standard Error	t Stat		
Intercept	-4265.177868	1179.402689	-3.616388116		
Possessed					
Hours	0.179312374	0.01904502	9.41518457		
Flying Hours	1.174425669	0.546400415	2.149386489		
Sorties	-3.765017347	1.331058003	-2.828589994		

Observation			Numerator	Actual			Numerator
	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Mode
1	3596.273589	1094 726411	0.054460337	4691	5013.492	0	0.00472614
2	3596.273589	1094.726411	0.021565045	4691	5013.492	0.000463566	0.00955751
3	5278.875311	-688.8753108	0.137428245	4590	5048.604	0.1158075	0.10678969
4	4729.573393	-1701.573393	0.06830337	3028	4527.952	0.032039581	0.07829646
5	4361.365179	-791.3651789	0.006870397	3570	4417.28	0.043548792	0.00121125
6	4610.909654	-295.9096543	0.008855371	4315	4439.247	0.000474563	0.00445793
7	4815.054357	-406.0543573	0.002159904	4409	4697.103	0.008479532	0.00243318
8	4610.092755	204.9072447	0.012694463	4815	4597.516	0.024979097	0.00431121
9	4596.504638	-542.5046385	0.065968146	4054	4370.152	0.041212806	0.00438313
10	3835.759903	1041.240097	0.104684697	4877	4608.604	0.028132032	0.09301762
11	4117.045937	1577.954063	0.01707454	5695	4207.574	0.003907622	0.02971582
12	5306.836734	744.1632664	0.069641287	6051	5069.28	0.043912099	0.08023826
13	8915.836855	-1596.836855	0.029370575	7319	9033.028	0.076474654	0.01944102
14	8088.681089	1254.318911	0.142911721	9343	8322.504	0.175586384	0.19108772
15	8959.996567	-3531.996567	0.014402366	5428	9512.16	0.703274432	0.00253505
16	9328.58649	651.4135098	0.017611165	9980	9706.704	0.012259238	0.02150631
17	10199.41652	-1324.41652	0.139763485	8875	10338.57	0.069874593	0.20267628
18	9846.914749	-3317.914749	0.001131368	6529	10524.488	0.373280012	0.00639392
19	10737.60819	-219.6081909	0.084606829	10518	11040.072	0.076072751	
20	10359.60272	3059.397283	0.018666293	13419	10835.55	0.00431034	0.04314918
21	12466.6339	1833.366096	0.019930503	14300	11512.554	0.000616289	0.02360851
22	12636.19129	2018.808707	0.001435347	14655	12457.796	0.021703693	0.00172957
23	11940.7811	555.2188986	0.009594491	12496	11886.525	0.00040992	0.0012230
24	13467.00162	-1224.00162	0.000721483	12243	12680.01	0.041630264	
25	14412.14767	328.8523348	0.007519579	14741	13469.004	0.012757765	
26	11797.72676	1278.273238	0.00764636	13076	11998.882	0.00354005	
27	13441.41078	-1143.410784	0.002368378	12298	13930.29	4.46969E-06	0.0032501
28	12922.49433	-598,4943291	0.106347749	12324	13025.11	0.043149578	
29	13782.97996	-4018.979962	0.115410146	9764	13941.504	4.56912E-05	
30	13015.03279	-3317.032794	0.015265005	9698	13171.935	0.081876942	
31	13671.20369	-1198,203688	0.008131401	12473	13180.676	0.001290073	
32	14045.74381	-1124,743812	0.010127367	12921	14099.886	3.83343E-07	
33	14229.30254	-1300.302539	0.1405288	12929	13295.988	0.077014943	
34	14187.71636	-4846.716359	0.351371061	9341	14196.123	0.016120653	
35	13692.0235	-5537.023502	0.267985659	8155	13661.88	0.055720312	
36	14301.62587	-4221.625869	0.038524634	10080	14333.88	0.069951853	
37	14724.47148	-1978.471483	0.02102996	12746	14351.48	0.017601083	
38	12588.61201	1848.387989	0.005562713	14437	13110.432	0.003078301	
39	14161.2366	1076.763398	0.010856576	15238	14784.242	0.000369725	
40	13943.27822	1587.72178	0.029090743	15531	14155.497	0.012812648	

	TNMCS Hours		Numerator	Actual			Numerato
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Mod
41	14640.03129	2648.968708	0.059180885	17289	15081.319	0.001715088	
42	13799.08393	4205.916066	0.000269632	18005	14124.983	0.019110126	
43	15220.34938	295.6506224	0.017348613	15516	14774,988	0.000474541	
44	13810.32349	2043.676509	0.003573746	15854	14500.53	0.012422111	
45	15034.76502	-947.7650238	0.005647894	14087	13878.59	0.010247125	
46	14454.32711	1058.672891	0.000734359	15513	14320.79	0.000321143	
47	14814.61223	420,3877667	0.005385783	15235	14001.35	0.010769085	
48	15697.93545	1118.064555	0.003092479	16816	14817.133	0.018772389	1.9131E-
49	15447.13879	-935.1387897	0.009100363	14512	14535.259	0.044607349	
50	12831.38419	-1384.384189	0.115581696	11447	12796.023	0.019366368	
51	13745.67186	-3891.671862	0.052926303	9854	14268.754	0.008249373	
52	13015.98338	-2266.983379	0.007082	10749	13438.11	0.143156878	0.003428
53	13911.42199	904.5780123	2.51143E-05	14816	14186.616	0.00835171	
54	13387.75089	74.24910952	0.068052648	13462	13699.334	0.014642762	
55	15344.8188	-3511.818802	0.055543337	11833	14649.6	0.004860917	
56	15446.75813	-2788.758126	0.002644492	12658	15270.255	0.04067911	
57	15861.93287	-650.9328692	0.00544992	15211	14730.228	0.008159395	0.01088
58	15462.06961	1122.93039	0.04192771	16585	14998.368	0.007034339	
59	14580.01278	3395.987219	0.003600593	17976	14423.86	0.037823066	
60	15558.6489	-1078.648902	0.008463422	14480	14478.048	0.000915815	
61	15373.91453	-1332.114535	0.001164952	14041.8	14905.413	0.000475205	
62	13256.43384	479.2661623	0.000153726	13735.7	13213.006	0.007803805	
63	15119.40374	-170.3037443	0.033133991	14949.1	14896.2	0.080445475	
64	13430.24649	-2721.146493	0.007176329	10709.1	13892.345	0.160999586	
65	14098.89772	907.2022843	0.000206865	15006.1	14533.776	0.006958798	
66	13970.1299	-215.8298954	0.005668342	13754.3	13906.469	6.13133E-05	
67	14897.53913	-1035.539133	0.01434309	13862	15105.727	0.001346703 0.000736545	
68	15013.44974	-1660.149738	0.029834166	13353.3	14710.858	0.010120599	
69	15297.35802	-2306.458015	8.26762E-05	12990.9 14297.8	14079.744 14374.044	0.000117675	
70	14179.67833	118.1216685	0.002835586 0.016425217	14297.8	13172.12	0.012814982	
71	13381.339	761.3609983 -1812.541225	0.019117684	12541.7	13710.585	0.000200301	
72 73	14354.24123 14453.29966	-1734.09966	4.92488E-05	12719.2	13732.936	0.001483526	
73	13298.36011	-89.26010948	0.000273527	13209.1	12836.34	0.037666396	
75	15554.23926	218.4607408	0.051350291	15772.7	15598.752	0.012955733	
76	13993.81112	3574.188877	0.010583306	17568	14518.448	0.001925036	
77	14989.88856	1807.31144	0.007789609	16797.2	14801.27	0.052575816	
78	14428.20009	-1482.500088	0.001589101	12945.7	14484.0349	0.006257973	
79	13453.73865	516.0613454	0.020772643	13969.8	13833.7185	0.028019297	
80	14294.77218	2013.427823	0.013712085	16308.2	14138.3028	1.40369E-05	0.036218
81	14337.43241	1909.66759	0.005479542		13143.4596	0.000993865	
82		1202.674117	0.003951628		13974.752	0.026066111	0.000236
83		-989.1268946	0.013643461	13194.5	13436.5284	0.001935613	0.005403
84		-1541.186588	0.009674582	12614	13583.8854	0.043713282	
85	14010.59388	1240.706124	0.00262839	15251.3	13259.2962	0.030065845	
86	11824.89893	781.9010685	0.005302189		11613.5899	0.029552094	
87	13856.02158	917.9784206	0.023219707	14774	13762.1438	0.003603737	
88	13409.63584	2251.264164	0.006239155		13462.0164	5.96949E-07	
89	14435.97181	1237.028192	1.03726E-07		13769.7872	0.011251723	
90		-5.047731526	0.055326596		13294.643	0.051620307	
91	13898.20536	3295.49464	0.047775882		13991.7801	0.011498517	
92		3758.146467	0.061906796		14793.317	0.001229015	-
93		4736.710019	0.02182037		13858.8754	0.010626838	
94	14762.76219	2910.737808	0.044014103		13993.7168	1.20303E-05	
95		3707.818709	0.017751021		13213.935	0.007384781	
96	13752.17452	2346.525482	0.000233676		13328.0595	0.009654316	
97	14270.80768	246.0923205	3.208478187	14516.9	13653.122	3.367650393	3.2261668

Theils' U					
USAF Pred 0.978768345					
New Model					
w/out Serv Inv	0.97608142				

F-15E (Regression with Possessed Hours, Flying Hours, Sorties, and Serviceable Inventory) Theil's *U*-statistic for This Model

Regression Statistics					
R Square	0.762021278				
Adjusted R Square	0.751674377				
Standard Error	1991.659195				
Observations	97				

ANOVA

	df	SS	MS	F	Significance F
Regression	4	1168548788	292137197	73.6472961	7.54562E-28
Residual	92	364936984.1	3966706,349		
Total	96	1533485772			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	3415,186355	2527.133155	1.351407364	0.179878716	
Possessed Hours	0.153837684	0.019556905	7.866156981	6.82953E-12	
Flying Hours	1.783442815	0.548271586	3.252845596	0.00159829	
Sorties	-4.353924027	1.27374008	-3.418220165	0.000940781	
Serv Inv	-0.037704153	0.011125875	-3.388870718	0.001034861	

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
1	3865.963854	825.0361461	0.016845725	4691	0
2	4082.15004	608.8499602	0.005168074	4691	0.000463566
3	4927.232795	-337.2327947	0.070039404	4590	0.1158075
4	4242.741602	-1214.741602	0.003918958	3028	0.032039581
5	3759.557584	-189.5575843	0.003770363	3570	0.043548792
6	4095.790289	219.2097107	0.000139445	4315	0.000474563
7	4358.045574	50.95442645	0.011759785	4409	0.008479532
8	4336.876831	478.1231692	0.009629853	4815	0.024979097
9	4526.504677	-472.5046766	0.028954972	4054	0.041212806
10	4187.164846	689.8351539	0.060210968	4877	0.028132032
11	4498.285477	1196.714523	0.0024982	5695	0.003907622
12	5766.35251	284.6474902	0.098657262	6051	0.043912099
13	9219.604189	-1900.604189	0.021435276	7319	0.076474654
14	8271.440508	1071.559492	0.15060602	9343	0.175586384
15	9053.830643	-3625.830643	0.008544039	5428	0.703274432
16	9478.268393	501.7316075	0.01685612	9980	0.012259238
17	10170.71457	-1295.714569	0.181068381	8875	0.069874593
18	10305.50159	-3776.501585	0.001338096	6529	0.373280012
19	10756.83081	-238.8308095	0.096021624	10518	0.076072751
20	10159.74987	3259.250126	0.02088305	13419	0.00431034
21	12360.82448	1939.175523	0.022824718	14300	0.000616289
22	12494.57723	2160.422772	0.002694965	14655	0.021703693
23	11735.21426	760.785738	0.002144402	12496	0.00040992
24	12821.66088	-578.6608831	0.005849156	12243	0.041630264
25	13804.65808	936.3419235	0.008876153	14741	0.012757765
26	11687.20122	1388.798782	0.005014631	13076	0.00354005
27	13223.96463	-925.964634	0.000557116	12298	4.46969E-06
28	12614.27337	-290.2733674	0.080207394	12324	0.043149578
29	13254.26894	-3490.268935	0.075644573	9764	4.56912E-05
30	12383.44746	-2685.447458	0.002706997	9698	0.081876942
31	12977.57542	-504.5754234	0.004118748	12473	0.001290073
32	13721.48562	-800.4856198	0.002685363	12921	3.83343E-07
33	13598.57248	-669.5724779	0.120315452	12929	0.077014943
34	13825.61989	-4484.619889	0.315207883	9341	0.016120653
35	13399.35289	-5244.352887	0.203746757	8155	0.055720312
36	13761.02967	-3681.029666	0.018915565	10080	0.069951853
37	14132.34141	-1386.341408	0.023012644	12746	0.017601083
38	12503.44215	1933.557854	0.009605273	14437	0.003078301
39	13823.08027	1414.919731	0.018826322	15238	0.000369725
40	13440.20859	2090,79141	0.043614735	15531	0.012812648

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
41	14045.48405	3243.51595	0.084099036	17289	0.0017150
42	12991.21873	5013.781272	0.005497186	18005	0.01911012
43	14181.05504	1334.944961	0.035037432	15516	0.00047454
44	12949.67038	2904.32962	0.000400119	15854	0.0124221
45	13769.8728	317.1271959	0.023968173	14087	0.0102471
46	13332.09886	2180.90114	0.012292222	15513	0.0003211
47	13515.06911	1719.930892	0.034327719	15235	0.0107690
48	13993.29863	2822.701375	0.002094538	16816	0.0187723
49	13742.39682	769.6031795	0.000696601	14512	0.0446073
50	11830.01817	-383.0181677	0.067448284	11447	0.0193663
51	12826.87833	-2972.878335	0.018139086	9854	0.0082493
52	12076.15075	-1327.150755	0.029923107	10749	0.1431568
53	12956.60608	1859.393916	0.002155199	14816	0.008351
54	12774.18016	687.8198392	0.048466163	13462	0.0146427
55	14796.66361	-2963.663609	0.056467381	11833	0.0048609
56	15469.85996	-2811.859965	0.00311927	12658	0.040679
57	15917.95473	-706.9547337	0.003359638	15211	0.0081593
58	15703.33423	881.6657712	0.03300807	16585	0,0070343
59	14962.81679	3013.183209	0.004707243	17976	0.0378230
60	15713.32165	-1233.32165	0.01865533	14480	0.0009158
61	16019.54379	-1977.743791	0.000120727	14041.8	0.0004752
62	13889.98547	-154.2854689	0.002347746	13735.7	0.0078038
63	15614.64333	-665.5433344	0.04654521	14949.1	0.0804454
64	13934.2695	-3225.1695	0.002394119	10709.1	0.1609995
65	14482.10661	523,9933899	0.000927008	15006.1	0.0069587
66	14211.18784	-456.8878363	0.014201361	13754.3	6.13133E-
67	15501.09254	-1639.092543	0.015913065	13862	0.0013467
68	15101.94968	-1748.649684		13353.3	0.0007365
· 69	15104.61992	-2113.719923	6.90422E-05	12990.9	0.0101205
· 70	14189.85652	107.9434806	0.004527539	14297.8	0.0001176
71	13180.64404	962.0559623	0.009092504	14142.7	0.0128149
72	13890.27184	-1348.571844	0.011018886	12541.7	0.0002003
73	14035.71331	-1316.513311	0.000503584	12719.2	0.0014835
74	13494.5274	-285.4274044	0.000504031	13209.1	0.0376663
75	16069.25275	-296.5527495	0.035764396	15772.7	0.0129557
76	14585.14946	2982.850539	0.008000159	17568	0.0019250
77	15225.85465	1571.345347	0.017264233	16797.2	0.0525758
78	15152.7417	-2207.041699	0.000563553	12945.7	0.0062579
79	13662.47861	307.3213896	0.010739265	13969.8	0.0280192
80	14860.50368	1447.696318	0.007327043	16308.2	1.40369E-
81	14851.14826	1395.951737	0.00059169	16247.1	0.0009938
82	15339.69435	395.2056538	0.013010604	15734.9	0.0260661
83	14989.2862	-1794.786205	0.031350072	13194.5	0.0019356
84	14950.21176	-2336.211759	0.00143288	12614	0.0437132
85	14773.81727	477.4827307	0.000404618	15251.3	0.0300658
86	12913.58185	-306.7818487	0.000425532	12606.8	0.0295520
87	15034.0585	-260.0584976	0.005151046	14774	0.0036037
88	14600.55837	1060.341631	0.000501564	15660.9	5.96949E-
89	15322.26431	350.7356856	0.004627901	15673	0.0112517
90	15076.71343	-1066.21343	0.023583684	14010.5	0.0516203
91	15042.11028	2151.589721	0.023448088	17193.7	0.0114985
92	16404.56854	2632.831458	0.041097267	19037.4	0.0012290
93	15845.45051	3859.349487	0.009258006	19704.8	0.0106268
94	15777.53306	1895.966937	0.023250079	17673.5	1.20303E-
95	14917.34884	2694.851159	0.004952384	17612.2	0.0073847
96	14859.27356	1239.426436		16098.7	0.0096543
97	15742.23378	-1225.333778		14516.9	3.3676503

Theils' U New Model					
New Model					
with Serv Inv	0.888834642				

Regressic	n Statistics				
R Square Adjusted R	0.934434289				
Square	0.932319266				
Standard Error	3724.563355				
Observations	97				
ANOVA					
	df	SS	MS	F	Significance F
Regression	3	18386779780	6128926593	441.8081142	7.09127E-55
Residual	93	1290130613	13872372.18		
Total	96	19676910393			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	1566.181324	664.5885282	2.356618054	0.020540511	•
Possessed					
Hours	0.109611327	0.015402453	7.116485252	2.26682E-10	
Flying Hours	-0.091740067	1.220089813	-0.075191241	0.94022406	
Sorties	0.425758155	2.068342668	0.205845077	0.837361864	

F-16A (Regression with Possessed Hours, Flying Hours, and Sorties) Theil's *U*-statistic for This Model and USAF Predictions

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Model
1	38522.40603	1480.593969	0.001369894	40003	25322	0	0.13468714
2	38522.40603	1480.593969	0.003354413	40003	25322	3.39255E-05	0.0261194
3	42073.37081	-2303.370814	0.031873636	39770	33304.91	0.018683047	0.00565176
4	40463.71393	-6129.713935	0.010094416	34334	31344.162	0.007548449	0.02185263
5	41066.27529	-3749.275291	0.052752266	37317	32241.53	0.019320531	0.001709173
6	39509.57385	-7379.573852	0.000680063	32130	30587.235	0.092633365	0.09574623
7	40816.09644	1092.903557	0.018985669	41909	31967.05	0.016498109	0.13597114
8	40775.70656	6516.293443	0.015281498	47292	31838.364	0.002864237	0.07642960
9	39227.71881	5533.28119	0.000519772	44761	31686.699	0.004688797	0.05186700
10	40745.39377	950.6062269	0.024654975	41696	31501.983	0.012054877	0.13529423
11	39008.1015	7265.898504	0.015245003	46274	30937.225	4.72259E-05	0.07586778
12	40281.78252	5674.217483	0.006397643	45956	33210.24	0.000642639	0.06356748
13	43352.01423	3768.985768	0.001052304	47121	35534.301	0.009500881	0.0443636
14	41148.4242	1379.575803	0.00856431	42528	32603.05	0.01981178	0.11420672
15	44024.34195	4489.658047	0.002146216	48514	34141.881	0.003949851	0.06914294
16	43358.73076	2106.269239	0.014335028	45465	32708.221	0.014096502	0.01224185
17	44864,18095	-4797.180955	0.001927453	40067	35036.62	0.019214899	0.09134753
18	43618.11186	2002.888136	0.01165589	45621	33511.248	0.009493228	0.11547476
19	44660.75222	5405.247778	0.000928661	50066	34563.264	0.005745632	0.04988913
20	44860.94008	1410.059919	1.91911E-05	46271	35088.32	0.002891232	0.03613540
21	43591.19722	191.8027772	0.016299132	43783	34987.2	0.036703359	0.14859370
22	45510.42996	6660.570042	0.027545673	52171	35293.593	8.82133E-05	0.09876476
23	43920.91218	8740.087819	0.002115756	52661	36265.292	0.033524017	0.01075809
24	44997.75971	-1978.759706	0.020636545	43019	37556.937	0.788012681	0.00143222
25	5524,993699	-693.9936987	0.041952584	4831	3202.956	0.013198114	0.0942145
26	5151.824428	-875.824428	0.139440364	4276	2793.154	0.000686058	0.0606436
27	5718.908992	-1554.908992	0.192273006	4164	3110.995	0.000886792	0.04032515
28	5811.497417	-1771.497417	1.029043153	4040	3203.822	0.05152001	0.01446601
29	6291.026298	-3168.026298	0.517946696	3123	3608.91	0.01396075	0.00502627
30	6005,140497	-2513,140497	0.220498647	3492	3270.591	0.054337586	0.03023336
31	6327,980625	-2021,980625	0.192547001	4306	3698.82	0.000398886	0.02201405
32	6319.217412	-1927.217412	0.041076633	4392	3753,113	0.032682581	0.1431292
33	6237.065869	-1051.065869	0.003000027	5186	3524.4	0.022971009	0.19121715
34	6299,101385	-327,1013849	0.135482186	5972	3704.246	0.067885901	0.02087163
35	6041.437078	-1625.437078	0.240605536	4416	3553.224	0.006210125	0.01286991
36	6063.417387	-1995,417387	0.158847876	4068	3567.024	39.30254316	1.47135468
37	41356,73623	-11785.73623	0.024918834	29571	34505.46	0.000109191	0.00474119
38	34596.76726	-4716.767263	0.077038964	29880	27843.85	0.002799642	0.00033702
39	36153.64036	-7854.64036	0.096012036	28299	27750.456	0.018914875	0.00157562
40	31969.70641	-7562.70641	0.011310564	24407	25530.303	0.033887851	0.02534901

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Mode
41	31973.54778	-3073.547778	0.046145424	28900	25014.07	0.013133636	0.00350499
42	31084.68266	-5496.682659	0.157551438	25588	23877.034	0.024241862	0.0093153
43	30179.22165	-8575.221649	0.012963953	21604	24073.654	0.031626154	0.0291996
44	28343.26519	-2897.265195	0.006679361	25446	21754.326	0.003456401	0.01520434
45	25907.37025	-1957.37025	0.054781124	23950	20812.358	0.033889812	0.000837
46	24114.64291	-4573.642908	0.038030216	19541	18847.872	0.011428344	0.0058810
47	20855.37342	-3403.373422	0.01788573	17452	15953.445	0.000223661	0.0119865
48	20081.89304	-2368.893044	0.009283792	17713	15802.304	1.56175E-07	0.0205217
49	19412.01622	-1706.016215	0.006980135	17706	15168.538	0.004292152	0.1116918
50	17289.79846	1576.201536	0.055812173	18866	12948.595	0.075242124	0.3097178
51	18361.40987	5679,590133	0.0021111	24041	13541.637	0.053814119	0.0477881
52	17615.64006	848.3599375	0.002657745	18464	13208.515	0.007294773	0.0446490
53	17757.58099	-870.5809883	0.002894213	16887	12985.497	0.005990267	0.1058287
54	17215.20121	978.7987943	0.016681215	18194	12700.434	0.026773262	0.0139052
55	17182.36348	-1965.363481	0.014523199	15217	13071.552	0.000496297	0.0427736
56	17430.68832	-1874.688319	0.006854618	15556	12408.851	0.031822193	0.1228690
57	16813.32851	1517.671488	0.000759463	18331	12878.205	0.000919978	0.063798
58	17285.15011	489.8498937	9.29794E-05	17775	13144.896	0.005514786	0.0515669
59	16613.6687	-158.6686956	0.000187004	16455	12418.59	3.32389E-08	0.0418597
60	16683.06188	-225.0618796	0.044393084	16458	13091.364	0.038031872	0.0027132
61	16039.79368	-2791.393677	0.009239883	13248.4	12391.12	0.000126148	0.0410292
62	14358.79	-1259.19	0.056466335	13099.6	10416.046	0.01068369	0.0075416
63	14536.66536	-2791.06536	0.051202381	11745.6	10607.994	0.00144832	0.013614
64	13855.24079	-2556.640793	0.076041899	11298.6	9928.122	0.000929671	0.0072128
65	13974.76928	-3020.669282	0.0095083	10954.1	9994.524	0.113837938	0.2175936
66	13221.47096	1428.529041	0.002251922	14650	9540.248	0.024826143	0.0430125
67	12927.36817	-585.668169	0.070760335	12341.7	9303.368	0.173910023	0.4493025
68	12836.41649	4652.083511	0.031010471	17488.5	9215.854	0.020426839	0.1115954
69	12349.46853	2639.53147	3.91069E-07	14989	9146.809	0.023837267	0.0570819
70	12666.87375	7.926249069	0.000553354	12674.8	9093.654	0.001721568	0.0729988
71	11863.11564	285.784359	0.00145436	12148.9	8724.384	0.000465436	0.0727799
72	11937.69315	473.3068501	0.016209714	12411	9133.5	0.02120777	0.0225719
73	11953 6225	-1350.022503	0.0265461	10603.6	8738.976	0.010881333	0.029103
74	11044.92521	-1547.425214	0.021060545	9497.5	7688.542	0.214686722	0.3359011
75	11881.17273	2016.927272	1.10268E-05	13898.1	8393.636	0.030196692	0.0671017
76	11521.13121	-38.13121105	0.070883289	11483	7882.836	0.153456787	0.4565771
77	11726.45214	4254.847856	0.032508388	15981.3	8222.18	0.019145694	0.1395250
78	11287.25763	2482.742373	0.095323204	13770	7800.4959	0.055942384	0.4006913
79	11769.93724	5256.962764	0.103667068	17026.9	8310.4648	0.000332118	0.2771591
80	11755.07744	5582.122561	0.144263404	17337.2	8373.2335	0.002771393	0.3265753
81	11318.21886	6931.68114	0.06233833	18249.9	8342.25	0.018979233	0.163179
82	11806.86629	3928.833712	0.066736286	15735.7	8363.5748	0.000928162	0.1974876
83	11315.08401	3941.215994	0.008806791	15256.3	8263.4203	0.035625904	0.0757763
84	11215.2147	1161.485298	0.008882091	12376.7	8177.0224	0.000495488	0.1162629
85	10960.72429	1140.475707	0.003059213	12101.2	7881.072	0.01789491	0.0932448
86	9902.616883	579.7831168	0.030213647	10482.4	6787.176	0.026115922	0.2479124
87	10059.88924	2116.510757	0.025019028	12176.4	6957.128	0.003181433	0.172672
88	9672.243495	1817.356505	0.030581381	11489.6	6429.834	0.000189106	0.189114
89	9610.722091	2036.877909	0.02051961	11647.6	6651.083	0.003219575	0.1659409
90	9412.891744	1573.808256	0.008529657	10986.7	6241.9516	0.000261896	0.1388619
91	9810.631692	998.2683077	0.006106958	10808.9	6714.796	8.49094E-05	0.1328532
92	9872.399999	836.9000008	0.001691509	10709.3	6769.5604	0.026910544	0.0538381
93	9320.698016	-368.1980162	0.000245704	8952.5	6467.616	0.006552814	0.1283042
94	9525.510374	151.689626	0.020478012	9677.2	6470.4524	0.010203146	0.192536
95	9129.997447	1524.702553	0.026943074	10654.7	6408.4408	0.054865875	0.0173184
96	9498.246465	-1339.246465	0.003006647	8159	6756.8452	0.006337011	0.0714047
97	9291.495567	-482.9955668	5.04981779	8808.5	6628.279	42.2019118	10.11677

Theils' U					
USAF Pred	0.4896153				
New Model					
w/out Serv Inv	0.34591691				

F-16A (Regression with Possessed Hours, Flying Hours, Sorties, and Serviceable Inventory) Theil's *U*-statistic for This Model

Regressio	n Statistics				
R Square Adjusted R	0.934829764				
Square	0.931996276				
Standard Error	3733.440092				
Observations	97				
ANOVA					
	df	SS	MS	F	Significance F
Regression	4	18394561501	4598640375	329.9218465	1.22954E-53
Residual	92	1282348893	13938574.92		
Total	96	19676910393			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	2949.016309	1966.968801	1.499269489	0.137227515	
Possessed					
Hours	0.110230758	0.015461403	7.129415145	2.22826E-10	
Flying Hours	0.12523666	1.257000683	0.099631338	0.920853794	
Sorties	0.255409948	2.085769682	0.122453572	0.902806909	
Serv Inv	-0.006867893	0.00919168	-0.747185825	0.456856823	

	TNMCS Hours		Numerator	Actual	
Observation	Ne:v Model	Residuals	New Model	TNMCS Hours	Denominator
1	38441,11006	1561.88994	0.001471733	40003	0
2	38468.35785	1534.642148	0.002688556	40003	3.39255E-05
3	41832,12564	-2062.125636	0.031042025	39770	0.018683047
4	40383,22068	-6049.220684	0.009103976	34334	0.007548449
5	40877.59259	-3560,592594	0.046898496	37317	0.019320531
6	39088.09229	-6958.092293	0.00127895	32130	0.092633365
7	40410,23305	1498.766953	0.021168633	41909	0.016498109
8	40411.27673	6880.723265	0.017026054	47292	0.002864237
9	38920.4091	5840.590903	0.000743814	44761	0.004688797
10	40558.8273	1137.172698	0.027083393	41696	0.012054877
11	38658.67255	7615.327447	0.017556112	46274	4.72259E-05
12	39866.85386	6089.146144	0.007623537	45956	0.000642639
13	43006.73029	4114.269707	0.001462808	47121	0.009500881
14	40901.4455	1626.554498	0.008753621	42528	0.01981178
15	43974.99195	4539.008053	0.002251879	48514	0.003949851
16	43307.50541	2157.494587	0.014455896	45465	0.014096502
17	44884.36254	-4817.362543	0.001599035	40067	0.019214899
18	43796.71036	1824.289642	0.011004933	45621	0.009493228
19	44813.85635	5252.143648	0.000600228	50066	0.005745632
20	45137.38086	1133.619137	4.85391E-07	46271	0.002891232
21	43813.50363	-30.50362942	0.014260524	43783	0.036703359
22	45940.87304	6230.126956	0.027098473	52171	8.82133E-05
23	43992.14948	8668.850519	0.002257272	52661	0.033524017
24	45062.86528	-2043.865285	0.000591945	43019	0.788012681
25	4948,537824	-117.5378239	0.005079465	4831	0.013198114
26	4580.752075	-304.7520747	0.058002553	4276	0.000686058
27	5166.846071	-1002.846071	0.092686064	4164	0.000886792
28	5269.953196	-1229.953196	0.708448375	4040	0.05152001
29	5751.609592	-2628.609592	0.323039511	3123	0.01396075
30	5476.732847	-1984.732847	0.119957537	3492	0.054337586
31	5797.378218	-1491.378218	0.104066719	4306	0.000398886
32	5808.831689	-1416.831689	0.012052693	4392	0.032682581
33	5755.343764	-569.3437638	0.000851537	5186	0.022971009
34	5797.730383	174.2696168	0.064451134	5972	0.067885901
35	5537.09998	-1121.09998	0.135227545	4416	0.006210125
36	5563.937764	-1495.937764	0.163405707	4068	39.30254316
37	41524.62483	-11953.62483	0.027060195	29571	0.000109191
38	34795.25503	-4915.255026	0.084010125	29880	0.002799642

continued

continued	THUROD LIN		Numortor	Actual	
Observation	TNMCS Hours New Model	Residuals	Numerator New Model	Actual TNMCS Hours	Denominator
39	36501,32369	-8202.323692	0.099848944	28299	0.018914875
40	32119.33951	-7712.339515	0.013412873	24407	0.033887851
41	32247.0234	-3347.023403	0.050004665	28900	0.013133636
42	31309.91765	-5721.917648	0.158785091	25588	0.024241862
43	30212.72886	-8608.72886	0.014633763	21604	0.031626154
44	28524.20491	-3078.204911	0.007023767	25446	0.003456401
45	25957.19959	-2007.19959	0.053295268	23950	0.033889812
46	24052.18989	-4511,189887	0.035733941	19541	0.011428344
47	20751.02542	-3299.025416	0.01610962	17452	0.000223661
48	19961,19913	-2248.199125	0.008141262	17713	1.56175E-07
49	19303.59364	-1597.59364	0.007700517	17706	0.004292152
50	17210.45959	1655.540411	0.055742265	18866	0.075242124
51	18364.96801	5676.031989	0.002092148	24041	0.053814119
52	17619.45647	844.5435251	0.003013918	18464	0.007294773
53	17814.08216	-927.0821593	0.002686061	16887	0.005990267
54	17251.05549	942.9445146	0.017566014	18194	0.026773262
55	17233.81312	-2016.813118	0.015776074	15217	0.000496297
56	17509.8778	-1953.877802	0.006181818	15556	0.031822193
57	16889.73357	1441.266425	0.000481509	18331	0.000919978
58	17384.95778	390.0422169	0.000273972	17775	0.005514786
59	16727.36501	-272.3650079	0.000387733	16455	3.32389E-08
60	16782.07358	-324.0735791	0.04919778	16458	0.038031872
61	16186.97099	-2938.57099	0.011646295	13248.4	0.000126148
62	14513.28266	-1413.682661	0.065311609	13099.6	0.01068369
63	14747.32151	-3001.721514	0.058162991	11745.6	0.00144832
64	14023.48388	-2724.883885	0.082389891	11298.6	0.000929671
65	14098.32535	-3144.225348	0.009399924	10954.1	0.113837938
66	13229.63555	1420.364445	0.002350529	14650	0.024826143
67	12940.05345	-598.3534527	0.069019649	12341.7	0.173910023
58	12893.99284	4594.507163	0.031085069	17488.5	0.020426839
69	12346.29566	2642.704344	9.50985E-06	14989	0.023837267
70	12635.7134	39.08660137	0.001032927	12674.8	0.001721568
71	11758.44426	390 4557422	0.002228647 0.013439739	12148.9 12411	0.000465436 0.02120777
72	11825.09467	585.9053323	0.024536865	10603.6	0.010881333
73 74	11832.87417 10985.21191	-1229.274174 -1487.711908	0.021324356	9497.5	0.214686722
74	11868.57972	2029.520277	6.92769E-05	13898.1	0.030196692
. 76	11578.57614	-95.57614301	0.067883456	11483	0.153456787
70	11817.45958	4163.840416	0.030150804	15981.3	0.019145694
78	11378.979	2391.021002	0.08880716	13770	0.055942384
70	11952.79352	5074.106482	0.096246473	17026.9	0.000332118
80	11958.5737	5378.626297	0.136891974	17337.2	
81	11497.63495	6752.265054	0.054376031	18249.9	0.018979233
82	12066.34426	3669.355737	0.058044639	15735.7	0.000928162
83	11580.68277	3675.617227	0.005179425	15256.3	
84	11485.97092	890.7290842	0.004976968	12376.7	
85	11247.48903	853.7109668	0.000489114	12101.2	
86	10250.57212	231.8278758	0.021017198	10482.4	0.026115922
87	10411.14964	1765.250362	0.016238579	12176.4	0.003181433
88	10025.47241	1464.127588	0.020961791	11489.6	0.000189106
89	9961.238653	1686.361347	0.011992848	11647.6	
90	9783.526029	1203.173971	0.003429173	10986.7	
91	10175.94008	632.9599201	0.001755747	10808.9	
92	10260.5628	448.737197	0.007275251	10709.3	
93	9716.104228	-763.6042282	0.000813395		
94	9953.194529	-275.9945291	0.011103947	9677.2	
95	9531.958124	1122.741876	0.047480987	10654.7	
96	9936.856898	-1777.856898	0.010513265		
97	9711.672631	-903.1726306	3.87208605	8808.5	42.20191176

Theils	'U
New Model	
with Serv Inv	0.302905

F-16B (Regression with Possessed Hours, Flying Hours, and Sorties)
Theil's U-statistic for This Model and USAF Predictions

Regression	Statistics				
R Square Adjusted R	0.488131361				
Square	0.471619469				
Standard Error	1329.181363				
Observations	97	,			
ANOVA					
	df	SS	MS	F	Significance F
Regression	3	156685794.1	52228598.02	29.56241311	1.63876E-13
Residual	93	164305248	1766723.096		
Total	96	320991042			
	Coefficients	Standard Error	t Stat	P-value	
Intercept Possessed	968.5939386	396.0482674	2.445646196	0.016341061	
Hours	0.182186588	0.028903685	6.303230582	9.65198E-09	
Flying Hours	2.521706913	4.121976855	0.611771245	0.54218182	
Sorties	-7.31494599	5.382512399	-1.359020741	0.177426734	

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Model
1	4188.169243	3105.830757	0.181310959	7294	2282.56	0	0.472056033
2	4188.169243	3105.830757	0.155216867	7294	2282.56	1.92472E-05	0.399695596
3	4439.733883	2886.266117	0.037118762	7326	2714.625	0.066345271	0.144966668
4	4391.109747	1047.890253	0.000568859	5439	2649.663	0.027808429	0.107358818
5	4423.908346	108.091654	0.385684206	4532	2749.876	0.158099236	7.72785E-07
6	4425.424966	-1695.424966	0.080651443	2730	2726.016	0.094674556	0.048223838
7	4583.85136	-1013.85136	0.020367083	3570	2970.494	0.013513248	0.05705434
8	4553.712455	-568.7124547	0.008708409	3985	3132.268	0.00909307	0.0819828
9	4772.336801	-407.3368014	0.005106842	4365	3223.989	0.006356089	0.097045738
10	5049.801205	-336.8012048	0.222143776	4713	3353.208	0.062155685	0.002236389
11	5205.53479	-1667.53479	0.132484328	3538	3315.12	0.01208881	0.016252142
12	5356.365035	-1429.365035	8.31982E-05	3927	3475.962	1.082087348	0.404708838
13	8085.079894	-73.07989406	0.007960375	8012	5513.771	0.002840363	0.09818938
14	6908.259203	676.740797	0.025421592	7585	5074.425	0.000221945	0.09289532
15	6470.619341	1227.380659	0.115947515	7698	5386.188	0.04122514	0.299139652
16	6107.530706	3153.469294	0.023797421	9261	5050.682	0.012297735	0.10448887
17	6963.789172	1270.210828	0.001261769	8234	5240.406	0.124900522	0.006359046
18	5134.884166	189.1158344	0.00194509	5324	4667.391	0.016457555	0.056316353
19	5742.072202	264.9277984	0.047607158	6007	4743.558	0.027713076	0.00123852
20	6099.480563	-1092.480563	0.081592793	5007	4795.598	0.009190249	0.034597337
21	7054.331496	-1567.331496	0.050745967	5487	4555.68	0.025838497	0.000195587
22	5642.362162	-1037.362162	0.087255551	4605	4528,263	0.987876276	0.931624454
23	6469.724371	2712.275629	0.023933564	9182	4737.222	4.28186E-06	0.16919747
24	7777.561461	1423.438539	0.028396337	9201	5424.111	0,496916969	0.003182549
25	3172.510429	-457.5104287	0.003876673	2715	2195.934	0.021489508	0.149576631
26	2919.175496	193.8245039	0.097050298	3113	2062.97	0.108415029	0.337143809
27	2848.893133	1289.106867	0.049151743	4138	2330,465	0.013010771	0.118483189
28	2853.24075	812.7592501	0.057122858	3666	2241.643	0.091842394	0.003108078
29	3165.654933	-610.6549327	0.103769284	2555	2350.62	0.554748029	0.774621824
30	3021.933751	1436.066249	0.044042455	4458	2209.278	0.094855157	0.027631418
31	3732.427184	-647.4271836	0.058980256	3085	2343.96	0.000988629	0.039657914
32	3713.661228	-725.6612282	0.1005866	2988	2373.644	0.228399542	0.50791906
33	3015,448352	1400.551648	0.01667592	4416	2286.499	0.024343348	0.08388592
34	3245.712813	481.2871867	0.000566003	3727	2447.991	0.020837507	0.052419006
35	3113.131113	75.86888698	0.012953008	3189	2335,696	0.000255759	0.044652501
36	3495,139802	-357,1398016	0.003798957	3138	2464.128	1.341846853	0.257553986
37	7190.458485	-417.458485	0.147762348	6773	5180.472	0.181438515	0.003777503
38	5382,542082	-1494.542082	0.269424901	3888	4304.278	0.042762155	0.132742714
39	4684.785845	-1600.785845	6.969E-05	3084	4500.549	0.695525712	0.138360118
40	5703.216603	-47.21660287	0.030045987	5656	4508.851	0.114755156	0.273660691

4

,

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Model
41	6259.486305	1312.513695	0.040643285	7572	4613.2	0.004119565	0.13496211
42	5657.449655	1428.550345	0.243364266	7086	4304.26	0.235949704	0.009043457
43	5441.656765	-1797.656765	0.506401286	3644	4317.858	0.060189163	0.086473763
44	4706.951641	-1956.951641	0.567019109	2750	3821.57	0.003385124	0.082462119
45	5101.249532	-2191.249532	0.381104196	2910	3699.696	0.000914491	0.0292718
46	4564.123241	-1742.123241	0.079286774	2822	3319.872	0.060479045	0.014904412
47	4506.032016	-990.0320164	0.002803584	3516	3171.48	0.056805489	0.101239439
48	4584.539436	-230.5394358	0.230844022	4354	3235.274	0.073573759	7.53076E-05
49	4697.506878	-1524.506878	1.82039E-05	3173	3135.216	0.087018492	0.18168604
50	4091.468512	17.53148755	0.115022177	4109	2756.52	0.728864649	1.290268202
51	5033,70057	2583.29943	0.000212865	7617	2949.588	0,187357026	0.032101988
52	4383.028369	-63.0283689	1.114662404	4320	2955.26	0.299705558	0.050275709
53	4019.041563	-2064.041563	0.011513726	1955	2923.641	0.96954494	0.344187781
54	3463.668122	416.3318777	0.421935216	3880	2733.05	0.106128175	0.003856794
55	4315.2631	-1699.2631	0.537615874	2616	2856.96	0.089587629	0.107425325
56	3176.997642	-1343.997642	0.11481346	1833	2690.415	0.356864468	0.012415284
57	3920.127472	-992.1274716	0.003162815	2928	2723.76	0.247955019	0.304830702
58	4139.336149	246.6638508	0.020911431	4386	2769.408	0.008653326	0.220513325
59	4100.749956	693.2500439	0.081030666	4794	2734.385	0.069408178	0.017156082
60	4536.130428	-1005.130428	0.019940619	3531	2903.076	0.006136333	0.07453967
61	4345.275976	-537.6759763	0.002076274	3807.6	2843.568	0.016084656	0.209870154
· 62	4094.998414	195.5015861	1.98121E-05	4290.5	2546.178	0.000962366	0.131594517
63	4138.895099	18.50490103	0.000424998	4157.4	2600.98	0.014022196	0.094754949
64	3740.657753	-75.55775303	0.39264975	3665.1	2385.357	0.114704869	5.17302E-06
65	3942.595996	-1518.795996	0.261710585	2423.8	2432.136	0.001172634	0.000403772
66	3538.29843	-1197.49843	1.189586013	2340.8	2292.096	0.048630349	0.060169525
67	3814.657363	-1990.057363	0.162233258	1824.6	2398.786	0.256453483	0.027151439
68	3855.686327	-1107.086327	0.299279219	2748.6	2447.948	0.008016783	3.7632E-06
69	3871.528115	-1369.028115	0.084467813	2502.5	2497.168	0.037113002	0.058736065
70	3852.024651	-867.4246513	3.015037174	2984.6	2378.106	0.317561666	0.096328226
71	3564.690355	-2261.990355	0.252986458	1302.7	2229.024	0.694593715	0.002128434
72	3589.711681	-1201.311681	0.014148392	2388.4	2448.5	0.077616038	0.131952296
73	3417.040395	-363.2403949	0.024464926	3053.8	2186.208	0.053674957	0.397904079
74	3172.984994	588.3150058	0.019088699	3761.3	1834.974	1.995E-05	0.199616261
75	3256.110681	521.9893186	0.074014644	3778.1	2097.61	0.021532752	0.40369793
76	3153.815971	1178.684029	0.05978711	4332.5	1932	0.000614513	0.242948305
77	3192.003781	1033.096219	0.069969573	4225.1	2089.62	0.003786803	0.199961439
78	2916.261169	1048.838831	0.079863343	3965.1	2075.76	0.019726323	0.359494768
79	3244.078138	1277.921862	0.121028002	4522	2144.61	0.018024339	0.439839989
80	3344.733347	1784.366653	0.108788146	5129.1	2130.09	0.000187857	0.3134131
81	3390.253565	1668.546435	0.114728415	5058.8	2187.36	0.001285818	0.385397293
82	3465.261299	1774.938701	0.06365799	5240.2	2099.678	0.017353218	0.22157086
83	3401.935883	1147.964117	0.022312718	4549.9	2083.269	0.003711784	0.22167314
84	3634.467904	638.2320964	0.019233815	4272.7	2130.508	0.001687133	0.226976076
85	3528.975591	568.2244086	0.161148909	4097.2	2061.6	0.059486367	0.701728188
86	3050.593825	2045.906175	0.12791746	5096.5	1664.3076	0.039937236	0.248268094
87	2619.480849	1458.519151	0.005256729	4078	1538.592	0.181992832	0.0400730
88	2507.834468	-169.5344681	0.342485622	2338.3	1521.956	0.078946027	0.000566612
89	2665.234945	-983.9349453	0.03811212	1681.3	1625.64	0.04531406	0.11501348
90	2437.299264	-398.0992642	0.233862679	2039.2	1469.01	0.043867158	0.00352945
91	2391.70109	-779.6010901	0.008338819	1612.1	1490.9528	0.255269085	0.28196370
92	2648.190163	-221.5901628	0.283245112		1570.5708	0.064274139	0.01118890
93	2775.441158	-964.0411578	0.013481991	1811.4	1554.72	0.389022225	0.58163770
94	2599.691456	341.5085439	2.14857E-05		1559.7326	0.002380426	0.16407843
95	2810.668101	-12.96810084	0.009008598	2797.7	1606.32	0.015030934	0.273726032
96	2842.604751	298.0952494	0.012154186	3140.7	1676.976	0.036096007	0.077573148
97	2824.465887	-280.4658871	14.90008366	2544	1669.2536	13.4060315	16.5968285

Theils	s' U
USAF Pred	1.1126599
New Mode!	
w/out Serv Inv	1.05425152

F-16B (Regression with Possessed Hours, Flying Hours, Sorties, and Serviceable Inventory) Theil's *U*-statistic for This Model

Regression S	tatistics
R Square	0.497816359
Adjusted R Square	0.475982288
Standard Error	1323.682488
Observations	97

_

	df	SS	MS	F	Significance F
Regression	4	159794591.9	39948647.97	22.79997859	4.15019E-1
Residual	92	161196450.2	1752135.328		
Total	96	320991042			
	Coefficients	Standard Error	t Stat	P-value	
	Coefficients	Standard Error	t Stat	P-value	
Intercept	Coefficients 391,1553643	Standard Error 586.0759688	t Stat 0.667414098	<i>P-value</i> 0.506178336	
Intercept Possessed Hours Flying Hours	391.1553643	586.0759688	0.667414098	0.506178336	
Possessed Hours	391.1553643 0.171525612	586.0759688 0.029876116	0.667414098 5.741228648	0.506178336 1.19861E-07	

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
1	4652.596194	2641.403806	0.132530871	7294	0
2	4638.634639	2655.365361	0.110720709	7294	1.92472E-05
3	4898.94182	2427,05818	0.007445692	7326	0.066345271
4	4806.851017	632.1489828	0.002981448	5439	0.027808429
5	4828.983753	-296.9837529	0.22345684	4532	0.158099236
6	4872.331767	-2142.331767	0.274139623	2730	0.094674556
7	4999.382803	-1429.382803	0.057348786	3570	0.013513248
8	4839.929553	-854.9295527	0.026273721	3985	0.00909307
9	5010.935443	-645.9354426	0.017751518	4365	0.006356089
10	5294.57	-581.5700005	0.158518335	4713	0.062155685
11	5414.450837	-1876.450837	0.215991204	3538	0.01208881
12	5571.280329	-1644.280329	0.000275146	3927	1.082087348
13	8077.139208	-65.13920751	0.007396286	8012	0.002840363
14	6895.95469	689.0453104	0.027464032	7585	0.000221945
15	6440.9929	1257.0071	0.168401756	7698	0.04122514
16	6101.988444	3159.011556	0.026783891	9261	0.012297735
17	6718.364686	1515.635314	0.000887803	8234	0.124900522
18	5078.659551	245.3404491	0.002135076	5324	0.016457555
19	5760.994556	246.0054435	0.025005667	6007	0.027713076
20	5956.897731	-949.8977314	0.074567047	5007	0.009190249
21	6854.259859	-1367.259859	0.020653792	5487	0.025838497
22	5393.560208	-788.5602081	0.356484218	4605	0.987876276
23	6432.524916	2749.475084	0.026911389	9182	4.28186E-06
24	7694.721252	1506.278748	0.005955629	9201	0.496916969
25	3425.066206	-710.0662064	6.99588E-07	2715	0.021489508
26	3115.270863	-2.270863221	0.113901948	3113	0.108415029
27	3087.382341	1050.617659	0.021645922	4138	0.013010771
28	3057.194546	608.8054538	0.047653195	3666	0.091842394
. 29	3355.273571	-800.2735708	0.210671937	2555	0.554748029
30	3285.280225	1172.719775	0.031208619	4458	0.094855157
31	3872.548555	-787.5485545	0.058413945	3085	0.000988629
32	3733.612943	-745.6129425	0.168462342	2988	0.228399542
33	3189.600371	1226.399629	0.006626175	4416	0.024343348
34	3367.531759	359.4682408	0.000522935	3727	0.020837507
35	3274.228179	-85.22817906	0.027189418	3189	0.000255759
36	3663.841033	-525.8410333	0.01145264	3138	1.341846853
37	7108.819373	-335.819373	0.044235071	6773	0.181438515
38	5312.506519	-1424.506519	0.161938015	3888	0.042762155
39	4648.590403	-1564.590403	2.11811E-05	3084	0.695525712
40	5641.806531	14.19346948	0.061202958	5656	0.114755156

continued					
	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
41	6172.74906	1399.25094	0.038103178	7572	0.004119565
42	5607.942933	1478.057067	0.064769681	7086	0.235949704
43	5447.379074	-1803.379074	0.246474265	3644	0.060189163
44	4559.106602	-1809.106602	0.602999211	2750	0.003385124
45	5045.458156	-2135.458156	0.375433503	2910	0.000914491
46	4605.033496	-1783.033496	0.118730144	2822	0.060479045
47	4488.383336	-972.3833359	0.004972132	3516	0.056805489
48	4601.924937	-247.9249367	0.129532604	4354	0.073573759
49	4740.032389	-1567.032389	2.92519E-06	3173	0.087018492
50	4114.426845	-5.426845004	0.412142475	4109	0.728864649
51	4979.090886	2637.909114	3.9566E-06	7617	0.187357026
52	4335.151137	-15.15113686	0.188375891	4320	0.299705558
53	3829.978994	-1874.978994	0.050641404	1955	0.96954494
54	3440.053738	439.9462617	0.157158671	3880	0.106128175
55	4154.157824	-1538.157824	0.226638849	2616	0.089587629
56	3078.388692	-1245.388692		1833	0.356864468
57	3741.853526	-813.8535264	0.012672484	2928	0.247955019
58	4056.38881	329.6111904	0.032665386	4386	0.008653326
59	4001.293305	792.7066954	0.034440026	4794	0.069408178
60	4420.671677	-889.6716773	0.011768724		0.006136333
61	4190.656126	-383.0561256		3807.6	0.016084656
62	3951.737919	338.7620806		4290.5	0.000962366
63	3995.72843	161.6715704		4157.4	0.014022196
64	3601.064666	64.0353344		3665.1	0.114704869
65	3884.784196	-1460.984196		2423.8	0.001172634
66	3606.0974	-1265.2974			0.048630349
67	3780.626386	-1956.026386		1824.6	0.256453483
68	3805.035016	-1056.435016			0.008016783
69	3824.158084	-1321.658084		2502.5	0.037113002
70	3834.234195	-849.6341949			0.317561666
71	3630.601329	-2327.901329		1302.7	0.694593715
72		-1251.260419			0.077616038
73	3432.87938	-379.0793804			0.053674957 1.995E-05
74		564.642579			0.021532752
75 76		597.7661502 1203.839797			0.000614513
76	3128.660203 3204.226901	1020.873099			0.003786803
78		1024.258974			0.019726323
78	3196.328228	1325.671772			0.018024339
80		1956.864765			0.000187857
81	3234.999207	1823.800793			0.001285818
82		1938.298626			0.017353218
83		1311.150659			0.003711784
84		827.723551			0.001687133
85		778.2786831			0.059486367
86		2235.084902			0.039937236
87		1642.381964			0.181992832
88		-23.93267893			0.078946027
89		-820.8810515			0.04531406
90		-246.6618128			0.043867158
91		-634.5660588			0.255269085
92		-56.17139789			0.064274139
93		-781.1009112			0.389022225
94		506.2096906			0.002380426
95		164.1789906			0.015030934
96		498.4530718			0.036096007
97		-77.3356225			13.4060315
97	2621.335623	-77.3356225*	11.05488953	2544	13.406031

Theils' U				
New Model				
with Serv Inv	0.908086221			

.

F-16C (Regression with Possessed Hours, Flying Hours, and Sorties) Theil's *U*-statistic for This Model and USAF Predictions

Regression Statistics				
R Square	0.745277118			
Adjusted R				
Square	0.735842937			
Standard Error	12963.35123			
Observations	85			

ANOVA

	df	SS	MS	F	Significance F
Regression	3	39826250663	13275416888	78.9975445	5.54447E-24
Residual	81	13611926480	168048475.1		
Total	84	53438177144			
Internet	Coefficients	Standard Error	t Stat	P-value	
Intercept Possessed	Coefficients -92871.78082	Standard Error 11819.36219	t Stat -7.857596656	<i>P-value</i> 1.43233E-11	
Possessed	-92871.78082	11819.36219	-7.857596656	1.43233E-11	

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Model
1	30770.78573	-4435.78573	0.028370989	26335	33347.12	0	0.07089768
2	30770.78573	-4435.78573	0.006669432	26335	33347.12	0.028169419	0.27255655
3	28604.31041	2150.689587	0.025626067	30755	44503.7	0.069931055	0.38110499
4	17698.69534	4923.304658	0.004537109	22622	41608.2	0.003710534	1.00897398
5	22767.77418	-1523.774183	0.015720757	21244	43967.278	0.001000613	0.93869217
6	19252.37536	2663.624636	0.000349445	21916	42498.489	0.016910916	0.91208792
7	25175.68562	-409.6856183	0.045914363	24766	45696.502	0.012410568	0.51909889
8	22218.23142	5306.768583	0.021870472	27525	45368.536	0.016437988	0.58965436
9	19925.41894	4070.581058	0.344184373	23996	45132.16	0.260867393	0.12834124
10	22174.21179	14077.78821	0.205451179	36252	44848.506	4.87054E-05	0.05900616
11	19567.15648	16431.84352	0.076406631	35999	44805.04	0.000933694	0.09988244
12	27148.24666	9950.753343	0.0654484	37099	48476.19	0.087866645	0.13682899
13	57586.99448	-9490.994484	9.33776E-07	48096	61819.07	1.23468E-05	0.03369765
14	47880.52384	46.47615908	0.041878442	47927	56755.945	0.001340892	0.04693524
15	59489.88811	-9807.888112	0.001555311	49682	60065.166	0.000132554	0.02091180
16	52213.3302	-1959.330201	0.084266536	50254	57438.472	0.00130728	0.06436314
17	63025.08236	-14588.08236	0.100889316	48437	61186.386	0.049872276	0.16322278
18	53005.08233	-15385.08233	0.058468753	37620	57188.955	0.135049412	0.05013430
19	60541.6337	-9096.633698	0.056418401	51445	59868.378	0.003136174	0.01875722
20	66545.50339	-12219.50339	0.052702781	54326	61371,754	0.012116771	0.03473827
21	60817.66669	-12471.66669	0.000484396	48346	58471.392	0.010080416	0.01100432
22	54264.04734	-1064.047342	0.022651997	53200	58271,568	0.001564113	0.0401237
23	59102.90878	-8006.908775	0.066622552	51096	61752.446	6.75655E-07	0.0725518
24	64326.56472	-13188.56472	0.054677691	51138	64900,935	0.073426184	0.00579850
25	76952.73221	-11957.73221	0.000342297	64995	68889.051	0.005730207	0.00022327
26	61277.49011	-1202.490107	0.022288995	60075	61046.174	0.016966065	0.00165657
27	76868.89677	-8968.896775	0.003676271	67900	65454,888	0.002739651	0.00507191
28	75570.9306	-4116.930604	0.007390972	71454	66618,339	0.000277358	0.00194532
29	76406.95468	-6142.954677	0.012889738	70264	67112,465	0.010064432	6.15849E-0
30	71192.28149	-7977.281493	0.044877503	63215	63766.404	0.005325086	0.0007209
31	81219.66218	-13391.66218	0.049765923	67828	69525.332	0.003089333	0.00179026
32	79189.2582	-15131,2582	0.056112002	64058	66927,906	0.000271757	0.00173749
33	80288.04111	-15174.04111	0.075249034	65114	67784.15	0.000516624	0.0009848
34	84455.78433	-17861.78433	0.018526191	66594	68637.408	0.000210419	0.0002036
35	74692.17256	-9064.172555	0.029588868	65628	64677.71	0.002852316	8.31648E-0
36	80421.94471	-11288.94471	0.068539174	69133	69322.26	0.004352606	0.00631048
37	82671.01062	-18099.01062	0.000956303	64572	70063.826	0.000418521	0.00038178
38	65247.83371	-1996.833712	0.041327636	63251	61989.305	0.022034535	0.00721780
39	85498.42203	-12858.42203	0.054789139	72640	67266.342	0.011717228	0.00067534
40	81779.90286	-17002.90286	2.75322E-05	64777	66664.73	0.066440858	0.04664527

Appendix G: Supplemental Anal

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Mod
41	81134.10799	339.8920128	0.004828162	81474	67483.776	0.014081055	0.0043
42	77467.21915	-5661.219148	0.08714521	71806	66412.692	0.006607816	0.0031231
43	87166.39517	-21197.39517	0.010238862	65969	69981.888	0.017344422	0.0172888
44	81332.22255	-6675.222547	0.035186784	74657	65982.917	0.00695468	1.46036E-
45	82435.26506	-14004.26506	0.031400476	68431	68145.701	0.004753463	0.0019023
46	85275.09595	-12126.09595	0.003565603	73149	70164.288	0.001139267	0.0124079
47	79985.92214	-4367.922136	0.032409313	75618	67469.855	6.63607E-05	0.0009681
48	88615.19596	-13613.19596	0.049715123	75002	72649.17	0.001958135	7.22252E
49	88406.21223	-16723.11223	0.002384497	71683.1	71884.666	0.000538727	0.0061062
50	73519.67997	-3500.379966	0.053658533	70019.3	64417.824	0.000625155	0.0011647
51	87989.48884	-16219.48884	0.037563116	71770	69380.366	0.00409996	3.87586E
52	81084.39172	-13909.89172	0.020683296	67174.5	66727.686	0.014353092	0.0086043
53	84883.12731	-9660.827311	0.013701426	75222.3	68991.213	0.000474171	0.0071448
54	82389.30272	-8805.002724	0.008549706	73584.3	67225.98	0.015244997	0.0316773
55	89473.74424	-6803.944244	0.030011241	82669.8	69573.16	0.036653412	0.1256869
56	84175.48815	14321.51185	0.0033973	98497	69188.606	0.006647703	0.047712
57	84725.16829	5741.031714	0.017140255	90466,2	68951.383	0.009159092	0.105184
58	87280.19303	11843.90697	0.004452914	99124.1	69784.002	0.005367572	0.0529614
59	85247.33298	6614.567019	0.010845655	91861.9	69050.112	0.00872071	0.009891
59 60	92850.12541	-9566.725415	0.007621815		74147.1		
				83283.4		0.000243652	0.0166206
61	89254.2914	-7270.891401	0.002645607	81983.4	71246.4	0.004825425	0.0260597
62	72071.54576	4216.854235	0.000842448	76288.4	63053.79	0.033457932	0.0706038
63	92456.96714	-2214.267139	0.019092675	90242.7	69971.814	0.001622411	0.0921592
64	81408.20236	12469.39764	0.015736764	93877.6	66481.96	0.004721313	0.1045968
65	88551.50631	11776.59369	0.035730205	100328.1	69966.738	0.00020151	0.1202358
66	82787.84598	18964.45402	0.019147631	101752.3	66963.4875	1.58424E-07	0.096862
67	87631.8289	14079.9711	0.068899044	101711.8	70043.7522	0.016421497	0.189315
68	88047.84862	26697.95138	0.026150749	114745.8	70490.532	0.005571746	0.098529
69	87624.93483	18555.76517	0.047414883	106180.7	70162.6394	0.001198625	0.145122
70	86735.99631	23120.80369	0.024721371	109856.8	69407.2876	0.006321096	0.0862862
71	83849.78124	17272.81876	0.029387401	101122.6	68852.6855	0.004094549	0.1290763
72	90258.1017	17335.1983	0.028690173	107593.3	71262.7863	0.001533467	0.1479046
73	93582.25984	18224.34016	0.084769466	111806.6	70427.9616	0.004678106	J.1419174
74	71606.6889	32552.7111	0.031905064	104159.4	62039.6898	0.002011739	0.144776
75	90226.25987	18604.94013	0.012649206	108831.2	69199.1246	0.022554668	0.0595570
76	80246.59745	12240.10255	0.007317401	92486.7	65927.1908	0.006007726	0.0985067
77	91743.82042	7911.479577	0.00111081	99655.3	70627.6265	0.018511231	0.039437
78	82775.2074	3321.3926	0.023817562	86096.6	66306.2216	0.011428537	0.089811
79	82013.46393	13287.23607	0.04055832	95300.7	69498.7778	0.009259231	0.1349556
80	85278.30017	19192.69983	0.016889229	104471	69461.0368	0.009447503	0.0608764
81	80739.69846	13576.90154	0.034235265	94316.6	68540.3136	0.004995217	0.117196
82	83531.4126	17451.1874	0.016889014	100982.6	68694.26	0.008836252	0.0561939
83	78366.62968	13123.47032	0.051764245	91490.1	67551.9155	0.015310817	0.1272084
84	81995.19478	20815.60522	0.008296057	102810.8	70179.6718	0.006659733	0.0534475
85	85056.41531	9364.284687	2.98067378	94420.7	70652.1592	1.294037552	8.6385250

Theils' U					
USAF Pred	2.583725428				
New Model					
w/out Serv Inv	1.517692486				

F-16C (Regression with Possessed Hours, Flying Hours, Sorties, and Serviceable Inventory) Theil's *U*-statistic for This Model

Regression Statistics				
R Square	0.867903757			
Adjusted R Square	0.861298944			
Standard Error	9393.470108			
Observations	85			

ANOVA

	df	SS	MS	F	Significance F
Regression	4	46379194689	11594798672	131.4047598	2.44615E-34
Residual	80	7058982454	88237280.68		
Total	84	53438177144			
	Coefficients	Standard Error	t Stat	P-value	
1.4	50047 74000	19058,14904	2.825444377	0.005959695	
Intercept	53847.74006	19030.14904	2.0234443//	0.0003333030	
	0.128715369	0.023153405	5.559241468	3.4613E-07	
Possessed Hours					
Intercept Possessed Hours Flying Hours Sorties	0.128715369	0.023153405	5.559241468	3.4613E-07	

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
1	29758.17586	-3423,175864	0.013593268	26335	0
2	29405.40221	-3070,402205	0.005619952	26335	0.028169415
3	28780.76154	1974.238459	0.002923305	30755	0.069931055
4	24284.84885	-1662.848853	0.05686445	22622	0.003710534
5	26638.50275	-5394.502746	0.019467588	21244	0.001000613
6	24880.09667	-2964.096672	0.016964262	21916	0.016910916
7	27620.49167	-2854.491666	0.002476697	24766	0.012410568
8	26292.48473	1232.51527	0.00015043	27525	0.016437988
9	23658.40594	337.59406	0.194167213	23996	0.260867393
10	25678.30444	10573.69556	0.116509808	36252	4.87054E-05
11	23624.91159	12374.08841	0.089407437	35999	0.000933694
12	26334.9115	10764.0885	0.016796219	37099	0.087866645
13	43287.96117	4808.038834	0.029198718	48096	1.23468E-05
14	39708.53227	8218.467726	0.001701024	47927	0.001340892
15	47705.32415	1976.675853	0.005173366	49682	0.000132554
16	46680.56688	3573.433122	0.004782666	50254	0.00130728
17	51912.40684	-3475.406843	0.049507028	48437	0.049872276
18	48397.31722	-10777.31722	0.004190003	37620	0.135049412
19	53880.15133	-2435.151332	0.00371432	51445	0.003136174
20	57461.32684	-3135.326838	0.012507165	54326	0.012116771
21	54421.57197	-6075.571969	0.002164892	48346	0.010080416
22	55449.46197	-2249.461974	0.015321847	53200	0.001564113
23	57681.173	-6585.173004	0.043963522	51096	6.75655E-07
24	61851.54366	-10713.54366	0.000663145	51138	0.073426184
25	66311.88571	-1316.885707	0.000552515	64995	0.005730207
26	58547.25137	1527.74863	5.83936E-05	60075	0.016966065
27	68359.06719	-459.0671927	0.005590954	67900	0.002739651
28	66376.93473	5077.065267	0.000750399	71454	0.000277358
29	68306.63069	1957.369305	0.001190854	70264	0.010064432
30	65639.72281	-2424.722808	0.00148733	63215	0.005325086
31	70265.94474	-2437.944735	0.008649075	67828	0.003089333
32	70366.03137	-6308.031368	0.003251525	64058	0.000271757
33	68766.72466	-3652.724659	0.007362618	65114	0.000516624
34	72181.15243	-5587.152426	0.000871961	66594	0.000210419
35	67594.4533	-1966.453299	0.000433509	65628	0.002852316
36	70499.43235	-1366.432349	0.010889534	69133	0.004352606
37	71786.23111	-7214.23111	0.000612985	64572	0.000418521
38	64849.70781	-1598.707806	0.003283214	63251	0.022034535
39	76264.24018	-3624.240183	0.01832904	72640	0.011717228
40	74611.35075	-9834.350748	0.004615933	64777	0.066440858

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
41	77073.00821	4400.991786	0.002356773	81474	0.01408105
42	75761.28643	-3955,286431	0.041991045	71806	0.00660781
43	80683.28212	-14714.28212	0.008640309	65969	0.01734442
44	80789.0337	-6132.033696	0.022505157	74657	0.0069546
45	79630.83338	-11199.83338	0.022453386	68431	0.00475346
46	83403.01175	-10254.01175	0.007301746	73149	0.00113926
47	81868.60074	-6250.600738	0.020417199	75618	6.63607E-0
48	85806.96272	-10804.96272	0.042484915	75002	0.00195813
49	87142.41413	-15459.31413	0.020719566	71683.1	0.00053872
50	80337.57519	-10318.27519	0.047183654	70019.3	0.0006251
51	86979,45144	-15209.45144	0.051859997	71770	0.004099
52	83518.53153	-16344.03153	0.02333306	67174.5	0.01435309
53	85483,31426	-10261.01426	0.014058747	75222.3	0.0004741
54	82503.37706	-8919.077064	0.00144583	73584.3	0.0152449
55	85467.77449	-2797.97449		82669.8	0.0366534
56	83162.50809	15334,49191		98497	0.0066477
57	80727.39573	9738.804273		90466.2	0.0091590
58	83482,93751	15641.16249		99124.1	0.0053675
59	80514.67083	11347.22917		91861.9	0.008720
60	82671,17421	612.2257887		83283.4	0.0002436
61	81845.50981	137.8901932		81983.4	0.0048254
62	74343.90921	1944.490788		76288.4	0.0334579
63	85780.34745	4462.352554		90242.7	0.0016224
64	82834.78719	11042.81281		93877.6	0.0047213
65	86832.30723	13495.79277		100328.1	0.000201
66	85063.28904	16689.01096			1.58424E-
67	89019.09664	12692,70336		101711.8	0.0164214
68	89886.6247	24859.1753			0.0055717
69	88902.03284	17278.66716			0.0011986
70	91874.67555	17982.12445			0.0063210
71	89945,73369	11176.86631			0.0040945
72	94176.69416	13416.60584			0.0015334
73	96482.8768	15323.7232			0.0046781
74	87576.53474	16582.86526			0.0020117
75	98350.55913	10480.64087			0.0225546
76	95883.3605	-3396,660495			0.0060077
77	101334.4664	-1679,166361			0.0185112
78	99069.70489	-12973.10489			0.0114285
79	100585.036	-5284.335984			0.0092592
80	102610.714	1860,286026			0.0094475
81	100659.3074	-6342.707427			0.0049952
82	103966.8332	-2984.233189		100982.6	0.0088362
83		-9615.542861			0.0153108
84	104124.1629	-1313.362928			0.0066597
85	106499.9539	-12079.25393			1.2940375

· ·

Theils' U					
New Model					
with Serv Inv	1.081730801				

Regression Statistics		•			
R Square Adjusted R	0.558584909	•			
Square	0.542236202				
Standard Error	3491.594354				
Observations	85				
ANOVA					
	df	SS	MS	F	Significance F
Regression	3	1249610326	416536775.4	34.16691645	2.25998E-14
Residual	81	987489721.5	12191231.13		
Total	84	2237100048			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-1079.887467	1352.478875	-0.798450524	0.426943955	
Possessed					
Hours	0.211875617	0.039303146	5.390805571	6.75296E-07	
Flying Hours	-12.3479491	3.882829619	-3.180141883	0.002086364	
Sorties	12.5459251	5.730305389	2.189399037	0.031445565	

F-16D (Regression with Possessed Hours, Flying Hours, and Sorties) Theil's *U*-statistic for This Model and USAF Predictions

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Model
1	1318.650568	2894.349432	0.2473603	4213	1917.92	0.035967532	0.126103377
2	1318.650568	2095.349432	0.07320424	3414	1917.92	0.557458623	0.266983794
3	1788.701472	-923.7014723	1.056328484	865	2629.03	0.27790571	2.164732195
4	2210.028335	-889.0283346	0.136548552	1321	2593.677	0.007317307	1.772534446
5	1696.142214	-488.1422142	0.141740093	1208	2966.734	0.0067164	1.797390811
6	1563.792496	-454.7924963	0.005889463	1109	2728.527	0.625368633	0.634457498
7	1900.892196	85.10780406	0.125918482	1986	2869.35	0.181031825	0.001822765
8	2126.268014	704.7319863	0.072070478	2831	2746.21	0.017639893	0.019626318
9	3215.008714	-760.0087138	0.473383903	2455	2851.606	0.479506888	0.864316718
10	2444.111191	-1689.111191	3.344987365	755	3037.38	0.657065918	5.825925311
11	2747.84265	-1380.84265	0.817419483	1367	3189.34	1.950180581	0.003325754
12	2040.078159	1235.921841	2.536063753	3276	3354.834	0.004387647	3.776212258
13	8710.037717	-5217.037717	0.620169299	3493	9859.08	0.156764308	1.605571213
14	7626.766439	-2750.766439	0.095162267	4876	9302.02	0.015702002	1.433948291
15	5769.167103	-1504.167103	1.683108896	4265	10103.892	0.060494084	2.209483241
16	8749.184393	-5533.184393	5.798112871	3216	9555.637	0.008643911	4.311436443
17	11258.89352	-7743.893522	3.007020164	3515	10192.702	0.237223037	1.45354819
18	11322.27774	-6095.277739	0.00101087	5227	9464.796	0.332271631	0.100896472
19	8406.188204	-166.1882043	0.109785657	8240	9900.315	0.179080984	0.456348454
20	7483.234897	-2730.234897	0.602125384	4753	10319.414	0.311088407	0.303729229
21	3715.827015	3688.172985	0.184929951	7404	10023.456	0.017590985	0.235980749
22	9605.977845	-3183.977845	0.718985245	6422	10018.704	0.007549667	0.300768042
23	12425.40631	-5445.40631	0.002049897	6980	10501.974	0.774299144	0.114971418
24	12805.975	316.0249962	0.071370398	13122	10755.261	0.062290604	0.018212204
25	13352.57362	-3505.573622	0.007589856	9847	11617.848	0.002578292	0.010322969
26	10204.86845	-857.8684497	0.004144119	9347	10347.475	0.000773753	0.018480289
27	10208.71159	-601.7115853	0.015984371	9607	10877.652	0.011162372	0.001669556
28	11836.60642	-1214.606418	0.081776375	10622	11014.544	0.049113436	0.077627969
29	11305.52754	-3037.527541	0.003819736	8268	11227.48	0.059218175	0.007327633
30	10790.99556	-510.995557	0.186541851	10280	10987.754	0.011575081	0.062386044
31	13613.98247	-4439.982466	0.014446676	9174	11741.656	0.048051469	0.000289527
32	12287.66276	-1102.662757	0.009416283	11185	11341.1	0.00074358	5.85208E-05
33	12575.36479	-1085.364791	0.201807991	11490	11575.564	0.121072503	0.117881364
34	12653.65779	-5161.657788	0.03054751	7492	11436.96	0.102618803	0.006676059
35	11201.44023	-1309.440225	0.20872681	9892	10504.15	0.000578876	0.043625493
36	14173.32137	-4519.321374	0.667570791	9654	11720.114	0.182217733	0.42806319
37	13420.80122	-7887.801221	0.02358445	5533	11849.278	0.659110385	0.002461652
38	10874.71551	-849.7155054	0.13343399	10025	10299.52	0.104582076	0.048485185
39	9605.006085	3661.993915	0.003265468	13267	11059.56	0.029663811	5.53519E-05
40	10223.8669	758.1331035	0.107309763	10982	11080.705	0.077334839	0.079006296

	TNMCS Hours		Numerator	Actual			Numerator
Observation	New Model	Residuals	New Model	TNMCS Hours	USAF Pred	Denominator	USAF Mode
41	11525.50211	-3597.502114	0.078418909	7928	11014.827	0.00344016	0.0842723
42	10613.10767	-2220.107675	0.001272915	8393	10694.474	0.138012294	0.0003271
43	11810.44487	-299.444867	0.055625271	11511	11359.2	0.003783035	0.0168906
44	9504.129476	2714.870524	0.007739221	12219	10722.985	0.000118476	0.0136775
45	13426.94019	-1074.940193	0.049443287	12352	10922.976	0.007143753	1.79196E-
46	14054.57175	-2746.57175	0.064960805	11308	11255.712	0.015746832	0.0101994
47	12771.11628	-2882.116278	0.092945888	9889	11031.02	0.035392228	0.0007858
48	14764.2622	-3014.862198	0.008830904	11749.4	12026.619	0.00777478	0.011253
49	11817.52509	-1104.125094	0.029492969	10713.4	11960.018	0.032091191	0.0278957
50	10634.06758	-1839.867578	0.02116535	8794.2	10583,554	0.026652302	0.015115
51	11509.30801	-1279.408013	0.025032402	10229.9	11311.114	0.000920663	0.008196
52	11538.03706	-1618.537063	0.001372979	9919.5	10845.66	0.042368866	0.006415
53	11593.74553	367.5544727	0.000873154	11961.3	11166.789	0.017888529	0.001836
54	10714.94651	-353,4465147	0.002470945	10361.5	10874.108	0.029767613	0.007638
55	12664.25564	-515.0556423	0.003067698	12149.2	11243.622	0.003862901	0.0007
56	12067.00537	-672,9053715	0.002227071	11394.1	11054.4	0.002732432	0.009282
57	12527.40872	-537.7087177	0.046606628	11989.7	10891.936	0.02441952	0.060364
58	11274.89542	2588.404576	0.001879052	13863.3	10917.536	0.001386983	0.034647
59	12746.05315	600,9468501	0.00460487	13347	10766.496	1.90142E-05	0.012860
			0.045539767		11891.6	0.030231759	0.103515
60	14310.91666	-905.7166643		13405.2		0.025786204	
61	12875.32382	2860.676185	0.163761953	15736	11423.04		0.268724
62	11894.9323	6367.967699	2.6444E-05	18262.9	10105.564	0.146324713	6.04063E
63	11182.98543	93.91457052	0.000443453	11276.9	11134.958	0.006441895	0.001359
64	10134.32748	237.4725187	0.003182021	10371.8	10787.552	0.07146052	0.037314
65	12559.33292	585.0670799	0.086808677	13144.4	11140.88	0.018781868	0.104663
66	11073.02438	3872.775619	0.20716249	14945.8	10693.3539	0.106584613	0.334356
67	13022.60325	6802.596752	0.070309701	19825.2	11183.0108	0.005205709	0.133072
68	13137.95463	5256.845369	0.105442484	18394.8	11162.7565	0.014521909	0.273697
69	14638.35737	5973.142627	0.024487761	20611.5	10988.054	0.033302731	0.079452
70	13624.69584	3225.404161	0.014794837	16850.1	11040.2624	0.000828815	0.108160
71	14315.45442	2049.545583	0.006437585	16365	10823.3764	0.005770057	0.053904
72	13808.86138	1313.038619	0.031188412	15121.9	11322.3735	1.25637E-05	0.064886
73	12397.73599	2670.564009	0.581927394	15068.3	11216.3328	0.201632783	0.632919
74	10339.77305	11494.72695	0.152431387	21834.5	9846.7256	0.007207629	0.173847
75	11456.07353	8524.726465	0.015155409	19980.8	10876.9092	0.071782308	0.04361
76	12167.71748	2459.782516	2.29837E-05		10454.8248	0.011321455	0.014825
77	13141.22616	-70.12615745	0.228002406	13071.1	11290.0755	0.039809833	0.159376
78	9437.702365	6241.397635	0.042428732		10460.86	0.00348426	0.12794
79	13374.98198	3229.618016	0.003705452		10996.308	0.021307707	0.035188
80	13170.03771	1010.762289	0.052941009		11066.009	0.00731437	0.100942
81	12130.75204	3262.847962	0.006453005		10888.1568	0.014362108	0.030006
82	12312.22287	1236.577132	0.099181423		10882.2578	0.067677242	0.209286
83	12806.56526	4266.934739	0.031132006	17073.5	10875.2229	0.001596535	0.087922
84	13378.80657	3012.493435	5.35302E-07	16391.3	11328.702	0.022549535	0.023570
85	13917.90741	11.99258778	26.09570918	13929.9	11413.4132	9.752761649	34.22781

4

ę

Theils' U					
USAF Pred	1.873379555				
New Model					
w/out Serv Inv	1.635764379				

F-16D (Regression with Possessed Hours, Flying Hours, Sorties, and Serviceable Inventory) Theil's *U*-statistic for This Model

Regression .	Regression Statistics				
R Square	0.772493669				
Adjusted R Square	0.761118352				
Standard Error	2522.286723				
Observations	85				
ANOVA					
	df	SS	MS	F	Significance F
Regression	4	1728145623	432036405.7	67.90964132	6.07473E-25
Residual	80	508954425	6361930.313		
Total	84	2237100048			
·····	Coefficients	Standard Error	t Stat	P-value	
Intercept	22627.69014	2902.89026	7.794883071	2.03776E-11	
Possessed Hours	0.093008811	0.031527077	2.950124816	0.00416475	
Flying Hours	-2.616948399	3.020996367	-0.866253408	0.388941812	
Sorties	1.431021789	4.333351094	0.330234444	0.74208607	
Serv Inv	-0.051170413	0.005900059	-8.672863965	3.86131E-13	

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
1	2478.373793	1734.626207	0.05913016	4213	0.035967532
2	2389.537692	1024.462308	0.213375623	3414	0.557458623
3	2442.015341	-1577.015341	1.704638186	865	0.27790571
4	2450.359512	-1129.359512	0.665432743	1321	0.007317307
5	2285.593346	-1077.593346	0.601466525	1208	0.0067164
6	2045.855617	-936.8556171	0.000964259	1109	0.625368633
7	2020.43724	-34.43724027	0.12241563	1986	0.181031825
8	2136.13941	694,86059	1.18742E-05	2831	0.017639893
9	2445.244659	9.755340728	0.265875872	2455	0.479506888
10	2020.875399	-1265.875399	0.716100279	755	0.657065918
11	2005.901449	-638.9014492	1.148295717	1367	1.950180581
12	1811.142472	1464.857528	0.071416964	3276	0.004387647
13	4368.476688	-875,4766883	0.033339001	3493	0.156764308
14	4238.214155	637.7858447	0.000313943	4876	0.015702002
15	4178.60492	86.39507984	0.179497281	4265	0.060494084
16	5022.957645	-1806.957645	0.899668789	3216	0.008643911
17	6565,404038	-3050.404038	0.32452664	3515	0.237223037
18	7229.398477	-2002.398477	0.12368547	5227	0.332271631
19	6401.719239	1838.280761	0.065732144	8240	0.179080984
20	6865.594336	-2112.594336	0.023733744	4753	0.311088407
21	6671.764232	732.2357675	0.039656604	7404	0.017590985
22	7896.430035	-1474.430035	0.134853655	6422	0.007549667
23	9338.314177	-2358.314177	0.278835058	6980	0.774299144
24	9436.222527	3685.777473	1.19756E-06	13122	0.062290604
25	9832.640167	14.35983253	0.003742925	9847	0.002578292
26	8744.565968	602.4340324	0.009919561	9347	0.000773753
27	8676.066896	930.9331039	0.010958115	9607	0.011162372
28	9616.329483	1005.670517	0.008033401	10622	0.049113436
29	9220.041807	-952.0418068	0.02140948	8268	0.059218175
30	9070.227998	1209.772002	0.01115025	10280	0.011575081
31	10259.51395	-1085.513947	0.03258991	9174	0.048051469
32	9528.84752	1656.15248	0.010339814	11185	0.00074358
33	10352.65467	1137.34533	0.051402392	11490	0,121072503
34	10097.02379	-2605.023789	0.007341011	7492	0.102618803
35	9250.087667	641.9123331	0.008573688	9892	0.000578876
36	10569.94194	-915.9419397	0.276376893	9654	0.182217733
37	10608.25841	-5075.258414	0.002698407	5533	0.659110385
38	9737.581699	287.4183009	0.143623174	10025	0.104582076
39	9467.76076	3799.23924	0.002771991	13267	0.029663811
40	10283.49647	698.5035337	0.060914121	10982	0.077334839
			····· · - ·		

	TNMCS Hours		Numerator	Actual	
Observation	New Model	Residuals	New Model	TNMCS Hours	Denominator
41	10638.44395	-2710.443953	0.072561566	7928	0.0034401
42	10528,5855	-2135.585504	2.08663E-07	8393	0.13801229
43	11507.16611	3.833892652	0.013845886	11511	0.00378303
44	10864.51739	1354.482611	0.000660614	12219	0.00011847
45	12666.0578	-314.0577955	0.014443647	12352	0.00714375
· 46	12792.48466	-1484.48466	0.060152308	11308	0.01574683
47	12662.39641	-2773.39641	0.043651216	9889	0.03539222
48	13815.49626	-2066.096256	0.047916341	11749.4	0.0077747
49	13285,32035	-2571,920346	0.107129656	10713.4	0.03209119
50	12300,76728	-3506.567276	0.079192784	8794.2	0.02665230
51	12704.69451	-2474,794512	0.047382452	10229.9	0.00092066
52	12146.29458	-2226,794581	2.19145E-07	9919.5	0.04236886
53	11956.65639	4.643612744	0.017105668	11961.3	0.01788852
54	11925.90216	-1564.40216	0.000288237	10361.5	0.02976761
55	12325,11284	-175.9128427	0.003459177	12149.2	0.00386290
56	12108.65234	-714.5523418	0.001093788	11394.1	0.00273243
57	12366.53092	-376.8309187	0.042899107	11989.7	0.0244195
58	11379.98138	2483.318619	0.010461658	13863.3	0.00138698
59	11929.03051	1417.969493	0.003481944	13347	1.90142E-0
60	12617.6202	787.5797994	0.083402206	13405.2	0.03023175
61	11864.6533	3871.346704	0.171372435	15736	0.02578620
62	11748.64387	6514.256127	0.000719613	18262.9	0.14632471
63	11766.81333	-489.9133253	0.006039187	11276.9	0.00644189
64	11248.15276	-876.3527563	0.003568532	10371.8	0.0714605
65	12524.81782	619.5821777	0.041858476	13144.4	0.01878186
66	12256.54199	2689.25801	0.194903583	14945.8	0.10658461
67	13226.94527	6598.254729	0.054625073	19825.2	0.00520570
68	13761.25277	4633.54723	0.102577792	18394.8	0.01452190
69	14720.05613	5891,443868	0.014687537	20611.5	0.03330273
70	14352.14803	2497.951974	0.007014395	16850.1	0.0008288
71	14953.77063	1411.229371	3.56805E-06	16365	0.00577005
72	15090.98767	30.91232893	1.99988E-05	15121.9	1.25637E-0
73	15000.67482	67.62517696	0.245431552	15068.3	0.20163278
74	14369.50613	7464.993868	0.04808272	21834.5	0.00720762
75	15192.98056	4787.819442	0.001940278	19980.8	0.07178230
76	15507.62609	-880.1260939	0.049179427	14627.5	0.01132145
77	16314.95802	-3243.858016	0.001349521	13071.1	0.03980988
78	15198.92228	480.1777181	2.16213E-06	15679.1	0.0034842
79	16627.65484	-23.05484319	0.027267563	16604.6	0.02130770
80	16922.69982	-2741.899819	0.015717232	14180.8	0.0073143
81	17171.42399	-1777.823986	0.056666077	15393.6	0.01436210
82	17213.19068	-3664.390684	0.002426883	13548.8	0.06767724
83	17740.96004	-667.4600413	0.013658032	17073.5	0.00159653
84	18386.63869	-1995.338689	0.09576933	16391.3	0.02254953
85	19002.45335	-5072.553348	10.13882215	13929.9	9.75276164

Thei	ls' U
New Model	
with Serv Inv	1.01960028

Appendix H: Acronyms

2LM: Two-Level Maintenance

3LM: Three-Level Maintenance

AAM: Aircraft Availability Model

ACC: Air Combat Command

AETC: Air Education and Training Command

AFB: Air Force Base

AFIT: Air Force Institute of Technology

AFMC: Air Force Materiel Command

AFMCMAN: Air Force Materiel Command Manual

AFPIG: Air Force Process Improvement Guide

AFRC: Air Force Reserve Command

AMC: Air Mobility Command

ANG: Air National Guard

AWP: Awaiting Parts to Repair

BIE: Base Issue Effectiveness

BRAC: Base Realignment and Closure

BRC: Base Repair Cycle

BSE: Base Stockage Effectiveness

CREP: Contract Repair Enhancement Program

DDR: Daily Demand Rate

DLA: Defense Logistics Agency

DMRD: Defense Management Report Decision

DMSMS: Diminishing Manufacturing Sources and Materiel Shortages

DOD: Department of Defense

DREP: Depot Repair Enhancement Program

DRIVE: Distribution and Repair In Variable Environments

DRC: Depot Repair Cycle

DRT: Depot Repair Time

EAF: Expeditionary Aerospace force

EXPRESS: Execution and Prioritization of Repair Support System

FY: Fiscal Year

GAO: General Accounting Office

GLM: General Linear Model

GSA: Government Services Administration

HPMSK: High Priority Mission Support Kits

ITV: Intransit Visibility

LRU: Line Replaceable Unit

MAJCOM: Major Command

MD: Mission Design

MDS: Mission Design Series

MERLIN: Multi-Echelon Resource and Logistics Information Network

MICAP: Mission Capability

NCQ: Repair Decision Time

NCT: Nonrepairable Cycle Time

NIIN: National Item Identification Number

NMCS: Not Mission Capable (Supply)

NRTS: Not Repairable This Station

NSN: National Stock Number

OC-ALC: Oklahoma City Air Logistics Center

OO-ALC: Ogden Air Logistics Center

OSD: Office of Secretary of Defense

OST: Order and Ship Time

OSTQ: Off-base Repair Pipeline

PACAF: Pacific Air Forces

PBR: Percentage Base Repairable

Q: Pipeline Stock

RBL: Readiness Base Leveling

RCDL: Repair Cycle Demand Level

RCQ: Base Repair Pipeline

RCT: Repair Cycle Time

RET: Retrograde Time

RSP: Readiness Spares Package

SB and CR: Stock Balance and Consumption Reports

SLQ: Safety Stock

SMAG: Supply Management Activity Group

SRU: Shop Replaceable Unit

TAI: Total Active Inventory

TNMCM: Total Not Mission Capable (Maintenance)

TNMCS: Total Not Mission Capable (Supply)

TSR: Total Stock Requirement

USAF: United States Air Force

USAFE: United States Air Forces in Europe

WWX: Worldwide Express

Bibliography

- 2LM NSNs. <u>Agile Logistics Homepage</u>. n. pag. http://www.afmc-mil.wpafb.af.mil/HQ_ AFMC/LG/agile/. 15 July 1999.
- "AFLC Trims Inventory Through New Program." <u>Air Force Journal of Logistics, XIV</u> (4): 6 (Fall 1990).
- <u>Air Force Process Improvement Guide: Total Quality Tools for Teams and Individuals.</u> Prepared by Electronic Systems Center and the MITRE Corporation. Undated.
- Arostegui, Marvin A. Class Lecture, LOGM 628, Reparable Inventory Management. Graduate School of Logistics and Acquisition Management, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, May 1999.
- Babbitt, George T. <u>AFMC NOTAM 98-3</u>, 1-4, http://www.afmc.wpafb.af.mil/HQ-AFMC/CC/ccx/notmas/984notam.htm. 20 August 1999.
- Bailey, Debbie. <u>Sustaining Aging Aircraft</u>. Class presentation for acquisition logistics, Air Force Institute of Technology, Wright-Patterson AFB, OH. 26 May 1999.
- Barney, Glen R. <u>The Effect of Consolidating Two-Level Reparable Inventories on</u> <u>Aggregate Inventory Requirements and Mission</u>. MS thesis. AFIT/GLM/LAL/95S-2. Graduate School of Logistics and Acquisition Management, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, September 1995.
- Bond, Craig A. and Ruth, Marvin E. <u>A Conceptual Model of the Air Force Logistics</u> <u>Pipeline</u>. MS thesis. AFIT/GLM/LSM/89S-2. School of Systems and Logistics, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, September 1989.
- Carter, Maurice. "Execution and Prioritization of Repair Support System (EXPRESS)," Logistics for the 21st Century. 1997.
- Cohen, Morris A., Zheng, Yu-Sheng, Wang, Yunzeng. "Identifying Opportunities for Improving Teradynes Service-parts Logistics System," The Wharton School of Business, University of Pennsylvania and School of Business Administration, The University of Mississippi. January 1999.
- Conover, W.J. <u>Practical Nonparametric Statistics (2nd ed)</u>. New York: John Wiley and Sons, 1980.

- Dehnert, Colonel Robert E., Jr. Deputy Director of Logistics, Air Force Materiel Command, Wright-Patterson AFB OH. Personal Interview. 14 August 1998.
- -----. Deputy Director of Logistics, Air Force Materiel Command, Wright-Patterson AFB OH. Personal Interview. 26 March 1999.

đ.

- Department of the Air Force, Headquarters Air Force Materiel Command. <u>Recoverable</u> <u>Consumption Item Requirements System (D041)</u>. AFMCMAN 23-1. Wright-Patterson AFB OH: HQ AFMC, 4 December 1997.
- Douglas, Robert M. Supply 2000. Briefing given to AFIT students. Graduate School of Logistics and Acquisition Management, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, March 1999.
- Dymond, Lee H., "Readiness-Based Leveling (RBL)," Logistics for the 21st Century. 1997.
- <u>F-16 Avionics Logistics Chain Management Study</u>. HQ AFMC, Lean Logistics Program Office, 30 January 1998.
- Fighter/Bomber Force Structure FY99/3. Excel spreadsheet. n. pag. http://www.mil.acc.af.mil/xp/xpp/xppp. 30 June 1999.
- Fisher, Marshall. "What is the Right Supply Chain for Your Product?," <u>Harvard Business</u> <u>Review</u>: March-April 1997.
- General Accounting Office. <u>Status of Inventory and Purchases and their Relationship to</u> <u>Current Needs</u>. Report Number NSIAD/AIMD-99-60. Washington: Government Printing Office, April 1999a.
- -----. <u>Management Actions Create Spare Parts Shortages and Operational Problems</u>. Report Number NSIAD/AIMD-99-77. Washington: Government Printing Office, April 1999b.
- Gimmi, Russell M. "Using Aircraft Availability Targets to Determine Spare Parts Requirements." <u>Air Force Journal of Logistics, XXI (1)</u>, Spring 1997: 28-29.

Gujarati, Damodar N. Basic Econometrics (3rd ed). New York: McGraw-Hill, 1995.

Hallin, William P. "Agile Combat Support—The New Paradigm." <u>Air Force Journal of</u> Logistics, XXI (3 and 4): 1-3. (Winter 1997).

-----. "The Challenge of Sustaining Older Aircraft." <u>Air Force Journal of</u> Logistics, XXII (2): 1-2 (Summer 1998b).

- -----. "Reengineering Air Force Logistics." <u>Air Force Journal of Logistics, XXII (1)</u>: 1-2. (Spring 1998a).
- Ham, Lt Col Marti. Logistics Analyst, Directorate of Supply, Deputy Chief of Staff Installations and Logistics. Email correspondence. 23 April 1999a.
- -----. Logistics Analyst, Directorate of Supply, Deputy Chief of Staff Installations and Logistics. Email correspondence. 24 May 1999b.
- -----. Logistics Analyst, Directorate of Supply, Deputy Chief of Staff Installations and Logistics. Telephone Interview. 21 June 1999c.
- Hiatt, Fred. "Millions of Dollars Involved, Air Force Scraps Usable Spare Parts," <u>The</u> <u>Washington Post</u>, 7 July 1984.
- Hicks, Heston and Nicolai, Phil. "An Interview with Colonel Guy R. Vanderman Chief, Lean Logistics Program Management Office." <u>Logistics for the 21st Century</u>, 1997.
- Hill, Tracey L. and Walker, William N. <u>An Analysis of the Effects of Lean Logistics on the Current Air Force Reparable Pipeline: A Simulation Study</u>. MS thesis.
 AFIT/GLM/LAL/94S-22. Graduate School of Logistics and Acquisition Management, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, September 1994.
- HQ ACC Logistics Analysis. n. pag. http://www.acclog.af.mil/lgp/lgpa/lgpa.htm. 2 April 1999.
- Illsley, Kevin D., "Inventory Reduction." AFMC Slide Presentation to the Deputy Assistant Secretary of Defense (Logistics). 12 August 1992.
- Inventory Reduction Plan Improvements, Defense Management Report Decision 987, Washington DC: Office of the Secretary of Defense-Comptroller, 7 January 1991.
- Kettner, Bradley M. and Wheatley, William M. <u>A Conceptual Model and Analysis of the</u> <u>Air Force Depot Supply and Maintenance Pipeline for Reparable Assets</u>. MS thesis. AFIT/GLM/LSM/91S-37. School of Systems and Logistics, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, September 1991.
- Krajewski, Lee J. and Larry P. Ritzman. <u>Operations Management: Strategy and Analysis</u> (Fourth Edition). New York: Addison-Wesley Publishing Company, 1996.
- Lambert, D. M. and Stock, J. R. <u>Strategic Logistics Management (3rd ed)</u>. Boston: Irwin McGraw-Hill, 1993.

- Larvick, Jon. "Agile Combat Support From the OC-ALC Engine Viewpoint." <u>Air Force</u> Journal of Logistics, XXII (4): 24-31 (Winter 1998).
- Mattern, Virginia A. "Inventory Reduction: When is Enough Enough." <u>Air Force Journal</u> of Logistics, XXI (2): 8-12 (Spring 1997).
- McClave, James T., Benson, P. George, Sincich, Terry. <u>Statistics: For Business and</u> <u>Economics (7th ed)</u>. Upper Saddle River, New Jersey: Prentice Hall, 1998.
- Makridakis, Spyros., Wheelwright, Steven C., and Hyndman, Rob J. <u>Forecasting:</u> <u>Methods and Applications (3rd ed)</u>. New York: John Wiley and Sons, Inc., 1998.
- Moore, Kevin R. Class Lecture, LOGM 568, Logistics Management. Graduate School of Logistics and Acquisition Management, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, October 1998.
- Mullis, Elizabeth. F-15, Supply Support Manager, Robins AFB. Telephone Interview. 2 April 1999.
- Neter, John, Kutner, Michael H., Nachtsheim, Christopher J., and Wasserman, William. Applied Linear Statistical Models (4th ed). Chicago: Irwin, 1996.
- Newsome, William M. Talking Paper on DRMD 987 Inventory Reduction Plan (IRP). 30 October 1991.
- Neumann, Curtis. Director of AFMC Studies and Analyses Office, Wright-Patterson AFB OH. Personal interview. 2 April 1999a.
- -----. Director of AFMC Studies and Analyses Office, Wright-Patterson AFB OH. Email correspondence. 6 April 1999b.
- Owens, Daniel E., Jr., "Inventory Reduction," AFMC/XRIA Staff Summary Sheet. 11 August 1992.
- Orr, Ronald. <u>Agile Logistics</u>. Slide Package Presented to Air Command and Staff College. 1998.
- Porter, Capt Charles and others. <u>Reduction of the Recoverable Pipeline</u>, HQ AFLC/MM/XP/MA/DS study, Wright-Patterson AFB OH, November 1990.
- Reynolds, Kurt. Logistics Analyst, Dynamics Research Corporation. Email Correspondence. 9 July 1999.
- Rice, Donald B. <u>Defense Resource Management Study: Final Report</u>. Washington DC: Government Printing Office. February 1979.

- Sherbrooke, Craig C. and Slay, Michael F. <u>Predicting Wartime Demands for Aircraft</u> <u>Spares</u>. Logistics Management Institute. Report #AF501MR2. 1 April 1997.
- Sherbrooke, Craig C. <u>Using Sorties vs. Flying Hours to Predict Aircraft Spares Demand</u>. Logistics Management Institute. Report #AF501LN1. 1 April 1997.

2

.\$

- Silver, Edward A., Pyke, David F., Peterson, Rein. <u>Inventory Management and</u> <u>Production Planning and Scheduling (3rd ed)</u>. New York: John Wiley and Son, Inc., 1998.
- Skipton, Charles P. Assistant Deputy Chief of Staff, Logistics and Engineering, Headquarters United States Air Force, Washington, D.C. Official Correspondence. 17 May 1988.
- Stone, John. "Depot Repair Enhancement Program (DREP) Repair and Ship on Demand," Logistics for the 21st Century. 1997.
- Synergy, Inc. Pipeline Times for the USAF. Electronic mail correspondence. 1 July 1999.
- Troop, Howard. F-16, Supply Support Manager, Hill AFB UT. Telephone Interview. 2 April 1999.
- USAF Baseline Lean Logistics Master Plan and Road Map, Version 3.0. HQ USAF/LGM, 31 January 1995.
- Vickers, Corey M. <u>A Comparison of Commerical Express and the Defense</u> <u>Transportation System in the Movement of Reparable Assets within Western</u> <u>PACAF</u>. MS thesis. AFIT/GTM/LAL/97S-9. Graduate School of Logistics and Acquisition Management, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, September 1997.
- Vanderman, Guy R. "Time to Tweak the AF's Approach to 2LM?," <u>The Exceptional</u> <u>Release</u>. Summer 1998: 10-12.
- Worldwide Express (WWX). n. pag. http://www.afmc-mil.wpafb.af.mil/HQ-AFMC/LG/LSO/lot/. 6 July 1999.

REPORT DOCUMENTATION PAGE				m Approved IB No. 074-0188
maintaining the data needed, and completing ar suggestions for reducting this burden to Washin	rmation is estimated to average 1 hour per reponse Id reviewing the collection of information. Send con gton Headquarters Services, Directorate for Inform aperwork Reduction Project (0704-0188), Washing	nments regarding this burden ation Operations and Reports,	estimate or any other as	spect of the collection of information, including
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE September 1999	3. REPORT TYPE Master's Thesis	AND DATES CO	VERED
4. TITLE AND SUBTITLE REPARABLE INVENTORY R FIGHTER AIRCRAFT MISSIC	EDUCTION: IMPACTS ON AIR	FORCE	5. FUNDING N	UMBERS
6. AUTHOR(S)				
Gregory E. Hutson, Capt, USAI	2			
7. PERFORMING ORGANIZATION Air Force Institute of Technol 2950 P Street WPAFB OH 45433-7765			REPORT NU	IG ORGANIZATION IMBER [/GLM/LAL/99S-6
9. SPONSORING / MONITORING ASC/RA Attention: Colonel Robert Dehi 2640 Loop Road West, Rm 213 WPAFB, OH 45433	AGENCY NAME(S) AND ADDRESS(E AF/ILSY nert Attention: Lt Col Mart HQ USAF 1030 Air Force Pentag Washington D.C. 2033	i Ham on,		ING / MONITORING EPORT NUMBER
11. SUPPLEMENTARY NOTES			I	
12a. DISTRIBUTION / AVAILABILI	TY STATEMENT		12b. DISTRIBU	ITION CODE
Approved for public release; di	stribution unlimited			
Force predictions of TNMCS he a regression equation, consisting This research, through simpl rates for 8 of the 10 aircraft stud and new multiple regression equ renders a better Theil's U-statist	ords) orce experienced severe declines in ours during this time period did no g of possessed hours, flying hours, e linear regression, found a signifi lied. Using this relationship, servi nations were derived. Results indi- tic for each of the aircraft studied to CS predictions and careful consider	t account for the up and sorties, to pred cant relationship bet ceable inventory lev cate the addition of s han the current pred	ward trend in The ict TNMCS hou ween serviceab els were then ac serviceable inve ictions. The stu	NMCS rates. The Air Force uses rs. le inventory levels and TNMCS dded to the Air Force equations entory as an explanatory variable ady recommends adding a
14. Subject Terms INVENTORY REDUCTION, THEIL'S U-STATISTIC	AGILE LOGISTICS, TNMCS,	REGRESSION PR	EDICTION,	15. NUMBER OF PAGES 297 16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLA OF ABSTRACT		20. LIMITATION OF ABSTRACT
UNCLASSIFIED NSN 7540-01-280-5500	UNCLASSIFIED	UNCLASS		UL andard Form 298 (Rev. 2-89)
			Pre	scribed by ANSI Std. Z39-18 -102

1

Ł

ç

rescribed	οу	ANSI	St
98-102			